Corticelli

MADE IN CANADA

HAND-KNIT FASHIONS

KP 22

35¢



PARIS

STYLE

BEAUTY

Corticelli

MADE IN CANADA

HAND-KNIT FASHIONS

Because they possess the three essentials of the perfect hand-knit garment, Corticelli Hand-Knit Fashions are the choice of the experienced knitter.

Original Styles from the world's fashion centres are adapted and ingeniously transformed into outstanding articles of hand-knitted wear. The soft even textures of Corticelli Quality Wools in a wide variety of fascinating colors are used to produce effects breath-taking in their loveliness and beauty . . . . Useful, too, because they are so appropriate for an endless number of occasions and for an infinite number of purposes.

LONDON

NEW YORK

AND USEFULNESS

Belding-Corticelli Limited
MONTREAL · TORONTO · WINNIPEG · VANCOUVER

ABBREVIATIONS

Read through and familiarize yourself with all the instructions before commencing to knit a pattern.

CASING FOR ELASTIC FOR SKIRTS. With wrong side of work toward you ch. 3,* sl. 1 st., 1 sl. st. in the next st. at left in 4th row below, ch. 4, 1 sl. st. at top of skirt in 3rd st. at left of first st., ch. 3, rep. from *around top of skirt, ending with a sl. st. in the first st.

CASING FOR ELASTIC FOR ONE-PIECE DRESS. Same as for skirt but commence 3 rows above waistline and next sl. st. in 3rd row below waistline.

St	—Stitch
K	—Knit
P	—Purl
Garter St	—Plain each row
Ridges	—2 Plain rows
SS	—Stocking St. K 1 row, P 1 row
MS	—Moss St. K 1 st, P 1 st. alternately and next row have the K over the P st and the P over the K st.
Alt	—Alternately or Alternate
Inc	—Increase by knitting in the same st.
Wl Fwd	—Wool Forward as if to Purl
Dec	—Decrease by knitting two together
Tog	—Together
Patt	—Pattern
Beg	—Beginning
SC	—Single Crochet
DC	—Double Crochet
TRC	—Treble Crochet
Rep	—Repeat
Sl	—Slip
WO	—Wool over needle
Ch	—Chain
Cont	—Continue
PSSO	—Pass slip st over
M	—Make
Rem	—Remaining
WRN	—Wool around needle
TBL	—Through the back of the loops



M4421 SWEATER

SIZE 32 - 34

MATERIAL

Y67	Corticelli Gossamer Wool No. 1105, Aquamarine	3 Balls
YP29	Aero Knitting Pins, Sizes 11 and 12	One Pair of Each

1 Button.

Tension: 8½ Stitches = 1 inch
11 Rows = 1 inch

BACK

Cast on 120 sts. on size 12 needles. K in rib of K 1, P 1 for 4½ inches. Change to size 11 needles and inc. on next row to 142 sts. K in SS for 2½ inches. On right side now work first patt. row. K 20, (WO, K 1, P 2 tog.) twice, K 42, rep. between ( ) twice, K 42, rep. between ( ) twice, K 20. **2nd row:** P 20, (WO, K 1, P 2 tog.) twice, P 42, rep. between ( ) twice, P 42, rep. between ( ) twice, P 20. Rep. these 2 rows for 2½ inches. **Next row:** Right side, K 20, rep. between ( ), K 6, rep. between ( ) twice, K 18, rep. between ( ) twice, K 6, rep. between ( ) twice, K 6, rep. between ( ) twice, K 18, rep. between ( ) twice, K 6, rep. between ( ) twice, K 20. **Next row:** P 20, rep. between ( ) twice, P 6, rep. between ( ) twice, P 18, rep. between ( ) twice, P 6, rep. between ( ) twice, P 6, rep. between ( ) twice, P 18, rep. between ( ) twice, P 6, rep. between ( ) twice, P 20. Rep. these 2 rows for 2½ inches. **Next row:** Right side, K 20, rep. between ( ) twice, * K 6, rep. between ( ) twice, *, rep. from * to * 7 times, K 20. **Next row:** P 20, rep. between ( ) twice, * P 6, rep. between ( ) twice *, rep. from * to * 7 times, P 20. Rep. these 2 rows for 1½ inches, then shape armhole as follows: Cast off 6 sts. at beg. of next 2 rows. Now K 2 tog. beg. every row until 112 sts. rem., keeping patt. even. When armhole measures 6½ inches cast off 8 sts. beg. next 8 rows for shoulder. Cast off rem. 48 sts. for neck.



(*Continued on page 56*)



M4445 SWEATER

SIZE 32 - 34

MATERIAL

Y70	Corticelli Ariel Wool No. 1011, Apricot	6 balls
YP29	Aero Knitting Pins, Sizes 11 and 12	One Pair of each
YP23	Ivory Crochet Hook, Medium Size	One

5 Buttons.

Tension: 8 Stitches = 1 inch
11 Rows = 1 inch

PATTERN

1st row: ** K 2, Sl. 1, K 1 PSSO, * WO, K 1, WO, Sl. 1, K 2 tog. PSSO *, rep. from * to * 2 more times, WO, K 1, WO, Sl. 1, K 1, PSSO, K 3, WO, Sl. 1, K 1, PSSO, K 1, K 2 tog. WO, K 2, WO, Sl. 1, K 1, PSSO, K 1, K 2 tog. WO, K 1, rep. from ** once more, ending with K 2, Sl. 1, K 1, PSSO, then (WO, K 1, WO, Sl. 1, K 2 tog. PSSO) 3 times, end with WO, K 1, WO, Sl. 1, K 1, PSSO, K 2. **2nd and all even rows:** P. **3rd row:** * K 2, K 2 tog. WO, K 5, WO, Sl. 1, K 2 tog. PSSO, WO, K 5, WO. Sl. 1, K 1, PSSO, K 4, WO, Sl. 1, K 2 tog. PSSO, WO, K 4, WO, Sl. 1, K 2 tog. PSSO, WO, K 2, * rep. from * to * once more, ending K 2, K 2 tog. WO, K 5, WO, Sl. 1, K 2 tog. PSSO, WO, K 5, WO, Sl. 1, K 1, PSSO, K 2. **5th row:** * K 2, K 2 tog. WO, K 5, WO, sl. 1, K 2 tog. PSSO, WO, K 5, WO, sl. 1, K 1, PSSO, K 3, WO, sl. 1, K 1, PSSO, K 1, K 2 tog. WO, K 2, WO. Sl. 1, K 1, PSSO, K 1, K 2 tog. WO, K 1 *, rep. from * to * once more, ending K 2, K 2 tog. WO, K 5, WO, Sl. 1, K 2 tog. PSSO, WO, K 5, WO, Sl. 1, K 1, PSSO, K 2. **7th row:** * K 4, WO, Sl. 1, K1, PSSO, K 1, K 2 tog. WO, K 3, WO, Sl. 1, K 1, PSSO, K 1, K 2 tog. WO, K 6, WO, Sl. 1, K 2 tog. PSSO, WO, K 4, WO, Sl. 1, K 2 tog. PSSO, WO, K 2 *, rep. from * to *, ending K 4, WO, Sl. 1, K 1, PSSO, K 1, K 2 tog. WO, K 3, WO, Sl. 1, K 1, PSSO, K 1, K 2 tog. WO, K 4. Rep. these 8 rows for front patt. of sweater.



(*Continued on page 56*)


M4445
M4421



STRIPED CAPE DRESS

SIZE 34

MATERIAL

Y72	Corticelli Bouclé de Laine No. 163 Jade	20 Skeins
	No. 151 Dragon Green	3 Skeins
	No. 158 Spun Gold	1 Skein
Y71	Corticelli Bouclé de Laine No. 142 Pink	2 Skeins
YP28	Circular Twin-Pin, Size 12	One only
YP26	Colored Knitting Pins, Size 12	One Pair

6 small glass buttons for cuffs.
1 glass buckle for belt.

Tension: 8 Stitches = 1 inch

CAPE

With Twin-Pin and Green cast on 430 sts. K back and forth (do not join). K 1½ inches MS (K rest in SS, in 1½ inch stripes each as follows: Jade, Pink, Jade, Gold. There will be 5 Jade, 2 Pink and 2 Gold stripes, 1 Green in MS at lower edge and each front edge). **Next row:** K 12 MS in Green and place on a spare pin, join Green, K to the last 12 sts., place these on a spare pin. When on 15th row, beg. dec. as follows: K 11, K 3 tog. * K 36, K 3 tog., rep. from * twice more, * K 46, K 3 tog., rep. from * twice more, * K 36, K 3 tog., rep. from * twice more, K 11. P next row. Change to Pink and on 7th row dec. in same way in centre of previous dec. at all 10 points, having 2 sts. less between each dec. and 1 st. less at each end. Decs. are made on 7th and 15th rows of all colors (16 rows in each stripe). When on 11th dec. row, omit 1 st. and last dec. from now on, instead K 2 tog. beg. and end every 4th row until MS band is reached. Make 16 decs. in all. On last Jade stripe omit dec. on 15th row. After 16th row of this stripe, place all sts. on spare pin. Pick up the 12 Green sts. from spare pin and K in MS about 1½ inches shorter than front edge of cape (so that edges will not frill when sewn and stretched to cape), do not cast off but sl. on spare pin with Cape sts. K other Green sts. the same and add to other sts. and K 1 inch MS with Green. Press and sew side pieces to cape.

DRESS—WAIST BACK

With Jade cast on 130 sts. K in SS. K 9 inches then to form armhole. Cast off 8 sts. beg. next 2 rows, then K 2 tog. beg. next 8 rows. K even until 5½ inches from first dec. Cast off. Change to Green. K 1 inch MS, cast off.

FRONT

With Jade cast on 161 sts. **1st row:** K 53, P 1, * K 8, P 1, rep. from * 5 times more, K 53. **Next row:** P 53, K 1, * P 8, K 1, rep. from * 5 times more, P 53. (Rep. these 2 rows), K 9 inches, then cast off for armhole same as for back. Cont. until armhole measures 5 inches. **Next row:** K 41, P 1, * K 4 tog. K 4 tog. P 1, rep. from * 5 times more, K 41. P back. With Green K 1 inch MS. Cast off.

SLEEVES

With Jade cast on 174 sts. K in SS. K 1 inch. With Pink K 1 inch. Change to Jade, cast off 8 sts. beg. next 2 rows, then K 2 tog. beg. of every row (K in stripes as on cape) until shoulder piece is reached. At same time on 6th row of 2nd Jade stripe dec. as follows: K 2 tog. K 36, K 3 tog. * K 10, K 3 tog., rep. from * 6 times more, K 36, K 2 tog. P back. Rep. dec. in this way (as for cape) every 6th row of each color, 5 times in all.



When 7 stripes are finished cont. on the sts. left without dec. K 1 Gold and 1 Jade stripe, then 1 inch Green in MS. Cast off.

CUFFS

With Green cast on 17 sts. K in MS for 10 inches, cast off. Press sleeve and cuff, sew up sleeve seam, and put centre of cuff and sleeve seam tog. Sew tog. about 2 inches on each side of seam. Leave rest of cuff free to be joined tog. with buttons. Work 1 row SC around loose edge of sleeve. Press back and front, mark centre of gores with a colored thread, press lightly to form pleats. Sew side seams. Sew sleeve to armhole edge, leaving straight piece free on sleeve and 2 inches free on back and 1½ inches on front. Then place back and front pieces over top part of sleeve, sew firmly to fit.

BELT

With Green cast on 17 sts. K 28 inches MS. Cast off. Sew on buckle.

SKIRT

With Jade and circular pin cast on 400 sts. Join, * K 20, P 1, rep. from * 6 times more, forming 6 gores. Rep. in this way up front of skirt. K 3 inches. Dec. 1 st. in each gore every 2 inches, 12 times (P 1, K 1, K 2 tog. K 17, P 1, placing decs. alt. at right and left edges of each gore). When skirt measures 14 inches, beg. from gores, * K 16, K 2 tog., rep. from * to next gore for back of skirt decs. Dec. in this way every 2 inches, having 1 st. less between decs. 5 times more. K even until skirt measures 29 inches. **Next row:** At gores * P 1, K 4 tog. K 4 tog. P 1. Rep. from * for other gores. K plain to end of round. Cast off. Work 2 rows SC around lower

(Continued on page 56)



M4414



M4431

TWEED SWEATER

SIZE 34 - 36

MATERIAL

Y89	**Corticelli French Tweed Boucle de Laine No. 26, Navy and Gold**	**6 Skeins**
Y72	**Corticelli Boucle de Laine No. 183, Anchor Blue**	**2 Skeins**
YP29	**Aero Knitting Pins, Sizes 12 and 13**	**One Pair each**
YP23	**Ivory Crochet Hook, Medium Size**	**One only**
7 Buttons.		

Tension: 8½ Stitches = 1 inch
12 Rows = 1 inch

BACK

With Tweed Wool and size 12 pins cast on 120 sts. K all in SS. K 2 inches. Then K 2 tog. beg. and end of next and every 6th row 5 times (110 sts.). K even until work measures 5 inches from beg. Change to size 13 pins and K in rib of K 1, P 1 for 1 inch. **Next row:** Change back to size 12 pins. **Next row:** K 10, inc. 1 st. in every 2nd st. 45 times, K 10. **Next row:** P 155 sts. K even until work measures 8 inches from top of ribbing, then cast off 7 sts. beg. of next 2 rows for underarm, then K 2 tog. beg. of every row 12 times (129 sts.). **Next row:** K 16, then K every following 3rd and 4th st. tog. across row to within 17 sts. of end, K 17. * **Next row:** (Wrong side). K 105 sts. **Next row:** (Right side). P 105 sts. K 2 inches in SS *. Rep. from * twice more, 3 stripes of ridges. When armhole measures 6 inches, cast off 8 sts. beg. next 8 rows. Cast off rem. 41 sts. for neck.

LEFT FRONT

Cast on 71 sts. with Tweed and size 12 pins. K 61 sts. SS and 10 front edge sts. in MS (keep these 10 sts. MS for band up entire front without decs. or incs.). K even for 2 inches, then at side edge K 2 tog. beg. of every 6th row 5 times (66 sts.). K even until work measures 5 inches from beg. Change to size 13 needles and K in rib of K 1, P 1 for 1 inch. Change to size 12 needles and next row K. Inc. 1 st. in every 2nd SS st. **Next row:** K 10 MS, P 84 SS sts. Now inc. 1 st. side edge every inch 6 times (100 sts. on row). When work measures 8 inches from top of ribbing cast off 9 sts. at side edge for underarm, then K 2 tog. beg. every other row (side edge) 5 times (86 sts.). **Next row:** K every 2nd and 3rd SS sts. tog. 24 times (62 sts. on row). **Next row:** (Wrong side facing). K 10 MS, K 52 SS. **Next row:** (Right side facing). P 52 K 10 MS. Rep. these last 2 rows every 2 inches twice more. When work measures 18 inches from beg. (wrong side facing) cast off 20 sts. for neck edge, then K 2 tog. every other row (same edge) 10 times. When armhole measures 6 inches, shape shoulders by casting off 8 sts. beg. every other row at armhole edge, 4 times.

(Continued on page 57)



M4442

SWEATER

SIZE 34

MATERIAL

Y72	**Corticelli Boucle de Laine No. 148 Pomegranate (D—Dark)**	**9 Skeins**
Y71	**Corticelli Boucle de Laine No. 132 Silver (L-Light)**	**2 Skeins**
YP29	**Aero Knitting Pins, Sizes 12 and 13**	**One Pair of Each**
YP23	**Ivory Crochet Hook, Medium Size**	**One only**
7-inch Zipper		**One**

Tension: 8 Stitches = 1 inch
12 Rows = 1 inch

BACK

With D and size 13 pins cast on 126 sts. K in rib of K 2, P 2 for 4 inches. **Next row:** Change to size 12 pins and inc. across row to 130 sts. K rest of back SS. When work measures 8 inches from ribbing, cast off 8 sts. beg. of next 2 rows, then K 2 tog. beg. of every row 14 times. K even until armhole measures 6½ inches. Shape shoulder by casting off 8 sts. beg. of next 8 rows. Cast off rem. sts.

FRONT

With D, K same as back for 4 inches. **Next row:** Change to size 12 pins and L wool, inc. across row to 136 sts. When work measures 7½ inches from ribbing, divide sts. in half. K on 68 sts., place rem. sts. on spare needle. When work measures 8 inches, from ribbing, cast off 8 sts. beg. of row for armhole. Then K 2 tog. (armhole edge only) beg. of every row 8 times. When front opening is 5½ inches, cast off 8 sts. at neck edge. At same edge cast off 4 sts. beg. every other row 3 times. K even until armhole is 7 inches. Then cast off 8 sts. beg. of every row at shoulder edge 4 times. K other half to correspond. Work 1 row SC around neck and front openings.

SLEEVES

With size 13 pins and D, cast on 56 sts. K in rib of K 2, P 2 for 3 inches. Change to size 12 pins and inc. 1 st. in every st. P back 112 sts. **Next row:** Inc. across row to 120 sts. When sleeve measures 17½ inches from beg. cast off 8 sts. beg. of next 2 rows. Then K 2 tog. beg. of every row until 46 sts. rem. Then K 2 tog. beg. and end of every row until 18 sts rem. Cast off.

COLLAR

With D and size 13 pins cast on 128 sts. K in rib of K 2, P 2 for 4 inches. Cast off.

TO MAKE UP

Sew shoulders together. Set in sleeves and sew up all seams. Sew collar around neck, fold over and tack at front edges at each side of zipper. Sew on zipper, starting at top of collar.


M4442


M4411

SWEATER

SIZE 34

MATERIAL

YP63	Corticelli Koh-I-Noor Angora Sea Blue	10 Balls
YP29	Aero Knitting Pins, Sizes 11 and 13	One Pair of Each
6 Buttons.		

Tension: 8 Stitches = 1 inch

PATTERN

1st row: K 1, * M 1 (by putting wool around needle), P 3, K 3, K 2 tog. K 2, P 4, rep. from *, K 1. **2nd row:** K 1, * M 1, K 4, P 2, P 2 tog. P 2, K 4, rep. from * K 1. **3rd row:** K 1, * M 1, P 4, K 1, K 2 tog. K 2, P 5, rep. from * K 1. **4th row:** K 1, * M 1, K 5, P 1, P 2 tog. P 1, K 5, rep. from * K 1. **5th row:** K 1, * M 1, P 5, K 1, K 2 tog. P 6, rep. from * K 1. **6th row:** K 1, * M 1, K 6, P 2 tog. K 6. Rep. from * K 1.

FRONT

With size 13 needles cast on 108 sts. K in ribs of K 1, P 1 for 4 inches. **Next row:** Change to size 11 needles and inc. across row to 140 sts. **Next row:** P 20 sts. Work 7 patts. P 20 sts. (work the 7 patts. until other directions are given). Inc. 1 st. at beg. and end of needle every 3rd inch (underarm, 146 sts.). When work measures 9 inches from top of ribbing, cast off 12 sts. beg. next 2 rows for armhole, then cast off 1 st. beg. and end of every 2nd row, 3 times (15 sts. in all for each armhole). **Next row:** (Wrong side of work). Change to size 13 needles and work 37 sts. in rib, 3 patts. (work patts. only from * to *) and 37 sts. in ribbing. When ribbing measures 4 inches, cast off. Work back the same.

SLEEVES

With size 13 needles cast on 80 sts. Work in ribbing of K 1, P 1 for 1½ inches. **Next row:** Change to size 11 needles and inc. across row to 114 sts. **Next row:** (wrong side) P 49, work 1 complete patt. P 49 sts. (this patt. in the centre is worked all the way up). When sleeve measures 2 inches from ribbing cast off 12 sts. beg. of next 2 rows, then cast off 1 st. at each end of needle every 2nd row until 50 sts. rem. then cast off 1 st. at each end of needle every row until 30 sts. rem. Cast off. Sew 2 inches of ribbing on the shoulders on each side.


M4424

SWEATER

SIZE 34 - 36

MATERIAL

Y71	Corticelli Boucle de Laine No. 138 Coral Mist	10 Skeins
	No. 130 White	2 Skeins
YP29	Aero Knitting Pins, Size 12	One Pair
9 Buttons.		

Tension: 8 Stitches = 1 inch
11 Rows = 1 inch

BACK

With Coral cast on 110 sts. K in rib of K 1, P 1 for 4½ inches. **Next row:** K 6, inc. in every 2nd st. across row to last 6 sts. K 6 (159 sts). K even until work measures 13 inches. Then cast off 6 sts. beg. next 2 rows, and K 2 tog. beg. next 12 rows. **Next row:** K 12, * K 2 tog. K 1, rep. from * to last 12 sts. K 12. **Next row:** Beg. yoke, K 8 rows MS. K in SS until armhole measures 7 inches. Then cast off 7 sts. beg. of next 10 rows. Cast off rem. sts. for neck.

FRONT

Cast on 120 sts. K in rib of K 1, P 1 for 4½ inches. **Next row:** Inc. across row to 150 sts. (K in SS and cable patt). Beg. cable row—K 30 SS, Sl. 3 sts. on a spare double end needle and K next 3 sts. (hold spare needle at back of work) then K the 3 sts. from spare needle, forming cable, K 5 SS, K another cable, K 5 SS. K third cable. K 34 SS, K 3 more cables (with 5 SS between) to correspond with first side of front, end row with K 30 SS. K 6 rows SS. between each cable row. Then inc. 1 st. beg. and end of next and every 4th row, 4 times (138 sts.). Cont. cable up to yoke. K even until work measures 13½ inches. Then cast off 6 sts. beg. of next 2 rows, and K 2 tog. beg. of every row 10 times. **Next row:** K 22 MS, drop wool, then with spare needles and another ball, K Flap. Cast on 30 sts. K 4 MS, K 22 SS, end with K 4 MS. K even for 1 inch. Then K 2 tog. (inside of border MS sts.) beg. and end of every row until 3 sts rem. Cast off. Then pick up the 30 sts. cast on at beg. of Flap on a double-end needle and place in front of next 30 sts. (after wool was dropped) and K 1 st. from each needle as one st. for 30 sts. K 34 sts. MS, then make another Flap to correspond with first and join in same way as before. K in MS to end of row. K ½ inch MS. **Next row:** Divide front—K 64 sts. SS, 5 MS, slip rem. 69 sts. on holder. K on first half, when front opening measures 4 inches cast off 6 sts. at front edge. Then K 2 tog. beg. of front edge every row. When armhole measures 7 inches cast off 7 sts. beg. of every row at armhole 5 times, also cont. to K 2 tog. at neck until all sts. are off. K other side to correspond.

SLEEVES

With Coral cast on 80 sts. K in rib of K 1, P 1 for 1 inch. **Next row:** Inc. in every st. for 26 sts. K 28 sts. (for cable patt. same as on front), then inc. in last 26 sts. of row. **Next row:** Right side facing, K 52 SS, K cable, SS 5 sts. K 2nd cable, SS 5 sts. K 3rd cable, K rem. 52 sts. SS, K 6 rows SS between each cable row.

(Continued on page 57)


M4411
M4424


M4430

SWEATER

SIZE 32 - 34

MATERIAL

Y72	**Corticelli Boucle de Laine No. 152 Dark Peach**	**9 Skeins**
	Beldings Artsyl Rope No. 131 Black	**3 Skeins**
YP29	**Aero Knitting Pins, Size 12**	**One Pair**
YP33	**Double End Knitting Needles, Size 12**	**One Set of 4**
YP23	**Ivory Crochet Hook, Medium Size**	**One only**

10 Buttons.

Tension: 8 Stitches = 1 inch
12 Rows = 1 inch

BACK

Cast on 140 sts. K in Fancy Rib as follows: **1st row:** K 1, P 1. **2nd row:** P. Rep. these 2 rows for 1½ inches. (At same time K 2 tog. beg. and end of every 6th row, 10 times (120 sts.). After 1½ inches from beg. **Next row:** * K 1, P 1 for 19 sts. K 20 SS, rep. from *, end with K 1, P 1 for 19 sts. **Next row:** P. Rep. these 2 rows twice more. K in SS until work measures 5 inches from beg. Then K in rib of K 1, P 1 for 1 inch. **Next row:** Inc. across row to 136 sts. Then place 68 sts. on holder and K the rem. 68 sts. for Right Side of Back, K the first 10 sts. in Fancy Rib (for buttonhole band up centre back) and rest of row SS, making a buttonhole every 17th row (9 in all). To make buttonhole, K 3, cast off 4, K rest of row. **Next row:** Cast on 4 over cast off ones below. When work measures 8 inches from top of ribbing, next row cast off 6 sts. at arm edge, then K 2 tog. beg. of next 6 rows (arm edge), then K even until work measures 6 inches from beg. of armhole, then cast off 21 sts. (buttonhole edge), K 35. Cast off 10 sts. beg. of every row at arm edge, 3 times and at same time K 2 tog. beg. every row at neck edge. K Left Side to correspond, omitting buttonholes, but on first row cast on 10 sts. at centre edge and K in Fancy Rib for button band up back.

(Continued on pages 57-58)


M4429

SWEATER

SIZE 32 - 34

MATERIAL

Y68	**Corticelli Thistlebloom Wool No. 149 Sea Green**	**10 Balls**
	No. 151 Dragon Green	**1 Ball**
	No. 130 White	**1 Ball**
YP29	**Aero Knitting Pins, Sizes 11 and 12**	**One Pair of Each**
YP23	**Ivory Crochet Hook, Medium Size**	**One only**

6 Buttons.

Tension: 8 Stitches = 1 inch
10 Rows = 1 inch

(This tension must be adhered to, otherwise garment will be too large).

BACK

With size 12 pins and Sea Green, cast on 104 sts. K in rib of K 1, P 1 for 4 inches. Change to size 11 pins. Inc. across next row to 128 sts. K all in SS. When work measures 14 inches from beg. cast off 8 sts. beg. of next 2 rows. Then K 2 tog. beg. of every row, 20 times (92 sts.). K even until work measures 6 inches from armhole, then cast off 7 sts. beg. next 8 rows. Cast off rem. sts. for neck.

FRONT

With size 12 pins cast on 104 sts. K in rib of K 1, P 1 for 4 inches. Change to size 11 pins and inc. across next row to 130 sts. K rest in SS, K 10 rows. Left Front—With right side of work facing, K 65 sts. and place rest of sts. on holder for right front. K 14 inches from beg. **Next row:** Cast off 8 sts. at armhole edge, then at same edge, K 2 tog. beg. next 5 rows. K until work measures 4½ inches from underarm. **Next row:** Cast off 8 sts. at neck edge, then cast off 4 sts. every other row (neck edge) 4 times (28 sts.). When work measures 6½ inches from underarm cast off 7 sts. beg. every row at seam edge 4 times.

RIGHT FRONT

With 65 sts. from holder, inc. 1 st. at front edge every 4th row until work measures 17 inches from beg. (about 28 times); at same time make buttonholes as follows: K 20 rows, next row K 4, cast off 4, K rest of row. **Next row:** Cast on 4 sts. over cast off ones below, K 5 more buttonholes, 18 rows between each (except last one). Cast off for armhole to correspond with Left Front. When work is 14 inches from beg. (2 rows after 6th buttonhole), cast off 4 sts. beg. every row, at front edge, 6 times. **Next row:** Cast off 7 sts. same edge. To shape neck, next row cast off 8 sts. (neck edge), then cast off 4 sts. beg. every row (neck edge) 4 times (28 sts.). When work measures 6½ inches from underarm cast off 7 sts. beg. every row, at arm edge, 4 times.

SLEEVES

With size 12 pins cast on 60 sts. K in SS. K 1½ inch. Change to size 11 pins. Inc. across next row to 90 sts. K 5 inches from beg. Then cast off 5 sts. beg. next 2 rows. Then K 2 tog. beg. every row until 20 sts. rem. Cast off.

CUFFS

With size 12 pins cast on 60 sts. K in SS for 1½ inches. Cast off. Sew to sleeves.

COLLAR

Cast on 90 sts. **1st row:** K 3, inc. in next st. K 82 sts. Inc. in next st. K 3. **2nd row:** P. Cont. in SS. Inc. every alt. row (as on 1st row) until 114 sts. Cast off.

Sew up all seams. Sew collar around neck and set in sleeves. Work in SC around collar, cuffs and right front, 2 rows White, 2 rows Dark Green. Work 1 row SC down left front in Sea Green.


M4429
M4430

Corticelli



MAN'S SWEATER

SIZE 40

MATERIAL

Y76	**Corticelli Australene Wool No. 192 Spanish Tile**	**16 Balls**
YP29	**Aero Knitting Pins, Sizes 12 and 13**	**One Pair of Each**
YP28	**Circular Twin-Pin, Size 12**	**One only**

Tension: 7 Stitches = 1 inch
9 Rows = 1 inch

ZIG-ZAG PATTERN



The patt. requires a multiple of 6. **1st row:** K 3, P 3. **2nd row:** P 1, * K 3, P 3, rep. from * end. P 2. **3rd row:** K 1, * P 3, K 3, rep. from * end. K 2. **4th row:** * P 3, K 3, rep. from * to end. **5th row:** P 2, * K 3, P 3, rep. from * end. P 1. **6th row:** K 2, * P 3, K 3, rep. from * end. K 1. **7th row:** P 2, * K 3, P 3. rep. from * end. P 1. **8th row:** * P 3, K 3, rep. from * to end. **9th row:** K 1, * P 3, K 3, rep. from * end. K 2. **10th row:** P 1, * K 3, P 3, rep. from * end. P 2. Rep. these 10 rows for whole garment.

BACK

With size 12 pins cast on 132 sts. K in rib of K 3, P 3 for 4 inches. Change to size 10 needles, K rest in patt. When work measures 15 inches from beg. start armhole (keeping continuity of patt.) by casting off 5 sts. beg. of next 2 rows. Then K 2 tog. beg. of next 14 rows. K even on rem. 108 sts. until armhole measures 7½ inches. **Next row:** K 33 sts. sl. onto a holder. K the next 42 sts. sl. on thread (for back of neck). On rem. 33 sts. dec. 1 st. at neck end every 2nd row 3 times, then at armhole edge bind off 6 sts. beg. of next 5 rows, K other shoulder to correspond.

FRONT

With size 12 needles cast on 150 sts. K same as back to underarm. For armhole cast off 9 sts. at beg. of next 2 rows. Then K 2 tog. beg. of next 24 rows. K even on rem. 108 sts. until armhole measures 6 inches. **Next row:** K 37 sts., place on holder, K next 34 sts., place on thread

(Continued on page 58)

Corticelli



SWEATER

SIZE 36

MATERIAL

Y70	**Corticelli Ariel Wool No. 1012 Coral**	**6 Balls**
YP25	**Colored Knitting Pins, Sizes 10 and 12**	**One Pair of each**

Tension: 7 Stitches = 1 inch
9 Rows = 1 inch

BACK

With size 12 pins cast on 108 sts. K in rib of K 1, P 1 for 3 inches. **Next row:** With size 10 pins inc. across row to 126 sts. Start patt. **1st and 2nd rows:** * K 3, P 3. Rep. from * to end of row. **3rd row:** * K 1, then K 1, P 1, K 1 all 3 in next st. K 1, P 3, rep. from * to end. **4th row:** * K 3, P 5, rep. from * to end. **5th row:** * K 5, P 3, rep. from * to end. **6th row:** As 4th row. **7th row:** * K 1, K 3 tog. K 1, P 3, rep. from * to end. **8th row:** * K 3, P 3, rep. from * to end. **9th and 10th rows:** * P 3, K 3, rep. from * to end. **11th row:** * P 3, K 1, then K 1, P 1, K 1 all in next st. K 1, rep. from * to end. **12th row:** * P 5, K 3, rep. from * to end. **13th row:** * P 3, K 5, rep. from * to end. **14th row:** As 12th row. **15th row:** * P 3, K 1, K 3 tog. K 1, rep. from * to end. **16th row:** * P 3, K 3, rep. from * to end. These 16 rows are repeated for whole sweater and when inc. or dec. care must be taken to keep patt. uniform. When inc. or dec. keep sts. at either end of row in rib unless sufficient to K another patt. The inc. sts. in middle of patt. are temporary incs. only and should be treated as 1 st. when dec. or casting off. K 10 inches to armhole. Cast off 8 sts. beg. of next 2 rows. Then K 2 tog. beg. and end of next and every other row, 7 times (96 sts.). When work measures 6½ inches or 7 patts., cast off 6 sts. beg. of next 10 rows, then 3 sts. beg. of next 2 rows. Cast off centre sts. for neck.



(Continued on page 58)


M4451
M4344



SWEATER

SIZE 32 - 34

MATERIAL

Y78	**Corticelli Zephrene Wool No. 158, Maize**	**9 Balls**
	No. 131, Black	**1 Ball**
YP25	**Colored Knitting Pins, Size 12**	**One Pair**
	6 Buttons.	
	1 Belt.	

Tension: 8 Stitches = 1 inch
12 Rows = 1 inch

BACK



With Maize cast on 125 sts. and K in rib of P 1, K 1, for 4 rows. Now work in patt. as follows: **1st row:** K 1, P 1, for 28 sts. K 6, P 1, then K 1, P 1, for 56 sts. K 6, then P 1, K 1, for 28 sts. **2nd and each alt. row:** Unless otherwise directed, P the K sts. and K the P sts. of the previous row. **3rd row:** P 1, K 1, for 26 sts. P 1, K 3, P 2, K 3, P 1, then K 1, P 1, for 54 sts. K 3, P 2, K 3, P 1, then K 1, P 1 to end of row. **4th row:** As 2nd row. The patt. between diamonds consists of 2 rows of K 1, P 1 rib, and 2 rows of P 1, K 1 rib. Work in this way when directed to "K in patt." and when inc. or dec. care must be taken to keep the patt. even. **5th row:** K 26 sts. in patt. K 3, P 4, K 3, K 53 sts. in patt. K 3, P 4, K 3, K 26 sts. in patt. **7th row:** K 25 in patt. K 3, P 6, K 3, K 51 in patt. K 3, P 6, K 3, K 25 in patt. **9th row:** K 24 in patt. K 3, P 8, K 3, K 49 in patt. K 3, P 8, K 3, K 24 in patt. **11th row:** K 23 in patt. K 3, P 10, K 3, K 47 in patt. K 3, P 10, K 3, K 23 in patt. **13th row:** K 22 in patt. K 3, P 12, K 3, K 45 in patt. K 3, P 12, K 3, K 22 in patt. **14th row:** As 2nd row. This is one half the diamond; rep. from 11th row back to 1st row inclusive. **26th row:** As 2nd row. **27th row:** Cable row, K 28 in patt. sl. the next 3 sts. on a spare needle, hold in front of work, K the next 3 sts. then K the 3 sts. from the spare needle, K 57 in patt. K second cable, K 28 in patt. **28th row:** As 2nd row. These 28 rows form one diamond. Cont. diamond patt. up to shoulder, shaping as follows. When work measures 7 inches from beg. inc. 1 st. each end of next and every following 6th row, 6 times in all (137 sts.). Work even until seam measures 13½ inches. To shape armhole cast off 6 sts. beg. of next 2 rows. Then K 2 tog. beg. of every row 12 times (113 sts.). Cont. even until armhole measures 7 inches, then cast off 35 sts. beg. next 2 rows for shoulders. Cast off rem. sts. for back of neck.

(Continued on pages 58-59)



SWEATER

SIZE 34

MATERIAL

Y66	**Corticelli Bunnywool No. 130 White**	**3 Balls**
	No. 132 Grey	**3 Balls**
	No. 145 Copen	**2 Balls**
YP29	**Aero Knitting Pins, Sizes 11 and 12**	**One Pair of Each**
	3 Buttons.	

Tension: 7½ Stitches = 1 inch
11 Rows = 1 inch

PATTERN STITCH

1st row: K (right side of work). **2nd row:** * P 5, K 1, rep. from * across row, end. with P 5. Rep. these 2 rows for whole sweater. K in patt. stripes as follows: * 12 rows Grey, 6 rows White, 2 rows Copen, 6 rows White, rep. from * for whole sweater.

BACK

With Grey and size 11 pins cast on 119 sts. (K in stripes and patt. stripe as above). K 4 inches. Then inc. 1 st. beg. and end of every 10th row, 6 times. K even until work measures 11 inches from beg. (4 complete patt. stripes and to 2nd Copen row of 5th stripe). Cast off 3 sts. beg. of next 2 rows for armhole, then K 2 sts. tog. beg. next 18 rows. K even until armhole measures 7 inches, then cast off 12 sts. beg. of each of next 6 rows. Cast off rem. sts.

FRONT

With size 11 pins and Grey cast on 131 sts. K same as back to armhole. Then cast off 3 sts. beg. of next 4 rows for armhole, then cast off 2 sts. beg. next 12 rows. K even until there are 7 complete patt. stripes from beg. of work. Then K 8 rows Grey. With right side of work facing, K 36 sts., sl. these on a holder, cast off next 35 sts. K 36 sts., turn, work the 36 sts., then cast on 44 sts. (for button strap), turn. K in patt. stripes on these 80 sts. Then on first Copen row (right side of work facing), make buttonhole. K 3, cast off 4, K to end of row. **Next row:** K 3. Cast on 4 sts. (over cast off ones below). K until 3rd Grey row (right side facing), then cast off the 44 strap sts. K on rem. sts. until armhole measures 7 inches. With P side facing, cast off 12 sts.

(Continued on page 59)



M4433

M4420



MAN'S COAT SWEATER

SIZE 36 - 38

MATERIAL

Y78 Corticelli Zephrene Wool No. 146, Delft - - - - - 12 Balls
YP29 Aero Knitting Pins, Size 11 - - - - - - - - - - - One Pair
YP33 Double-End Knitting Needles, Size 11 - - - - One Set of 4
1—20" Zipper (Blue Tape).
Tension: 8 Stitches = 1 inch
11 Rows = 1 inch

BACK

Starting at yoke and working down to waist, cast on 122 sts. K all in SS. Inc. 1 st. at beg. of every row for 22 rows. Now inc. 1 st. at each end of every row 16 times. Now cast on 7 sts. beg. next 2 rows (190 sts.). Now dec. 1 st. each end of every 8th row until 176 sts. rem. K even until work measures 13 inches from beg., then K following row on right side of work. * K 2, K 2 tog., rep. from * 9 times more, put next 3 groups of 11 sts. on spare double-end needles, fold to form a pleat facing toward the right, K 1 st. from each needle tog. as 1, eleven times. K 30 sts. K second pleat as first, but having it face towards the left, * K 2 tog. K 2, rep. from * 9 times more (112 sts.). K 6¾ inches even. Now K 9 ridges. Cast off.

BACK YOKE

Cast on 78 sts. K 3 ridges, then dec. 1 st. at beg. of every row until 48 sts. rem. Cast off for back of neck.

LEFT FRONT

Starting at bottom edge, cast on 75 sts. K 9 ridges. K in SS until work measures 17 inches (but K 4 sts. plain every row at centre edge of front up to neck decreasings). Shape raglan armhole by casting off 7 sts. at armhole edge, then K 2 tog. at same edge every row 16 times. Then K 2 tog. at same edge every other row 28 times. At same time shape neck when armhole measures 4 inches (on straight knitting), K 2 tog. at neck end every row 24 times. Cont. with armhole decs. until all sts. are off.

RIGHT FRONT

K to correspond with Left Front.

SLEEVES

Cast on 70 sts. K 9 ridges. Now K all SS inc. 1 st. each end of every 8th row to 108 sts. K even until work measures 19 inches. Shape armhole. Cast off 6 sts. beg. next 2 rows, then K 2 tog. at each end of every row 16 times. Then K 2 tog. at beg. of every row until 8 sts. rem. Cast off.

POCKETS

Cast on 68 sts. K in SS for 4 inches. **Next row:** Right side, K 13 sts. * put next 3 groups of 7 sts. on spare needles, fold to form a pleat facing to the right, K 1 st.

(Continued on page 59)



MAN'S SLEEVELESS

SIZE 36 - 38

MATERIAL

Y68 Corticelli Thistlebloom Wool No. 148 Maroon - - 10 balls
YP29 Aero Knitting Pins, Sizes 10 and 12 - - - - - 1 pair of each
YP33 Double-End Knitting Needles, Size 12 - - - One set of four
Tension: 6 Stitches = 1 inch on size 10 pins
9 Rows = 1 inch on size 10 pins

BACK

With size 12 pins cast on 127 sts. K in rib of K 1, P 1 for 3 inches. Change to size 10 pins and start patt.

1st row: * P 1, K 6, P 1, make a cable on next 6 sts. (sl. 3 sts. on a spare double-end pin, hold at back of work and K the next 3 sts., then K the 3 sts. from spare pin), rep. from * across row, end with P 1. **2nd row:** * K 1, P 6, rep. from *, end with K 1. **3rd row:** * P 1, K 6, rep. from *, end with P 1. Rep. 2nd and 3rd rows once more. **6th row:** * K 1, P 6, rep. from *, end with K 1. **7th row:** Same as 1st row. Rep. 2nd and 3rd rows, 3 times. **14th row:** * K 1, P 6, rep. from *, end with K 1. **15th row:** * P 1, make cable, P 1, K 6, rep. from * end with P 1. Rep. 2nd and 3rd rows twice. **20th row:** * K 1, P 6, rep. from *, end with K 1. **21st row:** Same as 15th row. Rep. 2nd and 3rd rows, 3 times. **28th row:** * K 1, P 6, rep. from *, end with K 1. These 28 rows form 1 patt. Rep. from 1st row for whole Sleeveless, keeping patt. even when dec. When work measures 14 inches from beg. cast off 7 sts. beg. of next 2 rows for armhole. Then K 2 tog. beg. next 14 rows (99 sts.). K even until armhole measures 8 inches from 1st dec. **Next row:** K 35, cast off 29 and place rem. 35 sts. on spare pin. Cont. on first 35 sts. beg. at neck edge, cast off 2 sts. beg. of every row at neck edge 3 times. Then



(Continued on page 59)



M4440

M4435

Corticelli



M4416

TWIN SWEATERS

SIZE 34 - 36

MATERIAL

Y78 Corticelli Zephrene Wool, No. 187 Scarlet - - - - - 8 balls
YP29 Aero Knitting Pins, Sizes 11 and 12 - - - One pair of each
YP23 Ivory Crochet Hook, Medium Size - - - - - - - - One only
Tension: 8 Stitches = 1 inch
10 Rows = 1 inch

BACK

With size 12 pins cast on 102 sts. K in rib of K 2, P 2 for 2¾ inches. Change to size 11 pins. **Next row:** K 7, * inc. 1 st. in next st. K 5, rep. from * to end of row (122 sts.). **Next row:** P. Cont. in SS inc. 1 st. beg. and end every 6th row until there are 136 sts. on row and K until work measures 11½ inches. Then cast off 8 sts. beg. of next 2 rows for armhole and K 2 tog. each end every other row 8 times (104 sts. rem.). Then K even until armholes measure 3¾ inches, then K in rib of K 2, P 2 across row for 3¼ inches, then cast off 7 sts. at beg. of next 8 rows, then K in SS for 1¼ inches, then K in garter st. for 3 rows. Cast off with wrong side of work toward you.

FRONT

With size 12 pins cast on 110 sts. K in rib of K 2, P 2 for 3 inches, then change to size 11 pins. **Next row:** * K 10, inc. 1 st. in next st., rep. from * across row (120 sts.). **Next row:** P 80 and put them on holder and cont. on left side on 40 sts. and cast on at front edge 8 sts. and keep 5 sts. in garter st. and K even up to neck but at seam edge inc. 1 st. every 6th row 7 times, then K even until work measures 11½ inches., dec. for armhole same as back but K until armhole is 5″, then K in rib of K 2, P 2 on 28 sts. and K the others same as before for 3¼ inches, then cast off at armhole edge 7 sts. every other row 4 times, then cast off rem. sts.

RIGHT FRONT

Take from st. holder 80 sts. and at centre edge keep 5 sts. in garter st. and at seam edge inc. same as for left front but when work measures 2¼ inches make buttonhole, K 5, cast off 4, finish row. **Next row:** Cast on 4 sts. over cast off sts. below. Rep. these buttonholes every 2¼ inches 5 more times (6 buttonholes in all). and dec. same for armhole as left front. When armhole measures 5 inches K in rib of K 2, P 2 for 3¼ inches, then cast off for shoulder same as left, 7 sts. every other row 4 times, and cont. in SS and at front edge keep 5 sts. in garter st. K even until the work measures 3½ inches from last casting off for shoulder, then K 3 rows in garter st. and cast off with wrong side toward you.

SLEEVES

With size 12 pins cast on 56 sts. K 4 rows in garter st. then K in SS until work measures 2½ inches. Change to size 11 pins and inc. 1 st. beg. and end of every 6th row until there are 92 sts. on row. K even until work measures 17½ inches, then cast off 3 sts. at beg. of next 2 rows, then K 2 tog. at beg. of every row until there are 54 sts. With right side toward you K 2 tog. K 15, (P2, K 2), for 22 sts. K 15 and keep this rib up to top of sleeve, cont. to dec. 2 tog. at beg. of every row until there are 26 sts. on needle. Cast off.

Sew shoulder and at right side near shoulder, sew back and front pieces tog. by folding the front near bottom edge and at left side back part to the rem. sts. after shoulder, and do 2 rows of SC on top of neck.

MATERIAL

Y79 Corticelli Chiffonfloss No. 187 Scarlet - - - - - - 4 Balls
YP33 Double End Knitting Needles, Size 11 - - - One Set of Four
YP28 Circular Twin-Pin, Size 11 - - - - - - - - - - - - One only
6 Buttons.
Tension: 9 Stitches = 1 inch
13 Rows = 1 inch



The Pullover is worked from the neck down. With the four needles cast on 108 sts. Rib 1 inch of K 1, P 1. Proceed, changing to circular pin as sts. inc.

1st round: Inc. once in first st. K 48. Inc. in next st (Front), K 1 (seam) inc. once in each of next 2 sts (Sleeve), K 1 (seam) inc. in next st. K 48, inc. in next st. (Back), K 1 (seam), inc. once in each of the next 2 sts (sleeve), K 1 (seam). **2nd and alt. rounds:** K. **3rd round:** Inc. in first st. K 50, inc. in next st. K 1, inc. in next st. K 2, inc. in next st. K 1, inc. in next st. K 50, inc. in next st. K 1, inc. in next st. K 2, inc. in next st. K 1. **5th round:** Inc. in first st. K 52, inc. in next st. K 1, inc. in next st. K 4, inc. in next st. K 1, inc. in next st. K 52, inc. in next st. K 1, inc. in next st. K 4, inc. in next st. K 1. Cont. inc. in this manner, having 2 more K sts. on front each sleeve and back between sts. increased on every alt. row, to 472 sts. Sl. 94 sts. (sleeve) on to st. holder. K 142. Sl. 94 sts. (sleeve) on 2nd holder. K 142. Join. Mark underarm, cont. in SS for 2 inches from underarm. **Next round:** K 70 sts. from underarm. mark, P 2, K 140, P 2, K 70. K for 13 rounds (1″). **Next round:** K 66 from underarm mark, P 2, K 2, P 2, K 2, P 2. K 132 sts. P 2, K 2, P 2, K 2, P 2, K 132 sts. K for 13 rounds (1″). Cont. in that way, having 2 ribs more on each side every 13 rounds until there are 17 ribs or 34 sts. K in rib of K 2, P 2 for 3 inches. Cast off.

(*Continued on page 60*)



M4416



M4412

TWO-PIECE SUIT AND SCARF

SIZE 34 - 36

MATERIAL

Y89	Corticelli French Tweed Boucle de Laine No. 57, Red, Black, Grey	13 Skeins
Y72	Corticelli Boucle de Laine, No. 178 Bandera Red	2 Skeins for trimming
YP28	Circular Twin-Pin, Size 12	One
YP29	Aero Knitting Pins, Size 12	One Pair
4 Large Buttons.		
4 Small Buttons.		

Tension: 8½ Stitches = 1 inch
12 Rows = 1 inch

SKIRT

With Twin-Pin and Tweed Wool cast on 430 sts. Join. K 1 inch SS. **Next row:** P to form hem ridge. Cont. in SS, K 6 inches from ridge. **1st dec. round:** * K 16, K 2 tog., rep. from * to end of round, K 5 inches. **2nd dec. round:** * K 15, K 2 tog., rep. from * to end of round, K 4 inches. **3rd dec. round:** * K 14, K 2 tog., rep. from * to end of round, K 3 inches. **4th dec. round:** * K 13, K 2 tog., rep. from * to end of round, K 3 inches. **5th dec. round:** * K 12, K 2 tog., rep. from * to end of round, K 2 inches. **6th dec. round:** * K 11, K 2 tog., rep. from * to end of round, K 2 inches. **7th dec. round:** * K 10, K 2 tog., rep. from * to end of round, K 2 inches. **8th dec. round:** * K 9, K 2 tog., rep. from * to end of round, K 1 inch. **9th dec. round:** * K 28, K 2 tog., rep. from * to end of round, K 1 inch. Cast off. Crochet beading for elastic. Skirt should measure 29 inches.

COAT—BACK

With straight needles cast on 140 sts. K 1 inch in SS. **Next row:** On right side P 1 row to form hem ridge. Cont. in SS. When work measures 3 inches from ridge, dec. 1 st. each end of needle every 6th row, 5 times. K even until work measures 8 inches from ridge. **Next row:** K tightly in rib of K 1, P 1 for 1 inch. **Next row:** Right side of work, K 25 sts. P 2, * K 3, P 2, rep. from * twice more. K 46 sts. P 2, * K 3, P 2, rep. from * twice more, K 25 sts. **Next row:** P 25, K 2, * P 3, K 2, rep. from * twice more, P 46, K 2, * P 3, K 2, rep. from * twice more, P 25. Rep. these 2 rows for back. When 1 inch from ribbing inc. 1 st. each end of needle every 6th row, 5 times. When work measures 8 inches from last row of ribbing cast off 10 sts. beg. of next 2 rows, for armhole, then K 2 tog. beg. of next 12 rows. Then K 6 rows MS, then cont. in SS until 7 inches from 1st cast off. Cast off 7 sts. beg. of next 10 rows, cast off rem. 38 sts. for neck.

FRONTS

Cast on 90 sts. K 1 inch in SS. **Next row:** With right side facing, P 1 row for hem ridge. Cont. in SS. When

(Continued on page 60)



M4320

ONE-PIECE DRESS

SIZE 34 - 36

MATERIAL

Y71	Corticelli Boucle de Laine No. 135, Eggshell	18 Skeins
Y72	Corticelli Boucle de Laine No. 192, Hindu Red	1 Skein
	Small amount of 9 matching colors for flowers.	
YP28	Circular Twin-Pin, Size 12	One only
YP29	Aero Knitting Pin, Size 12	One Pair
YP23	Ivory Crochet Hook, Medium Size	One only

Tension: 8 Stitches = 1 inch
11 Rows = 1 inch

SKIRT

With Twin Pin and Eggshell, cast on 400 sts. K plain for 1½ inches, then P 1 row to form hem ridge. K 10 inches even. **1st dec.:** * K 2 tog., K 18, rep. from * around row, K 5 inches even. **2nd dec.:** * K 2 tog. K 17, rep. from * around row, K 4 inches even. **3rd dec.:** * K 2 tog. K 16, rep. from * around row, K 3 inches even. **4th dec.:** * K 2 tog. K 15, rep. from * around row, K 2 inches even. **5th dec.:** * K 2 tog. K 14, rep. from * around row, K 2 inches even. **6th dec.:** * K 2 tog. K 13, rep. from * around row. K 1 inch even. **7th dec.:** * K 2, tog. K 12, rep. from * around row, K 1 inch even. **8th dec.:** * K 2 tog. K 11, rep. from * around row, work even until skirt measures 29 inches. Cast off.

BLOUSE FRONT

Cast on 120 sts. K in SS. Inc. 1 st. beg. of every 6th row 10 times (140 sts.). When work measures 8 inches, shape armhole as follows: Cast off 5 sts. beg. of next 2 rows. Then dec. 1 st. beg. of every row 10 times (120 sts.). When armhole measures 3 inches from first dec., cast off centre 40 sts. for neck. When armhole measures 6½ inches, slope shoulder. Beg. at side edge, cast off 10 sts. every other row 4 times. Make other side to correspond.

RIGHT BACK

Cast on 70 sts. Inc. 1 st. beg. every 6th row at side edge 10 times, at same time when work measures 4 inches make buttonhole at centre back by K 3, cast off 7 sts. K to end of row. **Next row:** Cast on 7 sts. over cast off ones below. Make 3 more buttonholes in this manner every 3 inches. When work measures 9 inches, shape armhole, at side edge cast off 5 sts. Then dec. 1 st. beg. every row 5 times. After 4th buttonhole is made K 4 rows even, then at centre back cast off 30 sts. for back of neck. When armhole measures 6½ inches, slope shoulder. Beg. at side edge cast off 10 sts. 4 times. Make left side to correspond, leaving out buttonholes.

SLEEVES

Cast on 130 sts. K 1 inch even, P 1 row to form hem

(Continued on page 24)


M4320
M4412



M4448

VESTEE

SIZE 34

MATERIAL

Y71	Corticelli Boucle de Laine No. 135 Eggshell - - -	4 Skeins
YP25	Colored Knitting Pins, Size 12 - - - - - - - - - -	One Pair
2 Buttons.		

Tension: 8 Stitches = 1 inch
11 Rows = 1 inch

Cast on 107 sts. **1st row:** * P 1, K 1, P 1, K 5, rep. from * across row, end. with P 1, K 1, P 1. **2nd row:** * P 1, K 1, P 7, K 1, rep. from * end. with P 1. Rep. these 2 rows for entire vest. When work measures 16½ inches K 54 sts. Put these on extra needle. K on the rem. 53 sts. Cast off at neck edge 2 sts. beg. of every row 4 times, then K 2 tog. beg. of every other row 12 times, K 1 inch even. Cast on 20 sts. for back of neck. K even for 3½ inches. Cast off. K other shoulder to correspond.

BELT

Cast on 14 sts. K in MS for 7 inches. Then, for buttonhole, K 5, cast off 4 sts. K to end of row. K 5, cast on 4 sts. over cast off ones below, K to end of row. K 2 tog. beg. and end of every other row until all sts. are off. K another to correspond, omitting buttonhole.

COLLAR

Cast on 25 sts. K MS for 8 inches, then cast off. Make other side to correspond.



M4447

VESTEE

SIZE 34

MATERIAL

Y72	Corticelli Boucle de Laine No. 142 Pink - - - - -	4 Skeins
	No. 173 Chili Brown - -	1 Skein
YP29	Aero Knitting Pins, Size 12 - - - - - - - - - - - -	One Pair
10 Brown Buttons.		

Tension: 8 Stitches = 1 inch
11 Rows = 1 inch

With Pink Wool cast on 44 sts. K all in SS. K 1 inch, then * inc. 1 st. in 1st st. at side edge, K 2½ inches. Rep. from * 9 times (54 sts.). When front edge measures 16½ inches cast off 4 sts. at front edge, K to end of row. P back. Cast off 2 sts. beg. next row. K to end of row. P back. Then K 2 tog. at same edge every other row 14 times (34 sts.). K even for ¾ inch, then cast on 20 sts. for back of neck. K even for 1 inch, then K 2 tog. at side edge. K 2½ inches. Cast off. Make left side to correspond.

COLLAR

With Pink cast on 64 sts. K in SS, K 4 rows even. * Dec. 1 st. both ends of every other row twice, K 3 rows even. Rep. from * twice more, then dec. 1 st. both ends of every row 3 times. Cast off loosely. Make another to correspond.

BELT

Cast on 14 sts. K 7 inches even, K 2 tog. beg. and end every other row till all sts. are off. K another the same. Crochet 2 rows of SC around entire vest, collar and belt edge. When crocheting second row on Right Front of vest make 7 loops for buttonholes, first, one inch from bottom, then 2 inches apart. Also make 3 buttonholes at back of neck.

With Brown double yarn, crochet ch. about 1¾ yards for each side and sew in design as illustrated, to each front. Sew belt 2¼ inches from bottom of vest to side edge.

M4320 ONE-PIECE DRESS

(Continued from page 22)

ridge. Work even for 5 inches. Cast off 5 sts. beg. next 2 rows. Then dec. 1 st. beg. every row until 60 sts. remain. Cast off. Make another sleeve in same manner.

POCKETS

Cast on 50 sts. Make ½-inch hem. Work 2 inches even. Cast off 2 sts. beg. every row until 30 sts. rem. Cast off. Make 4 pockets.

BELT

With Red cast on 16 sts. K in rib of K 1, P 1 for 26 inches. Make buttonhole, K 4 sts. cast off 8 sts. K 4 sts. **Next row:** Cast on 8 sts. over cast off ones, work 1 inch more then dec. 1 st. beg. of every row until all sts. are off.

FLOWERS

Make 3 flowers with each of 9 matching colors. Ch. 6, join and in each chain make a petal as follows: 1 SC, 4 DC, 1 SC.

TO MAKE UP

Sew up side and shoulder seams. Sew up and set in sleeves, folding fullness over shoulders into an inverted pleat. Turn up hem on skirt and sew to blouse, overlapping blouse width of 10 sts. at centre back. Hem pockets and fold small inverted pleat down centre. Hold pleats in pockets and sleeves by embroidering small triangle with same color as belt. Place pockets to suit, 2 on blouse and 2 on skirt. 1 row SC around neck and down both backs. Arrange flowers to suit around neck. Make 5 French Knots in centre of each flower. Make beading for elastic on wrong side over waist line. Make loops for belt. Press lightly.


M4448
M4447

Corticelli



TWO-PIECE DRESS

SIZE 32 - 34

MATERIAL

		Skirt	Sweater
Y72	Corticelli Boucle de Laine No. 168, Viennese Blue	11 Skeins	9 Skeins
Y71	Corticelli Boucle de Laine No. 130, White		2 Skeins
YP29	Aero Knitting Pins, Size 11		One Pair
YP28	Circular Twin-Pin, Size 11		One only
15 Buttons.			

Tension: 8 Stitches = 1 inch
11 Rows = 1 inch

SWEATER—FRONT

Cast on 136 sts. K all in SS. K 1 inch. K one row on P side to form hem ridge, then cont. in SS. K 2 sts. tog. at beg. and end of every 10th row 5 times, K 2 inches, inc. 1 st. at beg. and end of every 10th row 7 times (140 sts.). When work measures 14½ inches (P side facing), P 42, cast off 8 sts. P 40 sts. Cast off 8 sts. P 42. **Next row:** Cast off 2 sts. for armhole, K 40 sts., slip rem. sts. on holder, P back, then cast off 2 sts. at beg. of every K row 5 times, K until armhole measures 7 inches. Cast off 6 sts. at beg. of every K row 5 times. Centre front, slip 40 sts. off holder, K straight SS on these sts. until piece measures 3½ inches, cast off. Work right front to correspond to left.

LEFT BACK

Cast on 72 sts. K all SS. K 1 inch, then ridge for hem, same as front. K 1 inch, K side facing cast on 8 sts. (centre edge). To make buttonholes—K side facing, K 3, cast off 3, K 4, cast off 3, K to end. **Next row:** Cast on 3 sts. over cast off ones—make buttonholes 1½ inches apart (15 buttonholes).

At side edge K 2 sts. tog. every 10th row 5 times, then at same edge inc. 1 st. every 10th row 7 times, K until work measures 14½ inches.

For armhole, P side facing, cast off 2 sts. every other row 8 times. When armhole measures 6 inches P side facing, cast off 6 sts. 5 times (for shoulder). Cast off rem. sts. for neck.

RIGHT BACK

Work to correspond to left, omitting buttonholes.

SLEEVE

Cast on 44 sts. Work in SS for 3 inches, work another piece the same. Cast on 8 sts., then join other piece, work straight for 1 inch. Sleeve top—Cast off 2 sts. at beg. of next 2 rows, then K 2 sts. tog. at beg. of next 36 rows, then K 2 sts. tog. at beg. and end of every row until 20 sts. rem. Cast off rem. sts.

(Continued on page 60)

Corticelli



ONE-PIECE DRESS

SIZE 34 - 36

MATERIAL

Y71	Corticelli Boucle de Laine No. 130 White	14 Skeins
Y72	Corticelli Boucle de Laine No. 183 Anchor Blue	4 Skeins
YP26	Colored Knitting Pins, Size 12	One Pair
YP23	Ivory Crochet Hook, Medium Size	One only
12 Buttons (White).		

Tension: 8 Stitches = 1 inch
11 Rows = 1 inch

SKIRT—BACK

With White cast on 200 sts. K in MS for 2 inches. K rest SS. When work measures 8 inches from beg. K 2 tog. beg. and end of every 8th row until 130 sts. rem. K until skirt measures 29 inches. Knit Front same as Back.

WAISTLINE

Join Blue K 1¾ inches inc. 1 st. beg. and end of every 6th row. Join White (cont. inc. same way), K 3 inches. Join Blue, K 1¾ inches. K 5 rows White. On 6th row cast on 6 sts. beg. and end of row. Cont. in White (now inc. beg. and end of every 8th row) for 3 inches. K rest in Blue and when there are 180 sts. on row and work measures 6 inches from underarm K 73 sts. and put on spare pin, cast off 34 sts. for back of neck, K rem. 73 sts. Then cast off 2 sts. at neck edge beg. next 2 rows, leaving 69 sts. and work measures 6½ inches from underarm. K 9 rows MS. Cast off. K other shoulder to correspond.

FRONT

K same as back. When armhole measures 5½ inches from underarm (180 sts. on row), next row K 77 sts. place on spare pin, cast off 26 for neck, K on rem. 77 sts. and cast off 2 sts. at neck edge. beg. next 4 rows (69 sts. on row). K until work measures 6½ inches from underarm, K 4 rows MS. **Next row:** For buttonholes, beg. at neck edge, K 3, * cast off 4, K 10, rep. from * 3 more times, cast off 4, K 6. **Next row:** (MS) cast on 4 sts. over those cast off below. K 3 rows MS. Cast off.

POCKETS

With White cast on 42 sts. K in SS. K 3 inches White then join Blue, K 1¼ inches. Cast off. Work 2 rows SC at top of pocket. Sew on 1 inch from side seam and 5 inches below Blue stripe at waistline. Sew up seams and work 1 row SC around neck and armhole using Blue on the Blue and White on the White. Work casing for elastic on inside at waistline. Sew buttons on shoulders and one on each pocket.


M4405
M4419

M4401



TWO-PIECE DRESS

SIZE 34

MATERIAL

		Skirt	Sweater
Y78	Corticelli Zephrene Wool, No. 179 Geranium	9 Balls	9 Balls
YP29	Aero Knitting Pins, Size 12		One Pair
YP28	Circular Twin-Pin, Size 12		One only
YP23	Ivory Crochet Hook, Medium Size		One only

6 Buckles.

Tension: 8½ Stitches = 1 inch
11 Rows = 1 inch

SKIRT

With Circular Pin cast on 400 sts. Join. K 5 inches. **1st dec. round:** * K 2 tog. K 18. Rep. from * around row (380 sts). K 5 inches. **2nd dec. round:** * K 2 tog. K 17. Rep. from * around row (360 sts). K 4 inches. **3rd dec. round:** * K 2 tog. K 16. Rep. from * around row (340 sts). K 4 inches. **4th dec. round:** * K 2 tog. K 15. Rep. from * around row (320 sts). K 3 inches. **5th dec. round:** * K 2 tog. K 14. Rep. from * around row (300 sts). K 2 inches. **6th dec. round:** * K 2 tog. K 13. Rep. from * around row (280 sts). K 2 inches. **7th dec. round:** * K 2 tog. K 12. Rep. from * around row (260 sts). K 1 inch. **8th dec. round:** * K 2 tog. K 11. Rep. from * around row (240 sts). K 1 inch. **9th dec. round:** * K 2 tog. K 10. Rep. from * around row (220 sts). K even until work measures 28 inches from beg. Cast off. Crochet casing for elastic around top. Work ¾ inch SC around lower edge.

WAIST—BACK

Cast on 130 sts. K all in SS. When work measures 9 inches cast off 7 sts. beg. next 2 rows, then K 2 tog. beg. every row, 14 times (102 sts.). K even until armhole measures 6½ inches, then cast off 8 sts. beg. next 8 rows. Cast off rem. sts. for neck.

RIGHT FRONT

Cast on 80 sts. K even for 9 inches. **Next row:** Cast off 7 sts. at side edge for underarm. K 2 tog. (at same edge) every other row, 10 times (63 sts.). When armhole measures 4 inches cast off 9 sts. at front edge, then cast

(Continued on page 30)

M4408



TWO-PIECE SUIT

SIZE 32 - 34

MATERIAL

		Skirt	Sweater
Y71	Corticelli Boucle de Laine:		
	No. 189 Tango Orange	12 Skeins	10 Skeins
	No. 130 White		1 Skein
Y73	Corticelli Tapestry Wool—Blue		1 Skein
	Brown		1 Skein
	Yellow		1 Skein
YP28	Circular Twin-Pins, Sizes 11, 12 and 13		One each
YP29	Aero Knitting Pins, Sizes 12 and 13		One Pair of each

Tension: 8 Stitches = 1 inch

SKIRT



Cast on 382 sts. K 1 row, join. **2nd row:** * K 2, bring wool to front of needle, slip 2 sts. as if to purl (always sl. sts. as to purl). Wool back of needle rep. from * for 190 sts. P 1, the following 190 sts. in patt., ending with P 1. **3rd row:** K, keeping the 2 P sts. up both sides for seams. **4th row:** * Wool to front of needle sl. 2 sts. wool to back of needle, K 2, rep. from * across row. These 4 rows complete patt. Work 3 inches even, dec. every 3 inches, one st. on each side of P st. (4 dec's. only in each dec. row). On the first row after the dec. row the patt. will be as follows: K 1, Wl. Fwd. Sl. 2, wool back of needle, K 2. Cont. to end of needle. There will be 1 st. less to start patt. after each dec. row. When work measures 10 inches change to No. 12 needles, work 16 inches, then change to size 13 needles for remainder of skirt. When there are 354 sts. on needle dec. 1 st. each side of both P sts. every 6th row until there are 230 sts. on needle. K to desired length. Cast off. Do not break wool. Work 1 row SC around top of skirt. Make beading for elastic. Do one row of SC around bottom of skirt.

BLOUSE—BACK

With No. 13 needles cast on 122 sts., work in rib of K 1, P 1 for 2½ inches, change to No. 12 needles and start patt. (inc. 1 st. at both sides every 10th row until work measures 13½ inches from beg.). **1st and all alt. rows:** P. **2nd row:** * K 2, Wl. Fwd. sl. 2 sts. as if to P. Wool to back of needle rep. from * across row (in carrying wool over sl. sts. care should be taken not to draw in work). **4th row:** * Wl. Fwd. sl 2, wool to back of needle K 2. Rep. from * across row. When work measures 13½ inches from beg. cast off 6 sts. beg. next 2 rows, then K 2 tog. beg. next 16 rows. Cont. until armhole

(Continued on page 61)


M 4408
M 4401

Corticelli
MADE IN CANADA



M4450 BED JACKET

MATERIAL

Y70	Corticelli Ariel Wool (any desired shade) - - - - -	8 Balls
YP61	Corticelli 100% Pure Angora - - - - - - - - - - - -	4 Balls
YP25	Colored Knitting Pins, Size 12 (for Jacket), Size 7 (for Angora) - - - - - - - - - - - - - - - - -	1 pair each

Tension: 8 Stitches = 1 inch
10 Rows = 1 inch

PATTERN



1st row: K 2, * WO, K 3, Sl. 1, K 2 tog. PSSO. K 3, WO, K 1, rep. from * across row, end with WO, K 2. **2nd and every alt. row:** P. **3rd row:** K 3, * WO, K 2, Sl. 1, K 2 tog. PSSO, K 2, WO, K 3, rep. from * across row. **5th row:** K 1, K 2 tog. * WO, K 1, WO, K 1, Sl. 1, K 2 tog. PSSO, K 1, WO, K 1, WO, Sl. 1, K 2 tog. PSSO, rep. from *, end with K 1, WO, K 1, WO, Sl. 1, K 1, PSSO, K 1.

BACK

Cast on 120 sts. K in rib of K 1, P 1 for 3 inches, on last row inc. at intervals across row to 143 sts. K in patt. for 8 complete patts. Change to SS and work until 12 inches from beg. Cast off 10 sts. beg. of next 2 rows, K 2 tog. beg. of next 12 rows (16 sts. taken off each side). Work even until armhole measures 6½ inches. Cast off 7 sts. beg. of next 6 rows. Cast off rem. sts.

RIGHT FRONT

Cast on 100 sts. Rib same as back for ¾ inch. **Next row:** Rib 4 sts., cast off 4 sts. for buttonhole, rib 36, cast off 4 sts. for second buttonhole. **Next row:** Cast on sts. over cast off ones below. Cont. in ribbing until work measures 2 inches, rep. buttonholes as previously. Cont. until ribbing is 3 inches from beg. **Next row:** On buttonhole edge (centre front) K 15 sts. in MS, then on rest of sts. inc. across row at intervals to have 128 sts. on needle. P back to MS sts. Always keep 15 sts. at centre edge in MS all the way up front, and next 10 sts. in SS. K rest of sts. (103) in patt. for 8 complete patts. Cont. in SS. K 2 sts. tog. inside MS border, every K row 56 times. When 12 inches from beg. dec. for armhole same as for back. When 66 sts. rem. inside of MS border, K 2 tog. twice. Rep. on every K row 10 times. When 42 sts. rem. (still dec. at neck edge) cast off 7 sts. beg. of next 3 rows at shoulder edge. Cont. in MS on the 15 border sts. for 3 inches. Cast off.

LEFT FRONT

Rep. right side, reversing directions and omitting buttonholes.

SLEEVES

Cast on 64 sts. K 1, P 1 rib for 3 inches. Change to SS. K 1 inch, on last row inc. at intervals to 123 sts. K in patt. for 6 complete patts. Cont. even in SS until work measures 18 inches from beg. Cast off 10 sts. beg. of next 2 rows, then K 2 tog. beg. of every row until 47 sts rem. Cast off.

Press and sew shoulder and side seams, matching patts. Sew sleeves in armholes.

ANGORA BANDS

With size 7 needle cast on 6 sts. K in SS for 45 inches or long enough to fit on jacket from ribbing inside MS border to ribbing on other side. Sew both edges, easing in fullness around neck, to shape. For sleeves (2), K in same manner as for jacket, until 9 inches long. Sew on sleeves on top of ribbing.

M4401 TWO-PIECE DRESS

(Continued from page 28)

off 2 sts. beg. every other row (same edge), 11 times (32 sts.). When armhole measures 6½ inches cast off shoulder same as for back. K LEFT FRONT to correspond.

SLEEVES

Cast on 60 sts. K 1 inch SS, then K 1 row with wrong side facing (for hem ridge). Cont. in SS. K 1 inch from hem ridge then inc. 1 st. beg. and end of next and every 6th row until 116 sts. are on row. When sleeve measures 18½ inches from beg. cast off 7 sts. beg. next 2 rows, then K 2 tog. beg. every row until 45 sts. rem. **Next row:** K 3 tog. across whole row. Cast off.

WAIST BAND

Cast on 40 sts. K in rib of K 1, P 1 for 28 inches. Cast off.

COLLAR

(2 pieces, all in SC). Crochet 3 ch. turn, work 2 SC on ch., ch. 1, turn. Inc. 1 st. at end of every other row (same edge) until 30 sts. are on row. Then work 1 row SC up straight edge. Make another piece to correspond.

FRONT AND SLEEVE BANDS

(All SC). Ch. 2, turn, 1 SC on ch. ch 1, turn. Inc. 1 st. end of every row until 9 sts. are on row (about 1 inch). Work even for 3½ inches, then dec. 1 st. end of every row until 1 st. rem. Break off wool. Make 6 bands.

TO MAKE UP

Join side and shoulder seams. Work 2 rows SC across back of neck, and down each front. Join sleeve seams, sew back hem, and sew sleeves in armhole, easing in fullness at top. Sew shaped part of collar (wide part at bottom) to front neck edge, having pointed end at shoulder. Sew waist band to lower edge of waist, easing in fullness. Pass bands through buckles, sew on, on top of each sleeve at top of hem. Sew one at centre of waist band at front, and 3 at even intervals up front. Sew on snaps to fasten fronts.


M4450



M4425

DRESS AND JACKET

SIZE 34 - 36

MATERIAL

		Dress	Jacket
Y68	Corticelli Thistlebloom Wool No. 149 Sea Green	18 balls	
	No. 151 Dragon Green		8 balls
	No. 130 White	- - -	1 ball
	No. 131 Black	1 ball	1 ball
YP28	Circular Twin-Pin, Size 11		One only
YP29	Aero Knitting Pins, Size 11		One Pair

1 Button.

Tension: 7 Stitches = 1 inch
10 Rows = 1 inch

DRESS—SKIRT

With Twin-Pin and Sea Green wool cast on 371 sts. Join. K in SS for ¾ inch. Then make MS as follows. **1st row:** K 1, P 1 across row. **2nd row:** P 1, K 1 across row. Make these 2 rows for 1¼ inch. Cont. SS for rem. of skirt. When work measures 6 inches from beg. start decs. as follows:

1st dec. row: *K 2 tog. K 17, rep. from * across row K 3 inches. **2nd dec. row:** * K 2 tog. K 16, rep. from * across row, K 3 inches. **3rd dec. row:** * K 2 tog. K 15, rep. from * across row, K 3 inches. **4th dec. row:** * K 2 tog. K 14, rep. from * across row, K 3 inches. **5th dec. row:** * K 2 tog. K 13, rep. from * across row, K 5 inches. **6th dec. row:** * K 2 tog. K 12, rep. from * across row, K 2 inches. **7th dec. row:** * K 2 tog. K 11, rep. from * across row, K 2 inches. Cont. until skirt measures 30 inches or desired length. Cast off.

BACK OF DRESS

With Sea Green and straight pins cast on 100 sts. K 1 inch, then inc. 1 st. beg. and end every 10th row. When there are 114 sts. on needle cast off 4 sts. beg. of next 2 rows for underarm then K 2 tog. beg. and end of every K row 5 times. When work measures 7 inches from underarm K 30 (slip these on stitch holder), cast off 36 sts. for neck. Cont. on last 30 sts. K 2 tog. neck edge every other row 9 times, then cast off 7 sts. armhole edge 3 times. Make other side to correspond.

FRONT OF DRESS

Cast on 100 sts. K 1 inch, then inc. 1 st. beg. and end every 10th row. When there are 113 sts. on needle cast off 4 sts. for underarm. Then K 50, K 1, P 1, K 1, P 1,

(Continued on pages 61-62)



M4403

TWO-PIECE DRESS

SIZE 34

MATERIAL

		Skirt	Jacket
Y72	Corticelli Boucle de Laine:		
	No. 183 Anchor	10 Skeins	
	No. 158 Spun Gold		8 Skeins
YP26	Aero Knitting Pins, Sizes 11 and 12		One Pair each
YP28	Circular Twin-Pin, Size 11		One only
YP23	Ivory Crochet Hook, Medium Size		One only

9 Buttons.

Tension: 8 Stitches = 1 inch
12 Rows = 1 inch

SKIRT

With Blue and Circular needle cast on 420 sts. Join. * K 28, P 1, K 12, P 1. * Rep. from * 9 more times. K 3½ inches. **Next round:** Dec. 1 st. alt. at left and right edges of every K 12 gore immediately before P st., every 10th round 12 times (300 sts. About 13½ inches). K rest in SS. K 3 inches even. **13th dec.:** K every 29th and 30th sts. tog. around row (10 decs. in each dec. round). K 3 inches. **14th dec.:** K every 28th and 29th sts. tog. around row. K 2 inches. **15th dec.:** K every 27th and 28th sts. tog. around row. K 2 inches. Rep. decs. every inch 5 times more, having 1 st. less between decs. each time (220 sts. 28½ inches). Cast off.

SWEATER—BACK

With Gold and size 11 needles cast on 124 sts. K all SS. K 2 tog. at each end of row every inch 5 times. Change to size 12 needles and K 1 inch. Return to size 11 needles and inc. 1 st. each end of row every ¾ of an inch until 132 sts. are on needle. When work measures 13½ inches, start raglan armhole. Cast off 2 sts. at beg. of next 12 rows. Now K 2 tog. at each end of every 4th row 11 times. Now K 2 tog. each end of every row until 40 sts. rem. Cast off for back of neck.

LEFT FRONT

Cast on 70 sts. with size 11 needles. K all in SS, but keep the 2 centre edge sts. plain each row. K 2 tog. at seam edge every inch 5 times. Change to size 12 needles and K 1 inch. Return to size 11 needles and inc. 1 st. at same edge as dec. every ½ inch 14 times (79 sts.). When work is 13½ inches shape armhole. Cast off 2 sts. arm edge every other row 6 times. Now K 2 tog. same end every 4th row 11 times; meanwhile start purl ribs when armhole is 2 inches long, as follows: P side facing, K 2, P 8, * K 1, P 4, rep. from * twice more, K 1, P 5, K 1, P to end of row. **Next row:** P the K sts. and K the P sts. of previous row, keeping the 2 edge sts. plain. Work 1 inch. **Next row:** Work row through to the last K 1 and then P 5, K 1, P to end (still cont. armhole decs.). Work 1 inch then do following row. Start at centre edge, K 2, P 8, * K 1, P 4, rep. from * twice more, K 1 (P 3, P 2 tog. K 1), three times, P to end. **Next row:** Work the K sts. (P 1, K 4) 6 times, P 1, K 10. Now shape neck, cast off 7 sts. beg. of row. Now K 2 tog. neck end every row 20 times, meanwhile cont. the armhole decs. (after the 11 decs. given pre-

(Continued on page 62)


M4425
M4403



ONE-PIECE DRESS

SIZE 34

MATERIAL

Y76	**Corticelli Australene Wool No. 131 Black**	**22 Balls**
	No. 130 White	**2 Balls**
YP23	**Ivory Crochet Hook, Medium Size**	**One only**
YP29	**Aero Knitting Pins, Sizes 10 and 11**	**One Pair of Each**

3 Large Buttons.
18 Small Buttons.
1 Buckle.

Tension: 7 Stitches = 1 inch
8 Rows = 1 inch

WAIST—BACK

With Black and size 10 pins cast on 100 sts. K all in SS. Inc. 1 st. beg. and end of every 10th row, 7 times. When work measures 8½ inches, cast off 3 sts. beg. of next 2 rows for armhole. Then K 2 sts. tog. beg. next 18 rows. When armhole measures 6 inches cast off all sts.

LEFT FRONT

Cast on 90 sts. K all in SS. With right side of work facing (for side edge) inc. 1 st. beg. every 10th row, 7 times. At same time with P side facing make 3 buttonholes (14 rows apart), as follows: K 14 rows from beg. **Next row:** P 2, cast off 3, P to end of row. **Next row:** Cast on 3 sts. over those cast off below. (When work measures 8½ inches from beg. shape armhole same as for back). After 3rd buttonhole is made with P side facing, cast off 3 sts. beg. every P row, 5 times. Then K 2 tog. beg. of every P row 6 times. (For buttonholes, see below). Then K 2 tog. beg. of every 6th P row, 10 times. At same time make 3 more buttonholes 23 rows apart (P side facing). Make first buttonhole on the first 6th row dec. as follows: P 3, cast off 6, P to end of row. **Next row:** Cast on 6 sts. over those cast off below. After 3rd buttonhole K 4 rows to neck. **Next row:** With P side facing cast off 12 sts. then cast off 2 sts. beg. next 3 P rows, then cast off 3 sts. beg. next 2 P rows. Cast off rem. sts. for shoulder.

RIGHT FRONT

Cast on 50 sts. K in SS. With P side facing (side edge) inc. 1 st. beg. of every 10th row, 7 times. At front edge when work measures 3 inches inc. 1 st. every 8th row, 12 times. When work measures 8½ inches and P side facing, cast off 3 sts. at beg. of row for armhole, then K 2 tog. beg. every P row 9 times. When front edge measures 13½ inches, cast off 15 sts. for neck. Then cast off 2 sts. beg. of every K row 3 times. Then cast off 3 sts. beg. every K row twice. Armhole should measure 6 inches. Cast off all sts.

SLEEVES

With size 11 pins cast on 48 sts. K all SS. Inc. 1 st.

(*Continued on page 62*)



TWO-PIECE SUIT

SIZE 34

MATERIAL

		Coat	Skirt
Y68	**Corticelli Thistlebloom Wool No. 162 Turquoise**	**17 Balls**	**12 Balls**
YP61	**Corticelli French Angora, Brown**	**5 Balls**	
YP28	**Circular Twin-Pin, Size 11**	**One only**	
YP29	**Aero Knitting Pins, Size 11**	**One Pair**	
YP25	**Colored Knitting Pins, Size 7**	**One Pair**	

One Button.

Tension: 7½ Stitches = 1 inch
10 Rows = 1 inch

SKIRT

With Twin-Pin cast on 375 sts. Join and K even for 1½ inches. P one row for hem ridge. K even for 9 inches from ridge. **Next row:** (K 23, K 2 tog.), rep. around row (360 sts.). Cont. to dec. 15 sts. in this way, having one st. less between decs. every 2 inches, 7 times more (255 sts.), then dec. 15 sts. every inch 3 times (210). K 1 inch. **Next row:** K 19, K 2 tog. Rep. around row (200 sts.). K even until skirt measures 29 inches. Cast off. Turn up hem and crochet casing for elastic at top.

COAT—BACK

With straight pins cast on 164 sts. K all in SS. K even for 1½ inches, then with wrong side facing K one row for hem ridge, K even for 3 inches from ridge. K 2 tog. beg. and end of next and every 16th row 12 times (140 sts.). K even until work measures 23 inches from ridge, then cast off 7 sts. beg. next 2 rows. K 2 tog. beg. every row 16 times (110 sts.). K even until armhole measures 6½ inches. Cast off 8 sts. beg. next 8 rows. Cast off rem. sts. for neck.

RIGHT FRONT

Cast on 90 sts. K in SS. K even for 1½ inches. With wrong side facing, K one row for hem ridge. K even for 1½ inches from ridge. Cast on 20 sts. at front edge for facing (110 sts.). When work measures 3 inches from ridge K 2 tog. at side edge on next and every 16th row 12 times, at same time when work measures 15½ inches from ridge make buttonhole by K 7, cast off 7, K 12, cast off 7, K to end of row. **Next row:** Cast on 7 sts. over sts. cast off below. When work measures 16 inches from ridge sl. 20 sts. at front edge on holder. K on front, K 2 tog. at front edge every 4th row. When work is 23 inches from ridge cast off 8 sts. at side edge, then K 2 tog. same edge every other row 7 times. Cont. to K 2 tog. at front edge every 4th row until 32 sts. rem. K even until armhole is 6½ inches, then cast off shoulder same as back. Take up 20 sts. for facing and K 2 tog. at centre edge every 4th row until all sts. are off.

LEFT FRONT

K to correspond, omitting buttonhole.

(*Continued on page 63*)


M4441
M4426



M4415

THREE-PIECE SUIT

SIZE 34

MATERIAL

	Skirt	Coat	Pullover
Y71 Corticelli Boucle de Laine No. 132 Silver	11 Skeins	9 Skeins	6 Skeins
Y71 Corticelli Boucle de Laine No. 130 White			1 Skein
Y72 Corticelli Boucle de Laine No. 158 Spungold			1 Skein
Y72 Corticelli Boucle de Laine No. 131 Black			1 Skein
YP28 Circular Twin-Pin, Size 12	One only		
YP29 Aero Knitting Pins, Sizes 12 and 13	One Pair of Each		

9 Buttons.

Tension: 8 Stitches = 1 inch
12 Rows = 1 inch

SKIRT

With Twin-Pin and Grey wool cast on 360 sts. Join and K even for 1½ inches. P 1 row on right side (hem ridge). When skirt measures 16 inches from ridge dec. by * K 16, K 2 tog. rep. from * around row (340 sts.). Cont. to dec. 20 sts. in this way (having 1 st. less between each dec.) every 2 inches, 6 times more (220 sts.). K 1 inch. (Skirt should measure 29 inches). Cast off. Work 1 row SC around top of skirt. Then work casing for elastic.

COAT—BACK

With Grey and size 12 needles cast on 134 sts. K in SS for 1 inch. Make hem ridge by P 1 row on right side of work, K rest in SS. When 1 inch from ridge, K 2 tog. beg. and end of next and every 6th row 10 times (114 sts.) and K even for 2 inches. Then inc. 1 st. beg. and end of every 6th row 10 times (134 sts.). K even until 15 inches from ridge. Cast off 7 sts. beg. of next 2 rows then K 2 tog. beg. of every row 12 times (108 sts.). K even until armhole is 7 inches. Cast off 9 sts. beg. next 6 rows. Cast off. rem. sts. for neck.

FRONT—LEFT

Cast on 75 sts. K in SS for 1 inch. K hem ridge, K rest SS. K 1 inch even knitting 10 sts. MS for border (all the way up front edge to shoulder), at end of K row. Then at side edge K 2 tog. beg. of every 6th row 10 times. K 2 inches even. Then inc. 1 st. at side seam every 6th row 10 times. K even till 15 inches from ridge. Cast off 7 sts. K 17 sts. Put next 23 sts. on a piece of wool for pocket, K rest of sts. **Next row:** Cast on sts. over cast off ones below. At armhole K 2 tog. beg. of next 6 rows. When armhole measures 2 inches from 1st cast off, K 2 sts. tog. inside MS border every K row until 37 sts. rem. and armhole measures 7 inches, then still dec. for neck in same manner. At shoulder edge

(*Continued on page 38*)



M4400

THREE-PIECE SUIT

SIZE 34 - 36

MATERIAL

	Sweater	Skirt	Coat
Y72 Corticelli Boucle de Laine No. 198 "Gypsy"	8 Skeins	10 Skeins	7 Skeins
Y72 Corticelli Boucle de Laine No. 186 "Paddy Green"	2 Skeins	(Trimming for whole Suit)	
Y71 Corticelli Boucle de Laine No. 130 White	2 Skeins		
YP28 Circular Twin-Pin, Size 11	One only		
YP29 Aero Knitting Pins, Sizes 11 and 12	One Pair of Each		

Tension: 8 Stitches = 1 inch
12 Rows = 1 inch

PATTERN

* K 4, P 4 rib for 4 rows, then reverse rib for 4 rows. Rep. from *.

SKIRT

With Green and Twin-Pin cast on 368 sts. K in patt. for 1 inch or 3 blocks in depth. Change to Gypsy and K rest in SS. K 10 inches from beg. next row. beg. dec. as follows: * K 21, K 2 tog., rep. from * around row. K 4 inches. **Next row:** * K 20, K 2 tog. rep. from * around row. K 4 inches. **Next row:** * K 19, K 2 tog. rep. from * around row. K 3 inches. **Next row:** * K 18, K 2 tog. rep. from * around row. K 3 inches. **Next row:** * K 17, K 2 tog. rep. from * around row. K 2 inches. **Next row:** * K 16, K 2 tog. rep. from * around row. K 1 inch. **Next row:** * K 15, K 2 tog. rep. from * around row. K 1 inch. **Next row:** * K 14, K 2 tog. rep. from * around row, K 1 inch. Cast off. Work beading for elastic.

SWEATER—BACK

With Gypsy and size 11 pins, cast on 130 sts. K in SS. K 2 inches, then K 2 tog. each end of every 6th row, 4 times. When work measures 4 inches from beg. change to size 12 pins and K in rib of K 1, P 1 for 1 inch. Change to size 11 pins and K in SS. K even for 2 inches, then inc. 1 st. each end of every 6th row 5 times (132). K even until work measures 8 inches from top of ribbing, then cast off 10 sts. beg. of next 2 rows, K 2 tog. beg. of next 12 rows (100). K even until work measures 6 inches from underarm, then cast off 7 sts. beg. of next 10 rows. Cast off rem. sts.

FRONT

With Gypsy cast on 140 sts. K 50 sts. SS. K next 40 sts. in patt. (up whole front), K 50 sts. SS. Shape and K same as back up to underarm (142). Then divide the sts., 71 on each of 2 pins and K one side at a time, K the 20 sts. at centre edge in patt. every row. Cast off 10 sts. for underarm and K 2 tog. beg. every other row

(*Continued on page 63*)


M4415
M4400



SLEEVELESS SWEATER



SIZE 36

MATERIAL

Y78	Corticelli Zephrene Wool No. 171, Scone Beige - -	5 Balls
YP29	Aero Knitting Pins, Sizes 9 and 11 - - - -	One Pair of Each
YP28	Circular Twin-Pin, Sizes 11, 12 and 13 - - - - -	One Each

Tension: 6 Stitches (on Size 9 Pins) = 1 inch
8 Rows (on Size 9 Pins) = 1 inch

BACK

On size 11 (straight pins) cast on 112 sts. K in rib of K 2, P 2 for 3 inches. Change to size 9 pins and K in rib of K 1, P 1 for 14½ inches. Place these sts. on a holder.

FRONT

K same as back, then with size 11 Twin-Pin pick up sts. for Back and Front. K in rib of K 2, P 2 around front and back, join, and cont. in rib for ½ inch. Change to size 12 Twin-Pin and cont. rib for 1 inch, then with size 13 Twin-Pin K 1 inch. Cast off tightly.

TO MAKE UP

Join side seams, leaving 6-inch opening at top of both sides for armhole. Work 1 row SC loosely around armhole.

M4415 THREE-PIECE SUIT

(*Continued from page 36*)

cast off 8 sts. beg. of next 3 rows. Cont. on MS sts. for 2¾ inches for back neck band. Cast off.

POCKET BAND

With White pick up and K sts. on holder, picking up 4 more sts. at each side. K 4 rows White, 4 Spungold, 4 Black in MS, but always K plain the row when colors are changed, cast off. Lining—On cast on sts. pick up and K 29 sts. with Grey in SS for 4 inches. Cast off and sew inside to lower edge of colored border.

FRONT—RIGHT

K to correspond except for buttonholes and pocket. The 1st buttonhole is made in hem ½ inch from beg. by K 4, cast off 4, K 2 sts. Cont. to end of row. When ½ inch from ridge make another one to correspond, not forgetting MS border up front. Make 10 buttonholes in all (9 when finished) 1½ inches apart, the last one just below dec. at neck. When work measures 4½ inches from ridge for pocket on K row, K 15, put 27 on holder, K rest of sts. **Next row:** Cast on 27 over cast off ones below. Finish pocket same as other one but remember you have more sts.

SLEEVES

With size 13 needles cast on 58 sts. K in K 1, P 1 for 3 inches. Change to size 12 needles. Next row and every 8th row inc. 1 st. beg. and end of row 10 times, then inc. every 6th row until 112 sts. K even until 17½ inches. Cast off 7 sts. beg. of next 2 rows. K 2 tog. beg. of every row until 50 sts. rem. Cast off. Sew up shoulder seams, collar band at centre back, then sew to back of coat. Sew up hem at lower edge.

SWEATER—BACK

With size 13 needles cast on 120 sts. K 1, P 1, for 4 inches. Change to size 12 needles. K rest in SS. K 28 rows in Grey, 7 White, 7 Spungold, 7 Black, rep. Grey and 3 colors. On 15th row of next Grey band cast off for armholes as follows: Cast off 7 sts. beg. of next 2 rows, K 2 tog. beg. of next 12 rows. Cont. even, having 1 more 3-color stripe. When 6½ inches from beg. of armholes, cast off 9 sts. beg. of next 6 rows. Cast off loosely for back of neck.

FRONT

K ribbing same as for back. On last row inc. at intervals across row to 132 sts. Change to size 12 pins and K same as back until 4½ inches from 1st dec. at armholes or 15th row of last Grey stripe. K 35 sts., cast off 36 sts. K 35. Cont. on last 35 sts. K 2 tog. at neck edge until 30 sts. rem. Then still dec. for neck, at beg. of each row at shoulder edge, cast off 9 sts. 3 times. K other shoulder to correspond.



COLLAR—BACK

With size 13 needles pick up and K 60 sts. K 1, P 1 rib for 1 inch. Cast off loosely.

FRONT

Pick up 90 sts. K in same way.

SLEEVES

With size 13 pins cast on 80 sts. K 1, P 1 rib for 1½ inches. On last row inc. across row at intervals to 96 sts. Change to size 12 needles and K rest in SS, K 12 rows, then 3 rows White, 3 Spungold, 3 Black. Cont. in Grey until work measures 6 inches from beg. At beg. of next 2 rows cast off 5 sts. then K 2 tog. beg. of every row until 40 sts. rem. Cast off. Sew up all seams.


M4402
M4402



TWO-PIECE DRESS

SIZE 32 - 34

MATERIAL

		Skirt	Jacket
Y72	Corticelli Boucle de Laine No. 195, Queen Mary Rose - - - - - - -	10 Skeins	10 Skeins
Y71	Corticelli Boucle de Laine No. 132, Grey	- - - -	1 Skein
YP29	Aero Knitting Pins, Size 11 - - - - - - - - - - -		One Pair
YP28	Circular Twin-Pin, Size 11 - - - - - - - - - - - -		One only

Tension: 8 Stitches = 1 inch
11 Rows = 1 inch

SWEATER—BACK

Cast on 130 sts. **1st row:** K 20, (P 2, K 2) 7 times (28 sts.), P 2, K 30 sts. (P 2, K 2) 7 times, P 2, K 20. **2nd row:** P 20, (K 2, P 2) 7 times, K 2, P 30 (K 2, P 2) 7 times, K 2, P 20. Rep. these 2 rows for back (until otherwise indicated). K 2 sts. tog. at beg. and end of every 10th row, 5 times. K straight until work measures 14 inches. For armhole cast off 5 sts. at beg. of next 2 rows, then K 2 sts. tog. at beg. of next 12 rows. **Next row:** K rest of back in SS. When armhole measures 6½ inches slope shoulders thus: cast off 8 sts. at beg. of next 8 rows, cast off rem. sts. for neck.

FRONT

Cast on same number of sts. and work same as for back for 5 inches (or until after last K 2 sts. tog. at waistline). Then inc. 1 st. at beg. and end of every 10th row 7 times. When front measures 10¼ inches, discontinue ribbing and work all in SS until work measures 14 inches. **Next row:** K 67 sts. Slip rem. 67 sts. on holder, turn, P back. For armhole—right side work facing—cast off 5 sts., then at same edge K 2 sts. tog. at beg. of every other row 11 times, at same time at neck edge K 2 sts. tog. every 4th row until 32 sts. rem. When armhole measures 6½ inches, shape shoulders. Right side work facing, cast off 8 sts. at beg. of every other row 4 times. Work right side to correspond.

SLEEVES

Cast on 52 sts. Work in rib of K 2, P 2 for 3 inches. Work rest in SS. **Next row:** Inc. 1 st. in every 5th st. across row. Then inc. 1 st. at beg. and end of every 10th row 17 times. When work measures 17½ inches, for sleeve top, cast off 5 sts. at beg. of next 2 rows, then K 2 sts. tog. at beg. of next 36 rows, then K 2 sts. tog. at beg. and end of every row until 20 sts. rem. Cast off.

BELT

Cast on 14 sts. **1st row:** K 1, P 1, across row. **2nd**

(*Continued on page 63*)



ONE-PIECE DRESS

SIZE 34 - 36

MATERIAL

Y71	Corticelli Boucle de Laine No. 168 Viennese Blue (VB) - - - - - - - - - - - - - - - - -	19 Skeins
Y72	Corticelli Boucle de Laine No. 183 Anchor Blue (AB) - - - - - - - - - - - - - - - - -	6 Skeins
YP23	Ivory Crochet Hook, Medium Size - - - - - - - -	One only
YP28	Circular Twin-Pin, Size 12 - - - - - - - - - - - -	One only
YP29	Aero Knitting Pins, Size 12 - - - - - - - - - - -	One Pair

13 Buttons.
1 Buckle.

Tension: 8 Stitches = 1 inch
12 Rows = 1 inch

SKIRT

With VB and Twin-Pin, cast on 450 sts. (do not join). K in SS back and forth as on a straight pin. K 6 inches. **1st dec. row:** * K 15, K 2 tog., rep. from * across row. K 6 inches. **2nd dec. row:** * K 14, K 2 tog., rep. from * across row. K 6 inches. **3rd dec. row:** * K 13, K 2 tog., rep. from * across row. K 4 inches. **4th dec. row:** * K 12, K 2 tog., rep. from * across row. K 3 inches. **5th dec. row:** * K 11, K 2 tog., rep. from * across row. K 2 inches. **6th dec. row:** * K 10, K 2 tog., rep. from * across row. K 1 inch. **7th dec. row:** * K 9, K 2 tog., rep. from * across row. K until skirt measures 30 inches. Work 1 row SC around top and 2 rows SC at lower edge of skirt. Sew under a 1-inch hem up both fronts, and when godet is made sew it under hems to where they are sewn to skirt. With crochet hook join wool for button loops 3½ inches from top of right side, 1 SC, * ch. 5, miss 2 rows on skirt, 1 SC in each of next 3 rows, rep. from * to top.

GODET

With AB and straight pins, cast on 119 sts. K in patt. as follows: **1st row:** * K 3, P 1, rep. from * and end K 3. **2nd row:** K 1, P 1, * K 3, P 1, rep. from *, end. P 1 K 1. Rep. these 2 rows, keeping patt. straight. K 2 tog. beg. and end of row every ½ inch until 11 sts. rem. K even until Godet measures same length as skirt, cast off and sew under hem of skirt fronts.

WAIST—BACK

With VB cast on 124 sts. K all in SS. K 8 inches (not stretched). For armholes cast off 6 sts. beg. next 2 rows, then K 2 tog. beg. next 8 rows, K even until armhole measures 6 inches. With right side facing K 36, and place on spare pin, cast off 32, K across rem. 36 sts. Cont. on these sts. and K 2 tog. at neck edge every other row 6 times. Then cast off 10 sts. at armhole edge every other row, 3 times. K other side to correspond.

FRONT

With VB cast on 68 sts. K in SS. K 8 inches. **Next**

(*Continued on page 64*)


M4417
M4404



M4413

TWO-PIECE SUIT

SIZE 36

MATERIAL

	Dress	Coat
Y72 Corticelli Boucle de Laine No. 158, Spun Gold	16 Skeins	10 Skeins
YP28 Circular Twin-Pin, Size 12		One only
YP29 Aero Knitting Pins, Size 12		One Pair
2 Large Buttons.		
2 Small Buttons.		

Tension: 8 Stitches = 1 inch
12 Rows = 1 inch

WAIST—BACK

Cast on 130 sts. K in MS for 2 rows. K rest in SS. When work measures 8 inches cast off 6 sts. beg. of next 2 rows. Then K 2 tog. beg. next 14 rows. K even until armhole measures 6½ inches, then cast off 6 sts. beg. next 10 rows. Cast off rem. sts.

RIGHT FRONT SIDE

Cast on 50 sts. K 2 rows MS. **Next row:** (Right side facing) MS 11, SS to end of row. Rep. this row up side, having MS band up whole front edge. K even until work measures 8 inches from beg. **Next row:** Cast off 6 sts. at arm edge. Then at beg. of row at same edge, K 2 tog. 8 times. When armhole measures 5 inches, next row, cast off 6 MS sts. at neck edge. K even until armhole is 7 inches. Then cast off 6 sts. beg. of every row at shoulder edge, 5 times. K Left Front Side to correspond.

CENTRE FRONT

Cast on 64 sts. K 2 rows MS. **Next row:** MS 11, SS 42, MS 11. Rep. this row for 11 inches. **Next row:** Cast on 12 sts. beg. and end of row. K rest in MS. K 1¼ inches. **Next row:** Make buttonhole—MS 6, cast off 8, MS 60, cast off 8, MS 6. **Next row:** Cast on 8 sts. over cast off ones below. K 1¼ inches. Cast off.

SLEEVES

Cast on 103 sts. K 1 inch MS. * **Next row:** K 44 SS, MS 15, K 44 SS. Rep. from * for 1 inch. K rest of sleeve SS. When sleeve measures 2 inches from beg. cast off 6 sts. beg. of next 2 rows, then K 2 tog. beg. of every row until 21 sts. rem. Cast off.

BELT

Cast on 17 sts. K all MS. K ¾ inch. Make buttonhole as follows: MS 6, cast off 5, MS 6. **Next row:** Cast on 5 sts. over cast off sts. below. When belt measures 5 inches from beg. make another buttonhole as before. K even for 27 inches (32 in all). Cast off.

SKIRT

With Twin-Pin cast on 385 sts. Join. K in MS for 1 inch. K 2 tog. end of last row (384 sts.). **Next row:** *

(Continued on page 64)



M4428

DRESS AND JACKET

SIZE 34

MATERIAL

	Dress	Coat
Y71 Corticelli Boucle de Laine: No. 136 Parchment	16 Skeins	8 Skeins
Y72 Corticelli Boucle de Laine No. 180 Lapis Blue (LB)	3 Skeins (For Coat)	
No. 174 Powder Blue (PB)	3 Skeins (and Dress)	
YP29 Aero Knitting Pins, Size 12		One Pair
YP33 Double-End Knitting Needles, Size 12		One Set of 4
YP28 Circular Twin-Pin, Size 12		One only
YP23 Ivory Crochet Hook, Medium Size		One only
6 Buttons.		

Tension: 8½ Stitches = 1 inch
12 Rows = 1 inch

SKIRT

With Parchment and Circular Twin-Pin cast on 275 sts. (K back and forth). K in SS. When work is 1½ inches with wrong side facing, K 1 row for hem ridge. K even for 10 inches from ridge ending P row.

FRONT PANEL AND UNDER PARTS OF PLEATS

With straight pin and PB cast on 30 sts. LB 30 sts., Parchment 100 sts. LB 30 sts. and with PB 30 sts. K in SS. (Be sure to twist wools when joining colors). K even until 1½ inches, K 1 row on wrong side for hem ridge. K until work is 10 inches from ridge.

TO JOIN SKIRT AND FRONT PANELS

Take Twin-Pin and work in Parchment for rest of skirt. K across 260 sts. Sl. 15 PB sts. on each of 2 spare pins and fold under Parchment sts. K one st. from each of 3 pins as one, 15 times. Now sl. 15 LB sts. on each of 2 spare pins and fold under 1st 15 Parchment sts. of front and K as for 1st half of pleat. K across 70 sts. of front. Sl. 15 Parchment sts. on spare pin and sl. 15 LB sts. on each of 2 spare pins. Fold Blue sts. under Parchment and K as above. Sl. 15 PB sts. on each of 2 pins and fold under 1st 15 sts. of skirt. K pleat as before (skirt is now joined), 375 sts. K even for 2 inches. **Next row:** * K 23, K 2 tog., rep. from * around row (360 sts.). Cont. to dec. 15 sts. this way, having one st. less between dec. every 2 inches, 6 times more (270 sts.), then dec. 15 sts. every inch 4 times (210 sts.). K even until 29 inches from ridge. Cast off.

WAIST—BACK

With Parchment cast on 110 sts. K all in SS. When work is ½ inch, inc. across row to 134 sts. K even until 8½ inches from beg. Cast off 8 sts. beg. next 2 rows, then K 2 tog. beg. every row 12 times (106 sts.). When armhole is 5½ inches K in rib of K 1, P 1 for 1 inch. Cast off.

(Continued on pages 64-65)


M4428
M4413

Corticelli



M4456

COAT

SIZE 36 - 38

MATERIAL

Y86 Corticelli Cable Wool No. 171 Scone Beige	**21 Skeins**
Y68 Corticelli Thistlebloom Wool No. 131 Black	**2 Balls**
YP29 Aero Knitting Pins, Sizes 9 and 10	**One Pair Each**
YP23 Ivory Crochet Hook, Medium Size	**One only**
3 Buttons	

Tension: 6 Stitches = 1 inch
15 Rows = 2 inches

BACK

With Beige and size 9 pins cast on 180 sts. K all in SS. When work measures 3 inches, with right side facing, K 2 tog. K 61, K 2 tog. K 50, K 2 tog. K 61, K 2 tog. (176 sts.). Cont. to dec. 4 sts. in this way every 12th row (having 2 sts. less between 1st two decs. and 2 sts. less between last 2 decs., keeping a panel of 50 sts. up back) until 15 decs. have been made (120 sts.). Then every 8th row 4 times (104). K even until work measures 36 inches. Cast off 7 sts. beg. next 2 rows, then K 2 tog. beg. every row 10 times (80 sts.). When armhole measures 7 inches, cast off 7 sts. beg. next 8 rows. Cast off rem. sts. for neck.

RIGHT FRONT

With Beige and size 9 pins cast on 100 sts. When work measures 3 inches, with right side facing, K 35, K 2 tog. K 61, K 2 tog. (this is side edge). Cont. to dec. 2 sts. in this way every 12th row (keeping 35 sts. at front and 2 sts. less between decs.), until 15 decs. are completed. Then every 8th row twice (66 sts.). K 7 rows and with right side facing, make 1st buttonhole by K 2, cast off 6, K 27, K 2 tog. K 27, K 2 tog. **Next row:** Cast on 6 sts. over cast off sts. below, but on 8th row after last dec. make 19th dec. (62 sts.). Make 2 more buttonholes 5½ inches apart, K even until 36 inches from beg. Cast off 7 sts. at side edge, then K 2 tog. (same edge) every other row 5 times (50 sts.). When armhole measures 5 inches cast off 10 sts. at front edge, then cast off 2 sts. beg. every other row (same edge) until 28 sts. rem. When armhole measures 7 inches, cast off same as back.

LEFT FRONT

K to correspond with Right Front, omitting buttonholes.

SLEEVES

With Beige and size 9 pins cast on 56 sts. K all in SS. K 8 rows. Then inc. 1 st. beg. and end of next and every 8th row until 86 sts. on row. When sleeve measures 17½ inches cast off 7 sts. beg. next 2 rows, then K 2 tog. beg. every row until 40 sts. rem. K 10 rows even. **Next row:** Right side facing, K 2 tog. across row (20 sts.). **Next row:** P 2 tog. across row (10 sts.). Cast off.

PATT. FOR BORDER OF POCKET AND COLLAR

1st row: P (This is right side). **2nd row:** K. **3rd row:** P 2, * insert right pin in next st. K 1 st., but do not sl. st. from left pin, but sl. the loop from right pin to left pin. Insert right pin in loop placed on left pin, K 1 st.; do not sl. st. from left pin but sl. the loop from right pin to left (2 sts. cast on left pin). Now K these 3 sts., then P 3 *. Rep. from * to *, end. P 2. **4th row:** K 2 * P 3 tog. (this forms puff on right side), K 3 *, rep. between *'s, end. K 2. **5th row:** P. **6th row:** K. **7th row:** P 4, rep. between *'s of 3rd row, end P 4. **8th row:** K 4, rep. between *'s of 4th row, end K 4.



LOWER POCKETS (2)

With size 9 pins and Black cast on 9 sts. Beige 15, Black 9 (3 separate balls). **1st row:** P 9 Black, K 15 Beige (be sure to twist wools when changing colors), P 9 Black (this is right side of pocket), (work Black sts. in patt. and Beige in SS). When 3 patts. are completed, on 1st row of 4th patt., P 9 Black, with Beige K 2 tog. K 11, K 2 tog. P 9 Black. Cont. to K 2 tog. at beg. and end of Beige sts. every other row, until 7 Beige sts. rem. **Next row:** (8th row of 4th patt.) work 9 sts. in patt. and cont. with Black wool, P the 7 Beige sts. K 9 sts. in patt. K rest in Black and all in patt. (25 sts.), but K 2 tog. beg. and end of every other row (keeping patt. even) until 17 sts. rem. Cast off. Work 1 row Black SC around pocket and 2 rows across bottom edge.

UPPER POCKETS (2)

Cast on 9 Black, 11 Beige, 9 Black. K same as for lower pockets. When 2 patts. are completed dec. Beige sts. same as for lower pockets until 3 Beige sts. rem. Cont. in Black and dec. same as lower pockets until 13 sts. rem. Cast off. Work Black SC around, same as others.

COLLAR

With size 10 pins and Black cast on 145 sts. K all in patt. (keeping patt. even when dec.). K 4 rows even, K 2 tog. beg. and end of next and every 4th row 5 times, then every other row until 5 patts. are completed and 117 sts. on row. K rows 1 and 2 of 6th patt. Cast off. Work 1 row SC around collar. (Do not press collar).

TO MAKE UP

Join seams and sew sleeves to coat. Work 1 row SC in Beige around coat and bottom of sleeves. Sew collar to neck, starting at shaped edge of neck (inside the 10 cast off front sts.), leaving a little over an inch at each front free. Sew pockets to coat, having centre of width of pockets at front centre dec. Sew upper pockets, having centre of length at middle buttonhole and top of lower pockets 7 inches below top pocket.


M4456

Corticelli



M4423

TWO-PIECE SUIT

SIZE 34

MATERIAL

		Skirt	Jacket
Y72	Corticelli Boucle de Laine No. 173, Chili Brown	12 Skeins	
Y72	Corticelli Boucle de Laine No. 136, Parchment		10 Skeins
YP28	Circular Twin-Pin, Size 12		One only
YP29	Aero Knitting Pins, Size 12		One Pair
YP33	Double End Knitting Needles, Size 12		One Set of 4

15 Buttons.
One only 8½-inch Zipper.

Tension: 9 Stitches = 1 inch
12 Rows = 1 inch

SKIRT

With Brown cast on 440 sts. on Circular Pin. Do not join, K backwards and forwards. **1st row:** * K 1, P 1, rep. from * across row. **2nd row:** K across row. These 2 rows form Fancy Rib. The K row side is right side of work. K 2 inches. **Next row:** Wrong side facing, K 10 sts. in Fancy Rib (these 10 sts. are K in Fancy Rib up whole skirt as well as the last 20 sts., which are for buttonhole band). P to last 20 sts. K these in Fancy Rib. **Next row:** On right side of work, make 1st buttonhole. K 6 in rib, cast off 8, K 6 rib, K SS to last 10 sts. and K these in rib. **Next row:** Cast on 8 sts. over the cast off ones below (make buttonholes 3 inches apart up skirt). K in this way until work measures 9 inches from beg. Then with right side facing beg. **1st dec. row:** (on SS sts. only) * SS 18, K 2 tog. rep. from * across row, end with 10 SS, then 10 rib sts. K 4 inches. **2nd dec. row:** * K 17, K 2 tog. rep. from * across row. K 3 inches. **3rd dec. row:** * K 16, K 2 tog. rep. from * across row. K 3 inches. **4th dec. row:** * K 15, K 2 tog. rep. from * across row. K 3 inches. **5th dec. row:** * K 14, K 2 tog. rep. from * across row. K 2 inches. **6th dec. row:** * K 13, K 2 tog. rep. from * across row. K 2 inches. **7th dec. row:** * K 12, K 2 tog. rep. from * across row. K 1 inch. **8th dec. row:** * K 11, K 2 tog. rep. from * across row. K 1 inch. **9th dec. row:** * K 10, K 2 tog. rep. from * across row. K 1 inch. K even until skirt measures 30 inches. Cast off. Work 2 rows SC across top of skirt and make casing for elastic.

SWEATER—BACK

With Parchment and straight pins cast on 150 sts. K in Fancy Rib for 2 inches. K rest in SS. K 2 tog. beg. and end of next and every 4th row 6 times. K even until work measures 6½ inches from beg. **Next row:** Form inverted pleats—K 46 sts., drop wool, then with spare needle and another ball cast on 48 sts. K 4 rows SS on these sts. then join to the pin where wool was dropped.

(Continued on pages 65-66)



M4410

TWO-PIECE DRESS

Corticelli

SIZE 34 - 36

MATERIAL

		Skirt	Sweater
Y71	Corticelli Boucle de Laine No. 154 Rose of Persia	12 Skeins	9 Skeins
YP28	Circular Twin-Pin, Size 12		One only
YP29	Aero Knitting Pins, Size 12		One Pair
YP23	Ivory Crochet Hook, Medium Size		One only
YP33	Double End Knitting Needles, Size 12		One Set of 4

3 Buttons.
1 Belt.

Tension: 8½ Stitches = 1 inch
25 Rows = 2 inches

SWEATER—FRONT

With straight pins cast on 210 sts. K all in SS. K 2 tog. (dec.) beg. and end of row every inch, 5 times. K 1 inch even. **Next row:** Inc. 1 st. in every 4th st. 9 times, K to within 36 sts. of end of row and rep. incs. as at beg. of row (218 sts.). K even until work measures 13½ inches from beg., then form pleats as follows—Right side facing—K 46, * place 8 sts. on each of next 3 double end needles, fold in to form an inverted pleat towards armhole, K one st. from each needle (as one st.) 8 times *, K 15, rep. from * to * twice, each facing toward centre (forming a box pleat), K 15, rep. from * to * once to form an inverted pleat towards armhole, K 46 (154 sts.) Cast all off on next row.

LEFT YOKE

Cast on 66 sts. K in SS. K ¼ inch, then with right side of work facing cast off 6 sts. beg. next row for armhole. Then K 2 tog. beg. every other row (same edge) until 52 sts. rem. When work measures 4½ inches, shape neck at front edge—cast off 2 sts. every other row 11 times. When armhole measures 6 inches, cast off 6 sts. beg. every row at armhole end 5 times.

RIGHT FRONT YOKE

Cast on 100 sts. K to correspond with Left Front yoke to neck (see below for buttonholes), then cast off 34 sts. at neck and for overlap before shaping neck, but cont. armhole to correspond with Left One. Make 3 buttonholes at front edge of overlap, K ½ inch from beg. **Next row:** K 5, cast off 7, K to end of row. **Next row:** Cast on 7 sts. over cast off ones below. K 1¼ inches between each—3 in all—K ½ inch, then cast off as stated above.

BACK

Cast on 130 sts. K all in SS. K 2 tog. each end of row every inch, 5 times. K 1 inch. **Next row:** Inc. evenly across row to 140 sts. K even until work measures 13½ inches from beg. Then cast off 6 sts. beg. next 2 rows. Cast off 2 sts. beg. every row until 108 sts. rem. K even until armhole measures 6½ inches. Cast off 6 sts. beg. every row 10 times. Cast off rem. sts. for neck.

(Continued on page 66)


M4423
M4410



M4427

TAILORED DRESS

SIZE 34 - 36

MATERIAL

Y72 Corticelli Boucle de Laine No. 164 Hunter Green	20 Skeins
Y71 Corticelli Boucle de Laine No. 130 White	1 Skein
YP28 Circular Twin-Pin, Size 12	One only
YP29 Aero Knitting Pins, Size 12	One Pair
YP33 Double-End Knitting Needles, Size 12	One Set of 4
12-inch Zipper	One only
3½-inch Zipper	Two only

Small Piece of Silk for lining Pockets.
1 Belt.

Tension: 8 Stitches = 1 inch
12 Rows = 1 inch

SKIRT

With Twin-Pin and Green cast on 500 sts. Join. K 1½ inches MS. K rest SS. K 12 inches. To form pleats, sl. 15 sts. on each of 3 double end pins. Fold under and K 1 st. from each pin tog. as one st. Cont. until 15 sts. are knitted. Now sl. 15 sts. on each of 3 double-end pins and fold to form other half of pleat and work in same way. K 160 sts. and make another pleat in same way. **Next row:** K the 2 sts. P over the centre of each pleat. Cont. in this way, keeping the 2 P sts. straight up back and front of skirt. K 3 inches even (380 sts.).

1st dec. row: P 2, * K 17, K 2 tog., rep. from * 8 times, K 17, P 2, * K 17, K 2 tog., rep. from * 8 times, K 17. K 3 inches even. **2nd dec. row:** P 2, * K 16, K 2 tog., rep. from * 8 times, there will be 17 sts. left before the second P rib. Rep. for other side. K 3 inches even. **3rd dec. row:** K 15 sts. K 2 tog. between each P rib, K 3 inches even. **4th dec. row:** K 14 sts. K 2 tog. between each P rib. K 2 inches even. **5th dec. row:** K 13 sts. K 2 tog. between each P rib. **Next row:** Start pockets as follows: P 2, K 40, turn, P 40, K 2, P 40. Cont. knitting back and forth on these 82 sts. Dec. 2 sts. at beg. of every row until 42 sts. rem. Break off wool. K on back of skirt. K back and forth on these sts. Inc. 2 sts. at beg. of every row until 20 sts. have been added to both ends of pin. Join to front sts. and K 2 rounds even, keeping P rib straight up front and back. **Next row, 6th dec. row:** K 12 sts. K 2 tog., rep. across row, K 1 inch even. **7th dec. row:** K 11 sts. K 2 tog., rep. across row, K even until skirt measures 29 inches. Cast off.

WAIST—BACK

Cast on 142 sts. K 70 sts. P 2, K 70. **Next row:** P 70, K 2, P 70. Rep. these 2 rows until work measures 9 inches. To shape armhole, cast off 5 sts. beg. of next 2 rows, then dec. 1 st. beg. every row until 120 sts. rem. Keep P rib even up back. When armhole measures 2

(*Continued on page 67*)



M4418

TWO-PIECE SUIT

SIZE 34 - 36

MATERIAL

	Skirt	Jacket
Y72 Corticelli Boucle de Laine No. 186, Paddy Green	11 Skeins	10 Skeins
No. 131, Black		2 Skeins
YP28 Circular Twin-Pin, Size 12		One only
YP29 Aero Knitting Pins, Size 12		One Pair
YP23 Ivory Crochet Hook, Medium Size		One only

6 Buttons.

Tension: 8 Stitches = 1 inch
12 Rows = 1 inch

SKIRT

With Green and Circular Pin cast on 400 sts. Join. K 1½ inch. **Next row:** P on right side for hem ridge. K even for 7 inches from ridge. **1st dec. row:** * K 21, K 2 tog., rep. from * around row, K 4 inches even. **2nd dec. row:** * K 20, K 2 tog., rep. from * around row, K 3 inches even. **3rd dec. row:** * K 19, K 2 tog., rep. from * around row, K 3 inches even. **4th dec. row:** * K 18, K 2 tog., rep. from * around row, K 2 inches even. **5th dec. row:** * K 17, K 2 tog., rep. from * around row, K 2 inches even. **6th dec. row:** * K 16, K 2 tog., rep. from * around row, K 2 inches even. **7th dec. row:** * K 15, K 2 tog., rep. from * around row, K 1 inch even. **8th dec. row:** * K 14, K 2 tog., rep. from * around row, K 1 inch even. **9th dec. row:** * K 13, K 2 tog., rep. from * around row, K 1 inch even. **10th dec. row:** * K 12, K 2 tog., rep. from * around row, K 1 inch even. K even until work measures 29 inches. Cast off. Sew back hem and work casing for elastic around top.

SWEATER

With Green cast on 130 sts. K all SS. K 20 rows. Then P 1 row on right side of work for hem ridge. K until work measures 3½ inches from ridge. Then K 2 tog. beg. and end of every 8th row, 3 times. K 3 inches even. Then inc. 1 st. beg. and end of every 8th row, 3 times. K until work measures 15 inches from hem ridge, then cast off 6 sts. beg. next 2 rows. Then K 2 tog. beg. every row until 100 sts. rem. K even until work measures 6½ inches from underarm. Cast off 6 sts. beg. next 10 rows. Cast off rem. sts. for neck.

LEFT FRONT

Cast on 70 sts. K all SS. K even for 20 rows. Then P 1 row on right side of work for hem ridge. K until work measures 3½ inches from ridge, then K 2 tog. beg. every 8th row at side edge, 3 times. K even for 3 inches. Then inc. 1 st. beg. every 8th row, at side edge, 6 times (73 sts.). K until work measures 15 inches from ridge,

(*Continued on page 66*)


M 4427
M 4418



M4439

ONE-PIECE DRESS

SIZE 32

MATERIAL

Y71	**Corticelli Boucle de Laine No. 149 Spray Green - -**	**20 Skeins**
YP29	**Aero Knitting Pins, Sizes 11 and 12 - - -**	**One pair each**
YP28	**Circular Twin-Pin, Size 11 - - - - - - - - - - - -**	**One only**
YP33	**Double End Knitting Needles No. 11 - - - - - -**	**One Set of 4**
6 Buttons.		
1 Buckle.		

Tension: 7½ Stitches = 1 inch
11 Rows = 1 inch

WAIST—BACK

With size 11 pins cast on 120 sts. K in SS. When work measures 2 inches inc. 1 st. beg. and end of every 10th row, 7 times (134 sts.). K even until work measures 8½ inches from beg. Then for armhole—K 2 sts. tog. beg. of next 90 rows. **Next row:** (With right side of work facing) for shoulders, cast off 10 sts. K to end of row, turn. **Next row:** Cast off 10 sts. P to end of row. Cast off rem. sts. for neck.

FRONT

Cast on 132 sts. K in SS (and inc. same as for back) for 8½ inches (146). Then for armhole, K 2 tog. beg. of next 18 rows (128 sts.). **Next row:** (Right side of work facing) K 2 tog. K 17, cast off 22 sts. (pocket opening), K 46, cast off 22 (pocket opening), K 19. **Next row:** P 2 tog., P 17, cast on 22, P 46, cast on 22, P 18. Then K 2 tog. beg. of next 10 rows (116 sts.). **Next row:** K 2 tog. K 38, cast off 36 sts. for centre front, K 40 (cont. on these 40 sts.). K 2 tog. beg. of every P row until 10 sts. rem. Cast off for shoulder. K other side to correspond.

SLEEVES

With size 12 pins cast on 52 sts. K in SS. K 1 inch then with P side facing K 1 row plain (for hem ridge). Cont. in SS. When work measures 3 inches from beg. change to size 11 pins. Inc. 1 st. beg. and end of every 6th row 11 times. Then inc. 1 st. beg. and end of every 10th row 11 times. When work measures 18½ inches, K 2 tog. beg. of every row until 12 sts. rem. Then K 2 tog. beg. and end of every row until all sts. are off.

VESTEE

With size 11 pins cast on 2 sts. K all in ridges. Inc. 1 st. at beg. of every other row (at one edge only) until there are 21 sts. on row. * **Next row:** (at inc. edge) for buttonhole, K 3 sts., cast off 3, K to end of row. **Next row:** Cast on 3 sts. over cast off ones below. **Next row:** (At inc. edge) K 2 tog. beg. of every other row, 6 times. K 1 ridge, then inc. at beg. of every other row, 6 times. Rep. from * once more, then make 3rd buttonhole. Then K 2 tog. beg. of every other row until all sts. are off. K another piece the same.

(*Continued on page 67*)



M4333

ONE-PIECE DRESS

SIZE 34 - 36

MATERIAL

Y72	**Corticelli Boucle de Laine No. 140 Cranberry - -**	**20 Skeins**
	No. 163 Jade - - - -	**1 Skein**
Y71	**Corticelli Boucle de Laine No. 141 Cream Pearl - -**	**1 Skein**
YP28	**Circular Twin-Pin, Size 12 - - - - - - - - - - -**	**One only**
YP29	**Aero Knitting Pins, Size 12 - - - - - - - - - -**	**One Pair**
2 Small Buttons.		
1 Large Button.		

Tension: 8 Stitches = 1 inch

SKIRT

With Cranberry and Twin-Pin cast on 444 sts. K even for 1½ inches. **Next row:** P. This forms hem ridge. **Next row:** (Mark beg. of row). * K 60, P 2, K 30, P 2, K 30, P 2, K 30, P 2, K 30, P 2, rep. from * once. Rep. this row 5 times in all. Work 5 rows even. **Next row:** * Inc. in next st. K 58, inc. in next st. P 2, K 2 tog. K 28, P 2, K 28, K 2 tog. P 2, inc. in next st. K 28, inc. in next st. P 2, K 2 tog. K 28, P 2, K 28, K 2 tog. P 2. Rep. from * once. K 5 rows even. Cont. P rib (but no inc. or dec.). **Next row:** * Inc. in next st. K 60, inc, in next st. P 2, K 2 tog. K 27, P 2, K 27, K 2 tog. P 2, inc. in next st. K 30, inc. in next st. P 2, K 2 tog. K 27, P 2, K 27, K 2 tog. P 2, rep. from * once. K 5 rows even. Cont. P rib and omit inc. and dec. Cont. in this way inc. and dec. every 5th row until 2 plain sts. rem. between points (444 sts.) and then work as follows: **Next row:** * Inc. in next st. K 114, inc. in next st. P 2, K 2 tog. P 2, K 2 tog. P 2. Inc. in next st. K 84, inc. in next st. P 2, K 2 tog. P 2, K 2 tog. P 2. Rep. from * once. K 5 rows even as before. **Next row:** K 119, P 3 tog. P 3 tog. K 90, P 3 tog. P 3 tog. K 120, P 3 tog. P 3 tog. K 90, P 3 tog. P 3 tog. K 1. (428 sts). K 1 inch even. Cont. P stripe of P 2 sts. up to waist. **Next row:** * K 2 tog. K 55, K 2 tog. K 2, K 2 tog. K 55, K 2 tog. P 2, K 2 tog. K 86, K 2 tog. P 2, rep. from * once. K 1 inch. **Next row:** * K 2 tog. K 53, K 2 tog. K 2, K 2 tog. K 53, K 2 tog. P 2, K 2 tog. K 84, K 2 tog. P 2. Rep. from * K 1 inch even. Cont. to dec. in this way every inch until skirt measures 31 inches from hem ridge. **Next row:** K 60, P 2, K 60. Cast off next 168 sts. K on rem. 60 sts. in SS. K 2 tog. beg. every row until all sts. are off, forming point, in front.

BACK OF BLOUSE

Cast on 120 sts. Inc. 1 st. beg. and end of every 8th row, 10 times. When work measures 8 inches, to shape armhole, cast off 5 sts. beg. of next 2 rows. Dec. 1 st. beg. every row 10 times (120 sts.). K even until armhole measures 4 inches, then K in rib of K 1, P 1, for ½ inch.

(*Continued on pages 67-68*)


M4333
M4439

Corticelli



M4436

TWO-PIECE DRESS

SIZE 34

MATERIAL

	Sweater	Skirt
Y68 Corticelli Thistlebloom Wool No. 153, Old Rose	10 balls	13 Balls
YP29 Aero Knitting Pins, Size 11	One Pair	
YP28 Circular Twin-Pin, Size 11	One only	
YP23 Ivory Crochet Hook, Medium Size	One only	
3 Buttons.		

Tension: 7½ Stitches = 1 inch
10½ Rows = 1 inch

SKIRT

With size 11 straight pins cast on 206 sts. K all SS, K 2 inches. K 1 ridge on right side of work for hem ridge. K 5 inches from ridge. **Next row:** Cast off 17 sts. beg. and end of row. Place rem. 172 sts. on circular pin. With straight pins cast on 172 sts. K 2 inches. K 1 ridge on right side of work (for hem ridge). **Next row:** MS 13, SS 146, MS 13. Rep. this row until 5 inches from ridge, then place on circular pin with MS border overlapping the 17 cast off sts. on other piece. Join and K as one piece. **1st dec. row:** * K 30, K 2 tog., rep. from * around row. K 3 inches. **Next dec. row:** * K 29, K 2 tog., rep. from * around row. K 2½ inches. **Next dec. row:** * K 28, K 2 tog., rep. from * around row, K 2 inches. **Next dec. row:** * K 27, K 2 tog., rep. from * around row, K 2 inches. **Next dec. row:** * K 26, K 2 tog., rep. from * around row, K 2 inches. **Next dec. row:** * K 25, K 2 tog., rep. from * around row, K 1½ inches. **Next dec. row:** * K 24, K 2 tog., rep. from * around row, K 1½ inches. **Next dec. row:** * K 23, K 2 tog., rep. from * around row, K 1½ inches. **Next dec. row:** * K 22, K 2 tog., rep. from * around row, K 1½ inches. **Next dec. row:** * K 21, K 2 tog., rep. from * around row, K 1½ inches. **Next dec. row:** * K 20, K 2 tog., rep. from * around row, K 1½ inches. **Next dec. row:** * K 19, K 2 tog., rep. from * around row, K 1½ inches. **Next dec. row:** * K 18, K 2 tog., rep. from * around row, K 1 inch. **Next dec. row:** * K 17, K 2 tog., rep. from * around row, K 1 inch. Cast off. Make casing for elastic on wrong side and work 1 row SC around top of skirt. Sew up hem and work 1 row SC around underlap of skirt. Sew the 17 cast off sts. to MS border at each side of skirt.

SWEATER—BACK

Cast on 118 sts. K in rib of K 1, P 1 for 4 inches. K rest of back SS. K 1 inch even, then inc. 1 st. beg. and end of row every inch for 2 inches (122 sts.). K until work measures 8 inches from ribbing, cast off 5 sts. beg. of next 2 rows. Then K 2 tog. beg. of next 12 rows (100

(Continued on page 68)

Corticelli



M4437

DIAGONAL RIBBED DRESS

SIZE 32 - 34

MATERIAL

Y78 Corticelli Zephrene Wool No. 163 Mexican Turquoise, 16 Balls	
YP29 Aero Knitting Pins, Size 12	One Pair
YP23 Ivory Crochet Hook, Medium Size	One only
6 Buttons.	
1 Belt.	

Tension: 7½ Stitches = 1 inch
11 Rows = 1 inch

BACK

Cast on 183 sts. and work even in diagonal patt. as below for 7 inches.

DIAGONAL PATTERN

1st row: (P 4, K 4) for 88 sts. P 7 (K 4, P 4) for 88 sts. **2nd row:** P 1 (K 4, P 4) for 88 sts. K 5 (P 4, K 4) for 88 sts. P 1. **3rd row:** K 2 (P 4, K 4) for 88 sts. P 3 (K 4, P 4) for 88 sts. K 2. **4th row:** P 3 (K 4, P 4) for 88 sts. K 1 (P 4, K 4) for 88 sts. P 3. **5th row:** (K 4, P 4) for 88 sts. K 7 (P 4, K 4) for 88 sts. **6th row:** K 1 (P 4, K 4) for 88 sts. P 5 (K 4, P 4) for 88 sts. K 1. **7th row:** P 2, (K 4, P 4) for 88 sts. K 3 (P 4, K 4) for 88 sts. P 2. **8th row:** K 3 (P 4, K 4) for 88 sts. P 1 (K 4, P 4) for 88 sts. K 3.

Then, keeping diagonal ribs even, dec. 1 st. each end of every 8th row 32 times (119 sts. rem.). Work 1 patt. then inc. 1 st. each end of every 8th row 4 times (127 sts.). Cont. even until work measures 36 inches to underarm (or desired length). Then, to shape raglan armhole, still keeping diagonal ribs even, K 2 tog. at beg. and end of every other row 44 times. Cast off rem. 39 sts. for back of neck.



FRONT

Same as for back until 3 inches before armhole shaping is reached (127 sts.). **Next row:** Work 63 sts. cast off 1

(Continued on page 68)


M4437
M4436

M4444



ONE-PIECE DRESS

SIZE 34 - 36

MATERIAL

Y72	**Corticelli Boucle de Laine No. 183 Anchor Blue**	**19 Skeins**
Y71	**Corticelli Boucle de Laine No. 130 White**	**1 Skein**
YP23	**Ivory Crochet Hook, Medium Size**	**One only**
YP29	**Aero Knitting Pins, Size 12**	**One Pair**
36-inch Zipper, White		**One only**
Belt		**One only**

Tension: 8 Stitches = 1 inch
12 Rows = 1 inch

SKIRT BACK

With Blue cast on 200 sts. Work in SS. K 5 inches. Then with wrong side facing K 1 row to make hem ridge on right side. Cont. SS. When work measures 8 inches from ridge, dec. 1 st. beg. and end of every 6th row until 120 sts. rem. K even until work measures 30 inches from hem ridge, cast off.

SKIRT RIGHT FRONT

Cast on 100 sts. K 5 inches in SS. Make hem ridge in same way as for back. When work measures 8 inches from hem ridge dec. 1 st. beg. every 6th row at side edge until 60 sts. rem. K even until work measures 30 inches from hem ridge. Cast off. K Left Front to correspond.

BLOUSE BACK

Cast on 120 sts. K in SS. Inc. 1 st. beg. and end of every 6th row until 140 sts. K even until work measures 9 inches. To shape armhole cast off 5 sts. beg. next 2 rows. Then dec. 1 st. beg. of every row 10 times (120 sts.). When work measures 7 inches from first dec. to slope shoulders cast off 8 sts. at beg. of each row 10 times (40 sts. rem.). Cast off.

BLOUSE RIGHT FRONT

Cast on 60 sts. K in SS. Inc. 1 st. beg. every 6th row (side edge) until there are 70 sts. K even until work measures 9 inches. To shape armhole cast off 5 sts. at side edge. Then dec. 1 st. beg. every row (side edge) 5 times (60 sts.). When armhole measures 5 inches, start to shape neck, at centre edge cast off 2 sts. beg. every row 10 times (40 sts. rem.). Now to shape shoulder cast off 8 sts. beg. every row at armhole edge, 5 times.

LEFT FRONT

K to correspond with right.

(Continued on pages 68-69)

M4422



DRESS AND BELT

SIZE 34

MATERIAL

Y76	**Corticelli Australene Wool No. 132 Smoke Grey**	**21 Balls**
Y71	**Corticelli Boucle de Laine No. 130 White**	**1 Skein (For design on Dress)**
Y72	**Corticelli Boucle de Laine No. 131 Black**	**1 Skein**
Y72	**Corticelli Boucle de Laine No. 178 Bandera Red**	**1 Skein**
YP29	**Aero Knitting Pins, Size 11**	**One Pair**
YP28	**Circular Twin-Pin, Size 11**	**One only**
YP23	**Ivory Crochet Hook, Medium Size**	**One only**
6 Buttons.		

Tension: 7 Stitches = 1 inch
10 Rows = 1 inch

WAIST BACK

Cast on 108 sts. Inc. 1 st. beg. and end of row every inch for 5 inches. K until work measures 8 inches, then shape armhole by casting off 6 sts. beg. of next 2 rows. Then K 2 tog. beg. of next 10 rows. When armhole measures 2½ inches, K in rib of K 1, P 1 for 2½ inches. Then with right side facing, K 32 rib and place on spare needle, cast off 32 sts. K 32 rib, cont. in rib and K 2 tog. (at neck edge) every other row 4 times. Cast off. K other side to correspond. SC around neck and shoulders. K Front same as Back. Embroider Front in diagram as illustrated.

SLEEVES

Cast on 50 sts. K 1 inch. **Next row:** P. K 2 inches from P row, then inc. 1 st. beg. and end of every 8th row until there are 84 sts. on row. K even until sleeve measures 17½ inches from hem ridge. Cast off 6 sts. beg. of next 2 rows. Then K 2 tog. beg. of every row until 20 sts. rem. Cast off.

SKIRT

With circular needle cast on 380 sts. Join. K 1 inch. **Next row:** P. K 1 inch SS. This is for hem. **Next row:** K 85, * P 2, K 33. Rep. from * twice, K 85, rep. from * 3 times. When work measures 2½ inches from hem ridge, dec. by K 2 tog. before and after every P sts. Dec. in same way every 2½ inches until skirt measures 25 inches, then dec. every 1½ inches, twice (28 inches). Dec. once more and K 1 inch (29 inches). Cast off.



(Continued on page 69)


M 4444
M 4422

M4421 SWEATER

(*Continued from page 4*)

FRONT

Same as back to end of armhole decs. (112 sts.). Now with right side facing K 47 sts. in patt. Cast on 9 sts. Turn and work on these 56 sts. for left front, keeping patt. even and the extra 9 sts. K plain every row (put rem. 65 sts. on holder for right front). When armhole measures 4½ inches, shape neck as follows: Cast off 2 sts. beg. every other row at neck edge 12 times, and shape shoulder, when armhole measures 6½ inches, cast off 8 sts. beg. every other row at arm end, 4 times.

RIGHT FRONT

Put the 65 sts. from holder on needle and K in patt. until work measures 4 inches from armhole, then with right side facing K 2, cast off 4 sts. for buttonhole, K to end. **Next row:** Cast on 4 sts. over cast off ones of previous row. When armhole measures 4½ inches, shape neck as follows: Cast off 11 sts. neck end, now cast off 2 sts. same end every other row 11 times, shaping shoulder as for left front.

SLEEVES

Cast on 80 sts. on size 12 needles. K in rib of K 1, P 1 for 2½ inches. Inc. on last row to 102 sts. Change to size 11 needles and work patt. **1st row:** Right side. * K 6, (WO, K 1, P 2 tog.) twice *, rep. from * to * 7 times more, K 6. **2nd row:** * P 6 (WO, K 1, P 2 tog.) twice *, rep. from * to * 7 times more, P 6. Rep. these 2 rows for 3½ inches. Shape armhole as follows, cast off 6 sts. beg. of next 2 rows, then K 2 tog. beg. of every row until 30 sts. rem. (keeping patt. even). Cast off.

COLLAR

Cast on 204 sts. on size 12 needles. K in rib of K 1, P 1 for 1½ inches. Cast off in patt.

TO MAKE UP

Sew shoulder seams and sleeves in armholes, gathering sleeve at top to fit. Sew collar to neck edge and along opening on right front as illustrated. Sew button on left front to correspond with buttonhole.

M4445 SWEATER

(*Continued from page 4*)

BACK

With size 12 needles cast on 120 sts. K in rib of K 1, P 1 for 4 inches, change to size 11 needles and K in SS. When work measures 15 inches from beg. cast off 7 sts. beg. next 2 rows, then K 2 tog. beg. next 16 rows (90 sts.). K even until work measures 6½ inches from underarm. Shape shoulders by casting off 6 sts. beg. next 10 rows, cast off rem. sts. for back of neck.

FRONT

With size 12 needles cast on 120 sts. K in rib of K 1, P 1 for 4 inches. Change to size 11 needles and inc. across row 5 times (125 sts.). P back. With right side facing K 17 SS, and start 1st row of patt., ending with K 17. Cont. keeping patt. sts. even up front. Rep. 8 rows of patt. and inc. 1 st. beg. and end of every 10th row until 139 sts. on needle. When work measures 15 inches from beg. (15 patts.) and right side facing, cast off 10 sts. for underarm, K across row to centre of sweater (60 sts. on needle), ending with WO, K 2 tog. Leave rem. 69 sts. on spare needle. Now P back for left front and K 2 tog. for underarm beg. next 10 rows. K 1 more patt. on these 50 sts. (there are now 3 patts. from beg. of front opening). K 1st and 2nd row of next patt. then K rest in SS for Yoke. When work measures 5½ inches from beg. of front opening cast off 8 sts. at neck edge, then 4 sts. beg next 3 rows at same edge. K even on rem. 30 sts. until work measures 7 inches from underarm, then cast off 6 sts. beg. next 5 rows at armhole edge. K right yoke to correspond. Sew up sides and shoulder seams, crochet 2 loops to run belt through and sew to side seams at waistline.

SLEEVES

With size 11 needles cast on 125 sts. K in SS. K 4 inches, cast off 6 sts. beg. next 2 rows, then K 2 tog. beg. of every row until there are 50 sts. on needle. Cast off.

BELT

With size 11 needles cast on 2 sts. K in rib of K 1, P 1 inc. 1 st. beg. of every row until 18 sts. on needle. K even until work measures 30 inches. Shape end by K 2 tog. beg. of every row until 2 sts. rem. Cast off.

COLLAR

With size 11 needles cast on 142 sts. K in garter st. for 5 rows. **1st row:** K 8 sts. garter st., rep. patt. across row from ** to ** 3 times, end with K 2, Sl. 1, K 1, PSSO, then (WO, K 1, WO, Sl. 1, K 2 tog. PSSO) 2 more times end with WO, K 1, WO, Sl. 1, K 1, PSSO, K 2, K 8 sts. garter st. **2nd row:** K 8 sts. garter st. P 126. K 8 sts. garter st. Cont. collar in patt. dec. 1 st. beg. and end of every 4th row on inside garter st. border until the 8 garter sts. are off. When there are 4 complete patts. K 1 more row of patt. (127 sts.). **Next row:** * P 2 tog. P 9, *, rep. across row, ending P 2 tog. (114 sts. on needle), K 2 rows in SS. Cast off.

BAND FOR FRONT OPENING

With size 11 needles cast on 2 sts. K in garter st. inc. 1 st. beg. of every row until 14 sts. on row. K even until work measures 6 inches. Cast off. Crochet 1 row SC around neck opening and sew band in place down right front and sew on buttons.

Sew collar to sweater. Sew sleeves in place, having fullness on shoulders. Make a 2-inch inverted pleat in centre of sleeve for cuff and crochet 2 rows of SC around edge of cuff.

M4414 STRIPED CAPE DRESS

(*Continued from page 6*)

edge of skirt. Press, mark centre of gores with a colored thread, press lightly to form pleats. Gather in front fullness to correspond with waist. Then sew waist and skirt tog. easing in fullness of waist to skirt.

Tack belt to dress at sides at waistline, work casing for elastic at waistline on inside.

M4431 TWEED SWEATER

(*Continued from page 8*)

RIGHT FRONT

K to correspond with Left Front but when work measures ½ inch above ribbing make 1st buttonhole (right side facing) K 1, P 1, cast off 6 sts. K 1, P 1, K rest of row. **Next row:** Cast on 6 sts. above cast off ones below. * K 1¼ inches, make 2nd buttonhole as for first *. Rep. from * to * once more (3 buttonholes in all). K 3¾ inches even, then rep. from * to * 3 times. K ½ inch, then shape neck edge to correspond with Left Front, and finish to correspond with Left side. Sew up seams. Work 2 rows SC around bottom of Sweater.

SLEEVES

Cast on 56 sts. with Tweed and size 12 pins. K all SS. K 7 rows, then inc. 1 st. at each end of next and every 8th row until there are 100 sts. on row. K even until work measures 17½ inches, then cast off 7 sts. beg. next 2 rows. Now K 2 tog. beg. of every row until 36 sts. rem. Cast off. Work 2 rows SC around cuff edge.

Anchor Blue and size 13 needles are used for rem. directions.

COLLAR

Cast on 40 sts. K all MS. At one edge K 2 tog. every other row until 25 sts. rem. K even until collar measures 12 inches from beg., then inc. 1 st. at same edge (as dec. edge) every other row until there are 40 sts. on row. Cast off.

POCKETS (2)

Cast on 25 sts. K in MS for 3 inches. Cast off. Place on each side of front (folding square in a triangle, sewing only the under part to sweater). The top of pocket 3 inches from front edge, the point 2 inches from lower edge.

BELT

Cast on 15 sts. K in MS for 28 inches, then divide sts. 7 on one pin and 8 on the other, and work separately for 7 rows for buttonhole. Then K the 15 sts. again and K 2 tog. beg. of every row until all sts. are off.

Sew in sleeves. Sew straight edge of collar to neck edge. Work two 2-inch chains and sew one to each side at waistline to pass belt through. Sew on buttons.

M4424 SWEATER

(*Continued from page 10*)

K in this way until work measures 5 inches. **Next row:** Cast off 6 sts. beg. of next 2 rows for armhole, then K 2 tog. beg. of next 28 rows. Then K SS to centre cable. Cont. this cable patt. K rest of row SS. K centre cable patt. for 2 more cable patts. then K whole row SS. K even until sleeve measures 7 inches from armhole, then * K 1, K 2 tog. rep. from * across row. **Next row:** K 2 tog. across row. Cast off.

COLLAR AND TIE

With Coral K all in MS. Cast on 3 sts. Inc. 1 st. beg. and end of every row until 12 sts. are on row. K even for 1 inch. **Next row:** Cast off 4 sts. beg. next 2 rows. K 4 rows on rem. 4 sts. **Next row:** Cast on 4 sts. beg. next 2 rows. K 2 rows. **Next row:** Join White, K 18 inches and make Coral Tab to correspond with beg.

BELT

With White cast on 16 sts. K in MS for 28 inches. Cast off.

TAB

With Coral cast on 3 sts. inc. 1 st. beg. and end of every row until there are 16 sts. on row. K 1½ inches. Then cast off 5 sts. beg. of next 2 rows. K 1 inch on rem. 6 sts. Then cast on 5 sts. beg. next 2 rows. K 1½ inch. Then K 2 tog. beg. and end of every row until 3 sts. rem. Cast off. Sew point of Tab over one end of belt and snaps on other end.

CUFF

With White cast on 14 sts. K in MS for 10 inches. Cast off. Sew to sleeve ribbing. Sew up all seams (sew in sleeve, gathering in fullness on shoulders), and collar to neck. Make 2 two-inch chains and sew one on each side at waistline to pass belt through.

BUTTON LOOPS

Join wool at centre front of right side, * ch. 3, miss 2, 1 SC in each of next 2 sts. rep. from * to neck, making 5 loops. Sew 5 buttons down Front opening, one on each Flap, and one on each point of Belt Tab.

M4430 SWEATER

(*Continued from page 12*)

FRONT

K same as back until work measures 6½ inches from end of ribbing. **Next row:** Inc. across row to 136 sts. **1st row:** K 52, P 1, K 30, P 1, K 52. **2nd row:** P 52, K 1, P 30, K 1, P 52. Rep. these 2 rows. When work measures 8 inches, cast off 6 sts. beg. next 2 rows, then K 2 tog. beg. next 12 rows. Now K Flaps separately, with double-end needles, cast on 10 sts. K in Fancy Rib for 6 rows. Then K 4 rows SS but K the first 3 and last 3 sts. in Fancy Rib every row (for rest of Flap) and at same time inc. 1 st. beg. of every 2nd row until there are 15 sts. on row, break off wool. K another piece to correspond, join the two pieces tog. (at inc. edges), and K all tog. (30 sts.). K 6 rows, knitting the centre 6 sts. in Fancy Rib as well as the first and last 3 sts. Then K all the centre sts. in SS until work measures 2 inches from beg. (do not cast off). K another Flap the same. Then K on Front sts. K 11 sts. then place one Flap needle of 30 sts. over the next 30 sts. of Front and K 1 st. from each of the 2 needles as one st. K 30 sts. and join other Flap in same way, K 11. Now K all in SS across row. When work measures 6 inches from beg. of armhole with right side of work facing, K 35 sts. and place on holder, cast off 42 sts. K 35 sts. Then K 2 tog. beg. every row at neck edge, 5 times. Then cast off 10 sts. beg. every row at armhole edge, 3 times. K other shoulder to correspond. Sew up shoulder seams and work 1 row SC tightly around neck.

SLEEVES

Cast on 30 sts. K same as for Flaps (having 30 sts. each side of incs. instead of 10). (70 sts. when joined). When work measures 2 inches, K rest in SS. **Next row:**

K 28 inc. in each of next 14 sts. K 28. **Next row:** P 84. **Next row:** K 33, inc. in each of next 18 sts. K 33. **Next row:** P 102. **Next row:** Inc. in 1st st. K 38, inc. in each of next 24 sts. K 38, inc. in last st. **Next row:** P 128. Then inc. beg. and end of every 4th row until 134 sts. on row. When work measures 5 inches from beg. cast off 6 sts. beg. next 2 rows. Then K 2 tog. beg. every row until 74 sts. rem. **Next row:** K 2 tog. across whole row. P next row (37 sts.). Cast off tightly. Sew sleeve in armhole, having fullness on shoulder.

COLLAR

Cast on 10 sts. K as for Flaps, but also inc. at beg. and end of every row until there are 20 sts. Make 3 pieces the same, join all tog. and cont. to inc. beg. and end of every row until there are 70 sts. on row. K until work measures 2 inches from beg. Cast off tightly. K another piece the same and join, with 1 row SC. Sew collar around neck and sew up all seams.

BELT

Cast on 19 sts. K in Fancy Rib for 6 rows. Then K the 1st and last 3 sts. only in rib, and the centre sts. in SS for 30 inches. Then K 2 tog. beg. and end of every row until all are off. With double Artsyl Rope and darning needle, run around the Flaps (inside the Fancy Rib), collar, belt, cuffs, and bottom of sweater. Work 2 two-inch chains and sew on to each side at waistline to pass belt through. Sew a button on belt point and join with snap fastener.

M4451 MAN'S SWEATER

(*Continued from page 14*)

(for front of neck). On next 37 sts. dec. 1 st. at neck end every other row 7 times then K 4 rows. Bind off for shoulder same as for back, K other side to correspond.

COLLAR

Sew shoulder seams tog. Pick up sts. placed on thread and pick up 24 sts. at each shoulder using circular pin and K in rib of K 1, P 1 for 1 inch. Cast off loosely.

SLEEVES

With size 12 pins cast on 72 sts. K in rib of K 3, P 3 for 4 inches. Change to size 10 pins, inc. 1 st. in every 6th st. across row (84 sts.). Work in patt. inc. 1 st. each end of every 8th row until there are 118 sts. on row. When work measures 19 inches cast off 7 sts. beg. of next 2 rows then K 2 tog. beg. of each row until 48 sts. rem. Cast off.

Press all pieces lightly, set in sleeves, sew underarm and side seams.

M4344 SWEATER

(*Continued from page 14*)

FRONT

Cast on 116 sts. with size 12 pins. K in rib of K 1, P 1 for 3 inches. Change to size 10 pins and K in patt. **Next row:** Inc. to 132 sts. When work measures 10 inches dec. at armhole same as for Back. Then at beg. of 2nd patt. from armhole start front opening—K to centre st. and K sides separately. On 3rd row of 5th patt. from armhole, cast off 12 sts. for neck. K 1 row. Cast off 1 st. at neck end every 2nd row, until 36 sts. are on row. When work measures 6½ inches (7 patts.) from armhole, cast off 6 sts. at arm edge, every other row 6 times.

SLEEVE

With size 12 pins cast on 60 sts. K in rib of K 1, P 1 for 3 inches. Then with size 10 pins start patt. K 4 patts., then inc. 1 st. each end of every 6th row until 90 sts. are on row. When work measures 19 inches from beg. shape armhole. * K 2 tog. K in patt. until 2 rem. K 2 tog., rep. from * every row until 10 sts. rem. Cast off.

COLLAR

With size 10 pins cast on 3 sts. K all in ridges. Inc. 1 st. each end of every 2nd row, until 9 sts. rem. When collar measures 22 inches, cast off 1 st. each end of every 2nd row until 3 sts rem. Cast off. Sew collar around neck. Tie ends in front. Work 1 row SC around front openings, making 2 button loops on right side.

M4433 SWEATER

(*Continued from page 16*)

FRONT

With Maize cast on 125 sts. and work same as back until 7 inches from beg. Then inc. 1 st. each end of every 6th row 9 times (143 sts.). Cont. even until seam measures 13½ inches, then to shape armhole, cast off 6 sts. beg. next 2 rows. **Next row:** With right side of work facing, K 2 tog. work 60 sts. and place rem. 69 sts. on a holder. Cast on 8 sts. at centre front and work left front on these 69 sts., keeping 8 sts. at front edge in ridges up to neck for button band, and K 2 tog. at armhole edge 5 times more (64 sts.). Cont. even until there are 24 ridges in button band (4½ inches stretched out), then to shape neck, cast off 8 sts. at neck edge and K 2 tog. at neck edge every row until 35 sts. rem. When armhole measures same as back, cast off all sts. for shoulder.

RIGHT FRONT

Take sts. from holder and work to correspond to Left Front, but do not cast on 8 sts. at centre front, K 8 sts. at front edge in ridges with buttonhole after every 5th ridge. Make 4 buttonholes. (with 5 ridges between) as follows: K 2, cast off 4, work to end of row. **Next row:** Cast on 4 sts. over the cast off sts.

SLEEVES

With Maize cast on 56 sts. and work in P 1, K 1 rib for 4 rows. Then work in diamond and patt. to correspond with back as follows: **1st row:** P 1, K 1 for 25 sts. K 6, then P 1, K 1 for 25 sts. **2nd and each alt. row unless otherwise directed:** P the K sts. and K the P sts. of previous row. **3rd row:** K 1, P 1 for 24 sts. K 3, P 2, K 3, then P 1, K 1 for 24 sts. **5th row:** K 23 in patt. K 3, P 4, K 3, K in patt. for 23 sts. Cont. in diamond and patt, in this manner to correspond with back to the top, shaping as follows: Work even for 4 inches, then inc. 1 st. each end of next and every following 6th row until there are 96 sts. Cont. even until sleeve measures 18 inches, then cast off 4 sts. beg. of next 2 rows, and K 2 tog. beg. of every row until 40 sts. rem. Cast off.

CUFFS

With Maize cast on 66 sts. and work in SS for 11 rows. **Next row:** Wrong side facing, K 26, P 14, K 26. **Next row:** All K. Rep. these 2 rows twice more, then cast off 20 sts. beg. next 2 rows. To make point, work 6 sts. each side in ridges with centre sts. in SS, K 2 tog, each side inside of ridges every other row until only 1 SS rem. Then K 2 tog. beg. of every row until 3 sts. rem. Fasten off. With Black cast on 66 sts. and K in ridges for 6 rows. Cast off.

COLLAR

With Black cast on 150 sts. and K in ridges for 7 rows. Join Maize and K 1 row. **9th row:** K 8, P until 8 sts. rem. K 8. Keeping 8 sts. at each edge in ridges, K 2 tog. inside of ridges each end of every other row until 120 sts. rem. Cast off tightly.

TO MAKE UP

Press pieces carefully with damp cloth and warm iron. Sew shoulder seams and put in sleeves. Sew underarm and sleeve seams. Sew bottom edge of bottom band under buttonhole band. Sew collar to neck edge, placing edges of collar about ½ inch from front edges. Sew buttons opposite buttonholes. Sew black cuff strips to straight top edges of cuffs, allowing centre part of strips to pass under points of cuffs. Sew cuff seams and attach cuffs to sleeves, placing seam to seam. Sew a button on each point. Attach crochet loops on side seams for belt to pass through.

M4420 SWEATER

(*Continued from page 16*)

beg. of every other row 3 times. K left side straight, shaping shoulder to correspond.

SLEEVES

With size 12 pins cast on 47 sts. Work 3 inches. Change to size 11 pins. Inc. 1 st. beg. and end of every 6th row, 28 times, and sleeve measures 17½ inches (7 complete stripe patts. and after the Copen rows of 8th patt.). **Next row:** Cast off 3 sts. beg. of next 2 rows, then K 2 tog. beg. of every row until 31 sts. rem. Cast off sts. tightly.

BELT

With Copen wool double, and size 11 pins cast on 18 sts. K all in rib of K 1, P 1 for 30 inches. **Next row:** K 3, cast off 4, K 4, cast off 4, K 3. **Next row:** K 3, cast on 4 sts. (over cast off 4), K 4, cast on 4, K 3, then K 2 tog. beg. every row until all are off.

SCARF

With Copen and size 11 pins cast on 48 sts. K in ridges for 30 inches (not stretched). Then K 2 tog. beg. every row until all sts. are off.

TO MAKE UP

Press all pieces lightly. Sew up seams and set in sleeves (matching stripes of waist in armholes). Work two 2-inch chains and sew to side seams at waistline to pass belt through. With Grey work 1 row SC around neck edges and strap, edge of cuffs, and lower edge of sweater. Sew scarf across back of neck, tie in front and draw under strap, having straight end on top above pointed end. Sew on button for strap and 2 on belt.

M4435 MAN'S COAT SWEATER

(*Continued from page 18*)

from each needle as one, 7 times. Rep. from * once, having pleat face to the left, K 13 sts. (40 sts.). K 9 ridges, cast off. Make another.

BELT

Cast on 18 sts. K in ridges for 14 inches. Cast off.

COLLAR

Cast on 140 sts. K 9 ridges. **Next row:** K 10, K 2 tog. K to within 12 sts. of end, K 2 tog., K 10. **Next row:** K 10, P to within 10 sts. of end, K 10. Rep. these 2 rows until there are 114 sts. on needle. Cast off.

TO MAKE UP

Press all pieces. Tack pleats at top of back piece, into position, and sew back yoke to this piece, having the yoke overlap slightly. Sew sleeves in armholes, having the 8 cast off sts. as part of neck. Sew the cast off edge of collar to neck. Tack belt at back just below pleats. Sew side and sleeve seams. Tack pocket pleats to position and place 3 inches from front edge, above the ridges. Sew Zipper in front from bottom edge to collar.

M4440 MAN'S SLEEVELESS

(*Continued from page 18*)

K 2 tog. beg. every row at neck edge until 21 sts. rem. Then cast off 7 sts. beg. of every row at armhole edge, 3 times. Take sts. from spare pin and K other shoulder to correspond.

FRONT

Cast on 126 sts. with size 12 pins and K in rib of K 1, P 1 for 3 inches. Change to size 10 pins and inc. across next row to 134 sts. Cont. in patt. When work measures 14 inches from beg. shape armholes same as for back (106 sts.). When armhole measures 5 inches, next row (right side of work facing) K 42 sts. and sl. these on a spare pin, cast off the next 21 sts. for front of neck. K rem. 42 sts. to armhole edge. K back to neck. Then cast off 2 sts. beg. of every row at neck edge, 4 times. Then K 2 tog. beg. every row at neck edge until 22 sts. rem. K even until armhole measures 8 inches, then cast off 7 sts. beg. of every row at armhole 3 times. K other shoulder to correspond. Sew up seams.

RIBBING FOR NECK

With 3 size 12 double-end needles and right side of work facing, beg. at left front shoulder seam and pick up and K 48 sts. on side of neck, 21 sts. across front and 48 sts. on other side, then 62 sts. around back of neck (from seam to seam), divide sts. evenly on each of 3 needles and K in rib of K 1, P 1 for 12 rows. Cast off loosely.

RIBBING FOR ARMHOLES

With 3 size 12 double-end needles and right side of work facing beg. at underarm seam. Pick up and K 125 sts. around armhole, K in rib of K 1,. P 1 for 9 rows. Cast off loosely.

M4416 TWIN SWEATERS

(*Continued from page 20*)

SLEEVES

With four needles pick up sts. from st. holder. K 1 round, mark underarm. **Next round:** From underarm K 46 sts. P 2, K 46, K for 13 rounds. **Next round:** K 42, P 2, K 2, P 2, K 2, P 2, K 42. K for 13 rounds. **Next round:** K 38, P 2, K 2, P 2, K 2, P 2, K 2, P 2, K 2, P 2, K 38. K for 13 rounds. Work in rib of P 2, K 2 for 1″. Cast off.

M4412 TWO-PIECE SUIT AND SCARF

(*Continued from page 22*)

work measures 3 inches from ridge dec. 1 st. at seam edge every 6th row, 5 times. K even until work measures 8 inches from ridge, then K tightly in rib of K 1, P 1 for 1 inch. K rest in SS. K even for 1 inch, then inc. 1 st. at seam edge every 6th row, 5 times. When work measures 8 inches from top of ribbing, cast off 10 sts. for underarm (side edge), then K 2 tog. at same edge, every 2nd row 6 times. When armhole measures 4 inches cast off 32 sts. at front edge for lapel and K 2 tog. at same edge every 2nd row, 7 times (35 sts.). K even until armhole measures 7 inches, then starting at side edge shape shoulder by casting off 7 sts. every 2nd row 5 times. K other side to correspond.

REVERES

Cast on 20 sts. Inc. 1 st. every 4th row (beg. of same edge) until there are 40 sts. on needle. K even until revere measures 12 inches. Cast off. K other one to correspond.

COLLAR

Cast on 34 sts. K in SS for 14 inches. Cast off. Work 2 rows of SC around outside edges.

BELT

With Tweed cast on 14 sts. K in Fancy Rib for 28 inches, then K 2 tog. beg. of every row until 2 sts. rem. Cast off. (Fancy Rib: **1st row:** K 1, P 1, across row. **2nd row:** K.

SLEEVES

With French Tweed cast on 60 sts. K in SS for 1 inch, then (right side facing) P 1 row for hem ridge. K rest in SS. Inc. 1 st. beg. and end of every 8th row 25 times (110 sts.). When sleeve measures 18 inches from ridge, cast off 7 sts. beg. next 2 rows, then K 2 tog. beg. every row until 40 sts. rem. Cast off.

POCKETS (2)

Upper ones. Cast on 35 sts. K in SS for ½ inch. On the right side of work, P 1 row for hem ridge. K 3½ inches SS. Cast off. (Lower ones—2) Cast on 40 sts. K in SS for ½ inch. On right side of work, P 1 row. K 4½ inches, cast off.

PATTERN FOR STRAPS

1st row: K 1, P 1 rib. **Next row:** K across row. Rep. these two rows. Front Straps (2)—Upper ones, with Red cast on 12 sts. K even for 9 inches. **Next row:** K 4 sts., cast off 4 sts. (for buttonhole), K 4 sts. **Next row:** Cast on 4 sts. over cast off ones below. Then dec. 1 st. beg. of every row until 2 sts. rem. on row. Cast off. (2) Lower ones, cast on 12 sts. K even for 10 inches. **Next row:** K 4 sts., cast off 4 sts. (buttonhole). K 4 sts. **Next row:** Cast on 4 sts. over cast off ones below. Then dec. 1 st. beg. every row until 2 sts. rem. Cast off.

TO MAKE UP

Join back and fronts tog. Sew reveres to lapels and the collar around neck edge. Turn up hems and sew in place. Place top of upper pockets 1¼ inches below armhole and at 2 inches from side edge. Lower pockets, place the lower edges at bottom of coat 3½ inches from centre edge. Work 2 rows SC, starting at lower edge of coat fronts up to ribbing, on both sides of front. Front straps (upper ones). Sew to centre of shoulder seam and sew them all the way down, except the lower part (buttonhole), which buttons over the pocket. Lower ones, place top in centre of upper pocket under the loose ends of straps, and sew down except at waist line to pass belt through, and the part which buttons over the lower pockets.

SCARF

With Red cast on 4 sts. (work same as for straps). Inc. 1 st. beg. every row until there are 50 sts. on row. Then dec. 1 st. beg. every row 10 times. K even for 25 inches, then inc. 1 st. beg. every row 10 times. Then dec. 1 st. beg. of every row until 4 sts. rem. Cast off. Sew buttons on pockets, and belt, also sew a fastener to join belt.

M4405 TWO-PIECE DRESS

(*Continued from page 26*)

BELT

Cast on 12 sts. K in SS for 30 inches, K 2 sts. tog. at beg. of every row until all sts. are off, work 6 rows of SC in White around, inc. 2 SC at each side of point and 3 SC at end.

Press all pieces lightly, sew shoulder seams, set in sleeves, sew side and underarm seams, turn up hem, sew hems down back for 8 sts. Work buttonholes tog.

To work SC at neck. Right side of work facing, with White start at back of neck and down Left Front, work back and forth 6 times, being careful to keep work flat. Then work around centre piece, then around right front and back. For sleeves start at centre opening and work the same way all around and up openings. Sew ends of White bands across lower front openings.

SKIRT

With Circular Needle and Blue cast on 400 sts. Join (being careful not to twist work). K all in SS. K 8 inches. **Next row:** Dec. 20 sts. * K 18, K 2 tog., rep. from * around row. Work 3 inches even, then rep. dec. on the next row, keeping dec. above the other, always having 1 st. less between decs. Rep. decs. every 3 inches, 3 more times, then every 2 inches 4 times, then every inch once. K 1 inch or desired length. Cast off. Work beading at top of skirt. Work 5 rows SC in White at bottom of skirt.

M4408 TWO-PIECE SUIT

(Continued from page 28)

measures 7 inches. Then for shoulder cast off 8 sts. beg. of every row 8 times. Cast off rem. sts. for neck.

FRONT

Cast on 122 sts. and K in rib as for back. K in patt. same length as back to underarm. For armhole dec. 6 sts. beg. next 2 rows. **Next row:** K 2 tog. patt. K 43, join White, K 50 sts. plain, join Tango, patt. to end of row. **Next row:** P 2 tog. P across row. Cont. these 2 rows. When there are 32 sts. of Tango sl. the first 32 on holder, cast off 50 sts. White, cont. on the last 32 sts. in patt. until armhole measures 7 inches, then cast off 8 sts. armhole edge every other row 4 times. Make other side to correspond.

FRONT INSERT

With White and No. 12 needles cast on 30 sts. K in SS, dec. 1 st. outside edge every 8 rows 6 times, then every 4th row 6 times, and every 2nd row 8 times (10 sts.). K 24 rows even, then inc. as dec. for opposite side. Cast off. Sew around neck edge, down sides and to bottom of White insert. Sew sides of blouse and shoulder seams. Make 1 row SC around neck.

SLEEVES

With No. 13 needles cast on 64 sts. K in rib of K 1, P 1 for 2½ inches. Change to No. 12 needles and start patt. as for blouse. Inc. 1 st. beg. and end of every 8th row until 100 sts. on needle. When work measures 18 inches cast off 6 sts. beg. of next 2 rows, then 1 st. beg. of every row until 30 sts. rem. Cast off. Sew sleeves into blouse.

BELT

With No. 12 needles and Tango cast on 12 sts. K in rib of K 1, P 1 for 30 inches. Cast off. Crochet a ch. 1 inch long and sew to sides of sweater for belt.



M4425 DRESS AND JACKET

(Continued from page 32)

K 1, K to end. **2nd row:** Cast off 4 sts. P 50, K 1, P 1, K 1, P 1, K 1, P to end. **3rd row:** K 2 tog. K 49, MS 5 sts. K to end. **4th row:** P 2 tog. P 49, MS 5 sts. P to end. **5th row:** K 2 tog. K 47, MS 7 sts. K to end. **6th row:** P 2 tog. P 47, MS 7 sts. P to end. **7th row:** K 2 tog. K 46, MS 7 sts. K to end. **8th row:** P 2 tog. P 46, MS 7 sts. P to end. **9th row:** K 2 tog. K 45, MS 9 sts. K to end. **10th row:** P 2 tog. P 45, MS 9 sts. P to end. **11th row:** K 2 tog. K 44, MS 9 sts. K to end. **12th row:** Cont. without dec. at both ends. At the same time having one more MS at each side every 4th row until there are 13 MS, then dec. as inc. on MS. When work measures 4½ inches from underarm K 28 (slip on stitch holder). Cast off 40 sts. for neck. K 28. Cont. on these 28 sts. K 2 tog. neck edge every 4th row 7 times. When armhole measures 7 inches cast off 7 sts. armhole edge 3 times. Make other side to correspond.

SLEEVES

Cast on 55 sts. K in MS for 1 inch. Change to SS. Inc. 1 st. beg. and end of every 7th row until there are 65 sts. K even until work measures 4 inches. Cast off 4 sts. beg. of next 2 rows. K 2 tog. beg. every row until 20 sts. rem. When sleeve measures 7 inches from armhole cast off.

NECK BAND

Cast on 14 sts. MS for 20 inches then MS 7 sts. for 4 rows (this makes buttonhole), break wool, tie on to other side and MS 4 rows. Put all sts. back on needle, K 2 tog. beg. every row until all are cast off. (Sew body of dress to skirt, make casing for elastic. Sew shoulder and side seams of blouse, sew band around neck.

BELT

With Black cast on 11 sts. K in MS for 28 inches. With Sea Green work 2 rows SC around bottom of Skirt.



COAT—BACK

With Dragon Green cast on 119 sts. K in MS for 1 inch. Change to SS knitting 2 tog. beg. and end of every 10th row 6 times. When work measures 7 inches from beg. inc. 1 st. beg. and end of every 8th row 7 times. K even until back measures 15 inches from beg. Cast off 4 sts. beg. of next 2 rows, then K 2 tog. beg. and end of every K row 8 times. Cont. until work measures 7 inches from underarm. Cast off 8 sts. beg. next 8 rows. Cast off rem. sts. for neck.

COAT—FRONT

Cast on 49 sts. K in MS for 1 inch. Change to SS knitting 2 tog. beg. of every 10th row 6 times (seam edge). When work measures 7 inches from beg. inc. 1 st. beg. of every 8th row 7 times. K even until work measures 15 inches from beg. Then with Black cast off 4 sts. for underarm. P across row. **Next row:** K. **Next row:** With White P 2 tog. P across row. **Next row:** K. Cont. with colors having 2 rows Black and 2 rows White (14 rows in all). Cont. to K 2 tog. at side edge 3 times more. When 42 sts. on needle dec. on front edge only by knitting 2 tog. every 4th row 10 times, then cast off 8 sts. armhole edge every other row 4 times. Make other side to correspond.

SLEEVES

Cast on 77 sts. K in SS. Inc. 1 st. beg. and end of every 7th row until there are 88 sts. on needle. K even until sleeve measures 4½ inches. Cast off 4 sts. beg. of next 2 rows, K 2 tog. beg. of every row until 30 sts. rem. Cast off rem. sts.

SLEEVE BANDS

Cast on 9 sts. MS for 9½ inches then K 2 tog. beg. of every row. Sew to bottom of sleeve.

BAND FOR FRONT OF COAT

Cast on 7 sts. K in MS for around front of coat. Sew to coat. Sew side seams of coat, sew sleeves into coat. Crochet 2 loops of 1 inch, sew to side of coat for belt.

BELT

With Black cast on 11 sts. MS for 28 inches.

M4403 TWO-PIECE DRESS

(Continued from page 32)

viously have been made) by K 2 tog. at arm end every row until all sts. are off, also when the P rib nearest the armhole measures 1 inch in depth, work next row starting at neck edge. Work to within 2 sts. of 3rd P rib from end, P these 2 sts. tog. K 1 (P 2, P 2 tog. K 1) twice. P to end. Cont. P ribs to casting off.

RIGHT FRONT

Same as Left Front but make buttonholes as follows: Starting at centre edge, K 2, cast off 5, K to end. **Next row:** Cast on 5 sts. over cast off ones. Make 1st buttonhole ½ inch from bottom edge, make 8 more up to neck edge, having 2 inches between each.

SLEEVES

Cast on 76 sts. for cuff. K SS for 1½ inches. Reverse SS and K 1¼ inches (that is, have wrong side showing on right side for turn-back of cuff). **Next row:** Inc. 1 st. in every 4th st. across row (95 sts.). Inc. 1 st. at each end of every 4th row until there are 115 sts. on needle. When work measures 6½ inches from beg., shape armhole same as for sweater back until 23 sts. rem. Cast off. Make another the same.

COLLAR

Cast on 47 sts. K 2 ridges. Cast off 7 sts. beg. next row and finish row. Cont. in SS., keeping 2 sts. at straight edge plain. K 2 tog. at cast off end every row until 20 sts. rem. K 11 inches even. Inc. 1 st. every row at same end as dec. until 40 sts. are on needle. Cast on 7 sts. at this end and work 2 ridges. Cast off.

Sew sleeves in armhole, having 23 cast off sts. as part of neck. Sew collar to neck, having cast off sts. of collar to correspond with same of neck. Turn up cuff and work 2 rows SC around top and bottom. Work 2 rows around bottom edge of Sweater and Skirt. Work beading for elastic around top of skirt.

M4426 ONE-PIECE DRESS

(Continued from page 34)

beg. and end of every 8th row 19 times. But when work measures 3 inches, change to size 10 pins for rest of sleeve. When sleeve measures 17½ inches, cast off 3 sts. beg. next 2 rows for armhole. Then K 2 tog. beg. and end of every K row until 32 sts. rem. Cast off 8 sts. beg. next 2 rows. K on rem. 16 sts. in rib of K 1, P 1 for 3¾ inches. Cast off.

COLLAR

With Black and size 10 pins cast on 20 sts. K in ridges for 3 inches. Then inc. 1 st. beg. of every 4th row (one edge only) 6 times. K 7 inches straight, then dec. same as for inc., then K 3 inches. Cast off.

BELT

With Black and size 10 pins cast on 10 sts. K in SS for 30 inches. Then K 2 tog. beg. every row until all are off. With White work 3 rows SC around belt, inc. 3 sts. in each st. at points at end.

SKIRT—BACK

With Black and size 10 pins K all in SS. Cast on 150 sts. K 8 inches. **1st dec. row:** * K 28, K 2 tog. rep. from * across row (5 decs.). K 3 inches, K another dec. row (having 1 st. less between decs. each dec. row). Rep. dec. every 3 inches, 3 times more. Then every 2 inches twice, then every inch 3 times. K 10 rows. Cast off.

LEFT FRONT

Cast on 140 sts. K in SS. K 6 inches. **Next row:** Make buttonhole. P side facing, P 2, cast off 3 sts. P to end of row. **Next row:** Cast on 3 sts. over those cast off below. Make 15 buttonholes, 14 rows between each. At same time, when work measures 8 inches, **1st dec. row:** * K 28, K 2 tog. rep. from * 3 times, K 20. K 3 inches. K another dec. row, having 1 st. less between each dec. K 20 sts. (these 20 sts. are K even up to waist). Rep. dec. every 3 inches, 3 times more, then every 2 inches twice, then every inch twice. K 1 inch. **Next row:** K every 5th and 6th sts. tog. across row. K 10 rows. Cast off.

RIGHT FRONT

Cast on 70 sts. When work measures 8 inches beg. dec. always keeping the 20 sts. (for front edge) even up to waist. Dec. same as on back of skirt (there will be 2 decs. only on row).

TO MAKE UP

Press all pieces. Sew shoulder pieces of sleeve between back and front shoulders. Sew up all seams. Join skirt to waist. Work beading for elastic at waistline on inside and join with snaps. With White work 3 rows SC around collar and down left front and lower edge of skirt. Sew shaped edge of collar to neck.

M4441 TWO-PIECE SUIT

(*Continued from page 34*)

SLEEVES

Cast on 60 sts. K in SS. K even for 1 inch. With wrong side facing K one row. K even for 1½ inches, then inc. 1 st. beg. and end of next and every 8th row until 100 sts. on pin. K even until sleeve measures 17½ inches from ridge. Cast off 8 sts. beg. next 2 rows, then K 2 tog. beg. every row until 60 sts. rem. K 30 rows. **Next row:** Right side facing, K 3 tog. across row (20 sts.). P 1 row. Cast off.

LAPELS

Tension—5 Stitches—1 inch.

With size 7 pins and Angora cast on 8 sts. K in ridges, K 2 rows, then inc. 1 st. beg. every other row until 45 sts. are on pin. K back. With shaped side at beg. of row, cast off 5 sts. every other row 9 times. Work 1 row SC along, cast off sts. Make another to correspond.

POCKETS

With Turquoise cast on 30 sts. K in SS. K 10 rows then K 2 tog. beg. every row until all sts. are off. Pocket trimming: With Angora and size 7 pins, cast on 20 sts. K in ridges. K 2 rows. Then K 2 tog. beg. every row until all sts. are off. Sew Angora trimming to top of straight edge of pocket, having point on top of pocket.

TO MAKE UP

Sew side and shoulder seams. Join sleeves to coat. Turn up hem. Sew facings back and work around buttonhole. Work 3 rows SC across back of neck. Sew shaped edge of lapels to fronts of coat from beg. of front shaping to shoulder seam, having wide part at shoulder. Sew pockets to coat, having top 4 inches below buttonhole and 4 inches from front edge.

M4400 THREE-PIECE SUIT

(*Continued from page 36*)

(same edge) 6 times. K even until armhole measures 6 inches, then cast off 7 sts. (armhole edge) every other row 5 times. Cast off rem. sts. K other side to correspond.

SLEEVES

With Green cast on 80 sts. K in patt. for 1 inch. Change to Gypsy. K in SS. **Next row:** Inc. across row to 100 sts. K even until sleeve measures 5½ inches from beg. Then cast off 10 sts. beg. of next 2 rows and K 2 tog. beg. of every row until 30 sts. rem. Cast off.

BELT

With Green and size 12 pins cast on 16 sts. K in patt. for 30 inches, then K 2 tog. beg. and end of every row until all sts. are off. Work 2 two-inch chains and sew one to each side seam at waistline to pass belt through.

SLEEVELESS COAT—BACK

With Green and size 11 pins cast on 136 sts. K in patt. for 1 inch. Change to Gypsy, K in SS. When Gypsy measures 5½ inches, K 2 tog. each end of every 6th row, 4 times. K even for 1 inch, then inc. 1 st. each end of every 6th row, 5 times. K even until work measures 14 inches from beg. Then cast off 12 sts. beg. of next 2 rows, then K 2 tog. beg. next 12 rows. K even until work measures 7½ inches from underarm, then cast off 7 sts. beg. next 10 rows. Cast off rem. sts.

FRONT

With Green cast on 76 sts. K in patt. for 1 inch. Change to Gypsy. K in SS. When Gypsy measures 5½ inches K 2 tog. at side edge, every 6th row, 4 times. K even for 1 inch, then inc. 1 st. at side edge every 6th row, 5 times. K even until work measures 14 inches from beg. then cast off 12 sts. for underarm, then K 2 tog. (at same edge) every other row, 9 times. At same time (when beg. underarm) K 2 tog. at centre or neck edge every 4th row 21 times (35 sts.). When armhole measures 7½ inches cast off 7 sts. (armhole edge) every other row 5 times. K other side to correspond.

Ch. to embroider patt. With 2 strands White crochet 12 yd. ch. and sew on as illustration, around coat, also around neck and sleeves of sweater.

M4404 TWO-PIECE DRESS

(*Continued from page 40*)

row: P across. Rep. these 2 rows for belt. Finish in a point by K 2 tog. at beg. of every row until all sts. are off. With Grey work 2 rows SC around belt, inc. 2 SC at each corner and 3 SC at point.

LAPELS

With Rose cast on 32 sts. K MS for 12 rows. **Next row:** K 6 sts. MS and rest in SS. Cont. always, having 6 outer sts. in MS. (At inner edge dec. by K 2 sts. tog. at beg. of every 14th row, 7 times, then at beg. of every 8th row, 8 times). K 4 rows. **Next row:** Right side facing, MS 6, K 2. Join Grey. (Always twist the two strands of wool when changing colors), K 24. **Next row:** P 24, change to Rose, P 2, MS 6. Rep. these 2 rows, knitting 1 st. more in Rose every other row, 4 times, then 1 st. less in Rose every other row, 4 times. (Making points). Then, with Rose, K 14 rows. **Next row:** Start second pointed insert: MS 6, K 8. Join Grey and knit as first insert, inc. and dec. Rose sts. as before. Knit 3rd and 5th inserts as 1st one. Knit 4th insert as the 2nd, always knitting 14 rows of Rose between each. When there are 5 Grey pointed inserts, K 14 rows, then 12 rows MS. Cast off. Make left front lapel to correspond, but after 3rd Grey insert cast off 3 sts. at centre edge at beg. of every other row, until all sts. are cast off.

SKIRT

Cast on 400 sts. Join, being careful not to twist work. **1st row:** K 65, (P 2, K 2) 7 times, P 2, K 75 (P 2, K 2), 7 times, P 2, K 65 (P 2, K 2), 7 times, P 2, K 75 (P 2, K 2), 7 times, P 2. Rep. this pattern row for 8 inches. (The ribs are worked to the top of skirt). **1st dec. row:** * K 11, K 2 tog. (5 times), rib 30 sts. K 13, K 2 tog. 5 times, rib 30 sts. Rep. from * once. Work 3 inches even. K another dec. row as before, having 1 st. less between each dec. and always ribbing 30 sts. Rep. decs. every 3 inches twice more, then every 2 inches, 5 times, then K 1 inch, dec., K 1 more inch. Work beading at top of skirt. Work 2 rows SC at bottom of skirt.

TO MAKE UP

Join seams. Join sleeves to sweater. Sew lapels as illustrated. Make loops at side seams at waistline for belt.

M4417 ONE-PIECE DRESS

(*Continued from page 40*)

row: Cast off 6 sts. at armhole end, then K 2 tog. beg. next 6 rows at same end. K 6 rows even, then K 2 tog. beg. of every row at neck edge until 30 sts. rem. and when armhole measures 6 inches cast off 10 sts. beg. of row at armhole end 3 times. K other side to correspond. Work button loops up right front edge, same as on skirt.

SLEEVES

With AB cast on 71 sts. K 2 inches in patt. as for Godet. Then with VB, K 32 sts. SS, join AB and K 7 sts. in patt. (for godet K in patt. up sleeve), join another ball VB and K 32 sts. SS. K 5 rows, the same (always twist shade to be used once around dropped shade. Then K 1 st. less in VB on each side, and 2 more in AB every 6 rows until 53 sts. are in AB in patt.). When VB measures 1 inch, inc. across row (on VB sts. only) to 101 sts. (15 sts. extra each side on VB sts.). Then inc. 1 st. beg. and end of every 6th row until there are 121 sts. When sleeve measures 9 inches, cast off 4 sts. beg. next 2 rows. Then K 2 tog. beg. of every row until 61 sts. rem. Cast off.

BELT

With AB cast on 19 sts. K in patt. for 30 inches. Then K 2 tog. beg. of every row until all are off.

COLLAR AND TIE

With AB cast on 11 sts. K in patt. for 56 inches. Cast off. Sew up seams and set in sleeves, gathering fullness in over shoulders. Sew collar around neck and tie in bow in front. Work 1 row SC around waist edge and sew to skirt. Work casing for elastic on inside at waistline. Tack belt to sides at waist line.

M4413 TWO-PIECE SUIT

(*Continued from page 42*)

MS 15, K 33, rep. from * around row. Rep. this row for 1½ inches. K rest plain. When work measures 7 inches from beg. dec. by * K 23, K 2 tog., rep from * around row. K 4 inches. **Next row:** * K 22, K 2 tog., rep. from * around row. K 3 inches. **Next row:** * K 21, K 2 tog., rep. from * around row. K 3 inches. **Next row:** * K 20, K 2 tog., rep. from * around row. K 2 inches. **Next row:** * K 18, K 2 tog., rep. from * around row. K 2 inches. **Next row:** * K 17, K 2 tog., rep. from * around row. K 2 inches. **Next row:** * K 16. K 2 tog., rep. from * around row. K 2 inches. **Next row:** * K 15, K 2 tog., rep. from * around row. K 2 inches. **Next row:** * K 14, K 2 tog., rep. from * around row, K 1 inch. **Next row:** * K 13, K 2 tog., rep. from * around row, K 11 rows. K 2 rows MS. Cast off.

TO MAKE UP

Sew up seams and set in sleeves. Sew centre front between MS border edges of sides. Sew small buttons under buttonholes of centre piece. Sew waist to skirt and work casing for elastic on inside at waistline. Work two 2-inch chains and sew one on each side at waistline to pass belt through. Sew large buttons on belt.

COAT—BACK

Cast on 143 sts. K 1 inch MS. **Next row:** (Right side of work), MS 7, SS 33, MS 15, SS 33, MS 15, SS 33, MS 7. Rep. this row for 1½ inches. K rest SS. When work measures 16½ inches cast off 8 sts. beg. next 2 rows. Then K 2 tog. beg. next 24 rows. When armhole measures 5½ inches, next row SS 17, MS 69,SS 17. Rep. this row and when armhole measures 6½ inches cast off 6 sts. beg. next 10 rows. Cast off rem. sts.

RIGHT FRONT

Cast on 55 sts. K 1 inch MS *. **Next row:** (Right side of work facing) MS 13, SS 33, MS 9. **Next row:** MS 9, SS 33, MS 13. Rep. from * for 1½ inches. Then cont. the 13 front edge sts. only in MS every row and K rest of row in SS. When work measures 16½ inches (from beg.) cast off 8 sts. at side edge for armhole. Then at beg. of every row (arm edge) K 2 tog, 17 times. When armhole measures 5 inches make buttonhole in MS border as follows: MS 3, cast off 8, MS 2. **Next row:** Cast on 8 sts. over cast off ones below. When armhole measures 7 inches cast off 6 sts. beg. every row at shoulder edge 5 times.

LEFT FRONT

K to correspond with Right Front.

SLEEVES

Cast on 103 sts. K 1 inch MS. **Next row:** * SS 44, MS 15, SS 44. Rep. from * for 1½ inches. K rest all SS. When sleeve measures 8 inches, K 2 tog. beg. and end of row every inch, 5 times. K even until sleeve measures 17½ inches. Then cast off 6 sts. beg. next 2 rows, and K 2 tog. beg. next 16 rows. K even until armhole is 6 inches. **Next row:** (Right side facing), K 2 tog. tightly across whole row. P back. Cast off. Sew up seams. Sew sleeves in armhole, having fullness on shoulder. Button fronts to buttons on waist.

M4428 DRESS AND JACKET

(*Continued from page 42*)

FRONT

With Parchment cast on 110 sts. K even for ½ inch. Inc. across row to 148 sts. When work is 6 inches, and with right side facing, K 45, join LB, K 58. Join another ball of Parchment and K 45. **Next row:** P 45 Parchment, K LB sts. in MS and P Parchment sts. Cont. in this way K Parchment sts. in SS, and LB sts. in MS for 12 rows. **Next row:** K 45 Parchment, K 9 MS LB, join PB and K 40, K 9 MS LB, join Parchment, K 45. Twist wool when changing colors. Cont. in this way in SS except LB sts., which are K in MS. When work is 8½ inches from beg. cast off 8 sts. beg. next 2 rows and K 2 tog. beg. every row 14 times (118 sts.). When armhole is 5½ inches K Parchment and PB sts. in rib of K 1, P 1, and LB in MS for 1 inch. Cast off.

SLEEVES

With LB cast on 67 sts. K in MS for 1 inch. Join PB and K in MS for 1 inch. Join Parchment and K rest in SS. **1st row of Parchment:** K 26, inc. 1 st. in each of next 15 sts. K 26. P back (82 sts.). **Next row:** K 32, inc. 1 st. in each of next 18 sts. K 32. P back (100 sts.).

Next row: Inc. 1 st. in 1st st. K 37., inc. 1 st. in each of next 24 sts. K 37, inc. 1 st. in last st. P back (126 sts.). Cont. in SS and inc. 1 st. beg. and end of every 4th row, 4 times (134 sts.). When work is 5 inches cast off 8 sts. beg. next 2 rows, then K 2 tog. beg. every row until 74 sts. rem. K even for 16 rows. **Next row:** K 2 tog. across row. P back (37 sts.). Cast off.

TO MAKE UP

Join skirt to pleats and turn up hem. Join side seams of waist, join shoulder seams, leaving about 1 inch of Parchment at front free at each side of LB. Make loops at outside edges of LB for button loops. Sew buttons on back of shoulders. Sew sleeve seams and join to armhole, having fullness at top. Join waist to skirt, having centre front of waist matching centre of front panel. Crochet loops at waist line at side seams for belt to pass through.

BELT

With LB cast on 12 sts. With PB cast on 12 sts. (24 sts. in all). K all in MS. K even for 30 inches, break wools, join Parchment, cont. in MS and K 1 row, then K 2 tog. beg. every row until all sts. are off. Turn Parchment flap back and sew button on top.

COAT—BACK

With Parchment cast on 62 sts. With PB 12 sts., LB 12 sts., Parchment 62 sts. (148 sts.). K in SS for 1 inch. With wrong side facing K 1 row for hem ridge. Now K Parchment sts. in SS, and colored in MS. K even until 12½ inches from ridge. Cast off 8 sts. beg. next 2 rows and K 2 tog. beg. every row 14 times. Leave on pin. Make pointed flap as follows: With spare pins and Parchment cast on 2 sts. K in MS. K 1 row, then inc. 1 st. beg. every row until 24 sts. on pin, K 1 row. Break wool. K on back of coat (K all in Parchment and in SS) with right side facing K across 62 sts. Place flap sts. on top of colored sts. and K 1 st. from both pins as one, 24 times, K across rem. 62 sts. K even until armhole is 7 inches, then cast off 9 sts. beg. next 8 rows. Cast off rem. sts. for neck.

RIGHT FRONT

With Parchment cast on 32 sts. With PB cast on 12, LB 12, and Parchment 24 (80 sts. in all). K in SS. K 1st row. K even for 1 inch, then with wrong side facing, K one row for ridge. Now work colored sts. in MS same as back. When work is 12½ inches from ridge cast off 8 sts. at side edge, then K 2 tog. same edge, every other row 7 times. At same time, when 2 dec. have been made after cast off sts. K 2 tog. front edge every other row. When dec. have been completed at armhole edge and with right side facing, make flap same as back and place over colored sts. and K same as back. Cont. to K 2 tog. every other row front edge until 36 sts. rem. K even until armhole measures 7 inches, then cast off shoulder same as back. K Left Front to correspond.

SLEEVES

With LB cast on 81 sts. K in MS for 14 rows. Join PB and K 14 rows in MS. Join Parchment, K 15, inc. 1 st. in each of next 51 sts. K 15. Cont. in SS inc. 1 st. beg. and end of every 4th row, 5 times (142 sts.). K even until work measures 6 inches. Cast off 8 sts. beg. next 2 rows, then K 2 tog. beg. every row 14 times. K even until work measures 4½ inches from armhole, then cast off 7 sts. beg. every row until all sts. are off.

TO MAKE UP

Join side and shoulder seams. Join sleeve seams and sew to armhole, having fullness at top. Turn up hem and work 3 rows SC in Parchment around fronts and neck of coat. Work 1 row SC around flaps at top of colored stripes. Sew a button on each flap.

M4423 TWO-PIECE SUIT

(Continued from page 46)

K across these 48 sts. again. K 46 sts. more and cast on another 48 sts. in same way as before, join to others and K rem. 46 sts. (234 sts.). K a few rows, using spare needles for the pleats to prevent stretching work. Then K all on one needle. When work measures 7 inches from lower edge on next row inc. 1 st. beg. and end of next and every 4th row, 7 times. K even until work measures 14½ inches from beg. then cast off 8 sts. beg. of next 2 rows for armhole, then cast off 2 sts. beg. of next 10 rows (212 sts.). **Next row:** To make pleats—with right side facing, K 23 sts., place 12 sts. on each of 3 double-end needles and fold pleat towards the left and K 1 st. from each needle as 1 st. 12 times. Make other half of inverted pleat same way and fold towards the right, K 22 sts. and make 2nd inverted pleat to correspond. K rem. 23 sts. (116 sts.). K in Fancy Rib for ½ inch, K rest in SS. When armhole measures 6½ inches, cast off 7 sts. beg. of next 10 rows. Cast off rem. sts. for neck.

RIGHT FRONT

Cast on 100 sts. K 2 inches Fancy Rib. **Next row:** Make 1st buttonhole (right side facing) at front edge K 3 rib, cast off 6, K 3 rib, cont. in SS to end of row and K the last 2 sts. tog. (side seam), on this and every 4th row 5 times. **Next row:** Cast on 6 sts. over the cast off ones below (make a buttonhole every 2 inches), cont. with 12 sts. in Fancy Rib at front edge until 5 buttonholes are made (95 sts.). K even until work measures 7 inches from beg. **Next and every 4th row:** Inc. 1 st. at seam 5 times (100 sts.). K even until front measures 10 inches. Then K 28 sts. in Fancy Rib at front edge for ½ inch. **Next row:** Cast off 24 sts. at front edge, having 4 sts. Fancy Rib left and cont. these up rest of front. When side seam measures 14½ inches, cast off 6 sts. at seam edge for armhole, then K 2 tog. beg. every row (armhole edge), 8 times, K even until armhole measures 5 inches. **Next row:** Cast off 6 sts. at neck edge, then K 2 tog. beg. every row at neck edge and when armhole measures 7 inches shape shoulder by casting off 7 sts. beg. of row at armhole edge, 5 times, also cont. to K 2 tog. at neck edge until all sts. are off.

LEFT FRONT

Cast on 76 sts. K in Fancy Rib for 2 inches. **Next row:** (Wrong side facing), K 4 sts. in Fancy Rib (front edge; always K these 4 sts. in rib. up to neck), K rest of row SS. **Next row:** K 2 tog. at seam edge on next and every 4th row 5 times. K even until work measures 7 inches. Then inc. 1 st. at seam edge every 4th row 5 times. K even until work measures 14½ inches from beg. **Next row:** Cast off 6 sts. for armhole, then K 2 tog. (same edge) beg. every row, 8 times. K even until armhole measures 5 inches, K rest to correspond with Right neck and shoulder.

SLEEVES

Cast on 80 sts. K 1 inch Fancy Rib. Then inc. 1 st. beg. and end of next and every 3rd row until 110 sts.

are on row. K even until work measures 5 inches, then cast off 5 sts. beg. next 2 rows. Then K 2 tog. beg. and end of every row, 8 times. K even until sleeve measures 7 inches from 1st dec. Then cast off 35 sts. beg. of next 2 rows (14 sts. rem.). K in Fancy Rib for 4 inches. Cast off.

POCKET

Cast on 30, K 5 rows Fancy Rib. **Next and every row:** K 4 sts. Fancy Rib at beg. and end of rows, K centre sts. in SS. Cont, in this way and K 2 tog. at inside of rib (beg. and end of SS sts.), every 3rd row until 8 sts. rem. Cast off. Sew on Left front 1½ inch directly above upper button, and 1½ inch from front edge at top.

COLLAR

Cast on 150 sts. K 6 rows Fancy Rib (then K 5 sts. in Fancy Rib beg. and end of every row and K the centre sts. SS). **Next row:** K 2 tog. (inside Fancy Rib same as on pocket) every row until 120 sts. rem. K even until work measures 3 inches. Cast off tightly.

BELT

Cast on 16 sts. K in Fancy Rib for 28 inches. **Next row:** K 5, cast off 6, K 5. **Next row:** Cast on 6 sts. over the cast off ones below. Then K 2 tog. beg. and end of every row until all sts. are off. Sew up all seams and set in sleeves, leaving the 34 cast off sts. at top of sleeve free from seam for pleat, then sew Fancy Rib strip at top of sleeve to shoulder seams of front and back. Sew edges of pleat tog. Sew on collar. Work two 2-inch chains and sew one to each side at waistline to pass belt through. Sew zipper to front opening. Sew on buttons.

M4410 TWO-PIECE DRESS

(Continued from page 46)

SLEEVES

Cast on 95 sts. K in SS. K 1¼ inch for cuff. Reverse SS (P 1 row on K side), K 5 inches more. Then cast off 2 sts. beg. of every row until 17 sts. rem. Cast off. Work 3 rows SC around top and lower edge of cuff. Sew shoulder seams of back and front yokes tog. Work 3 rows SC around neck fronts and lower edges of yokes—to be sewn to pleated body of sweater, lapping extra sts. of Right Front over Left Front to which buttons are sewn. Sew down 1 inch of pleats at waist line, beg. 5 inches from lower edge. Work 3 rows SC around lower edge. Work two 2-inch chains and sew to sides at waistline for belt.

SKIRT

Cast on 458 sts. with circular pin. Join. K 10 inches. To make pleats—* place 12 sts. on each of 3 double end needles and fold under to form pleat toward right, then K 1 st. from each needle as one, 12 times *, K 7, rep. from * to * twice for centre box pleat, K 7, rep. from * to * once and form pleat toward left. Finish round. **Next round:** P1 st. (over first st. of inverted pleat), K 29, P 2 tog. (this will be a P st. on every row), K 29, P 1, K to end of round. Rep. this round for entire skirt (there are no decs. between panels). K 3½ inches. **1st dec. round:** (Beg. after panels) * K 22, K 2 tog. rep. from * 11 times more, K 12. K 1½ inches. **2nd dec. round:** * K 21, K 2 tog. rep. from * 11 times more, K 12. Cont. to dec. 12 sts. every 1½ inches (1 st. less between decs. each time) until 10 decs. have been made in all (242 sts. 27 inches). K 1½ inches. Cast off. Skirt should measure 30 inches when pressed. Work 3 rows SC around lower edge, and casing for elastic at top.

M4418 TWO-PIECE SUIT

(Continued from page 48)

then cast off 6 sts. for underarm. K across row and P the last st. (for beg. of Revere so that all sts. for Revere will be plain on right side when folded back), turn, inc. 1 st. in first st. and P across row. K 2 tog. beg. every row at armhole edge 8 times, at same time inc. 1 st. beg. every row at front edge and K 1 more P st. every 4th row (on P side of revere) at inner edge 8 times (the side front sts. to shape up neck front and also to widen Revere). Then every 2nd row until work measures 3½ inches from underarm (32 sts. for Revere). Now inc. 2 sts. beg. every row at front edge 4 times, and P 1 more st. at inner edge of Revere every 4th row (42 sts. for Revere). K even at outside edge for 4 rows (still cont. to P 1 more K st. at inner edge of Revere every 4th row). Cast off 3 sts. beg. every row at outside edge of Revere up to neck until 2 sts. rem. on Revere. When work measures 7 inches from underarm K 2 tog. at front edge beg. every 2nd row twice, and cast off 6 sts beg. every row at shoulder edge 5 times. K right front to correspond, reversing sts. for Revere.

SLEEVES

Cast on 100 sts. K all in SS. K 12 rows. P 1 row on right side of work for hem ridge. K until work measures 5 inches from ridge. Cast off 6 sts. beg. next 2 rows, then K 2 tog. beg. every row until 34 sts. rem. Cast off.

POCKETS

Cast on 36 sts. K in SS. K 9 rows, then P 1 row on right side for hem ridge. K 3½ inches from ridge. Cast off. Sew back hem. Sew up seams and hem of coat. Sew pockets to edge of coat 1 inch from side seam. Work 2 rows SC around Reveres, neck and down fronts.

BELT

With Black make a ch. about 30 inches long. Work 1 SC in each ch., turn, rep. this row for 1¾ inches. Tack to side seams at waistline.

MOTIFS

With Black ch. 12, join, work 1 SC in each st. **Next row:** 1 SC in first st. (2 SC inc.) in next st. **Next row:** Inc. in every 3rd st. **Next row:** Inc. in every 4th st. Cont. in this way until circle measures 2 inches across. Make 6 motifs. Sew one on each side at front edge of coat, below revere, about 2 inches apart and one at each end of belt. Draw in centre of each motif if centre hole is too large and sew a button in centre of each.

BUTTON LOOPS

With Black ch. 50, turn, 1 SC in each st. Fold over to form 2 loops and wrap 1 end around centre. Make 3—1 for each double motif down front and belt.

M4427 TAILORED DRESS

(*Continued from page 48*)

inches K 1 row. P on right side, then 1 row plain on wrong side. Now cont. work in SS. When work measures 5 inches from P rib, to slope shoulders cast off 8 sts. beg. of every row until 40 sts. rem. Cast off rem. sts. for back of neck.

RIGHT FRONT

Cast on 70 sts. K even in SS for 9 inches. To make armhole, cast off 5 sts. at side edge, and dec. 1 st. beg. every row (side edge), 5 times. When armhole measures 2 inches, K 1 row plain on P side, then next row P on plain side. Cont. in SS for 1 inch. Now at neck edge dec. 1 st. beg. of every row until 40 sts. rem. At same time K even at armhole edge until work measures 5 inches from P ribs. To slope shoulder cast off 8 sts. beg. every row at arm edge 5 times. K left front to correspond.

SLEEVES

Cast on 50 sts. K 1 inch MS. Cont. in SS. Inc. 1 st. beg. and end of every 8th row until there are 100 sts. K even until work measures 18 inches. Now cast off 5 sts. beg. next 2 rows, and dec. 1 st. beg. every row until 30 sts. rem. Cast off.

COLLAR

Cast on 64 sts. K all in MS. K 2 rows even. Now cast off 2 sts. beg. of row and 1 st. beg. of the next row. Rep. these 2 rows until 25 sts. rem. Now cast off 2 sts. beg. of every row until 11 sts. rem. Cast off. Make 2 pieces Green and 2 pieces White in this way.

TO MAKE UP

Sew up side seams. Sew up and set in sleeves. Sew skirt to blouse. Sew cast on side of collar pieces to neck edge, starting at shoulder seams with longest shaped edge at top, Green outside and White next to neck. Make 2 crochet loops for belt and sew at side seams. Press lightly. Sew zipper down front from beg. of neck shaping. Sew zippers to pocket openings. With silk, cut lining for pockets, sew to cast on sts. of pocket and sew to skirt. Work casing for elastic at waistline on inside, run elastic through and join with snaps.

M4439 ONE-PIECE DRESS

(*Continued from page 50*)

POCKET LINING

With K side facing, pick up the 22 sts. cast on over pocket opening, and inc. 1 st. at each end of next row (24 sts.). K in SS for 3 inches. Cast off and sew in place.

COLLAR

With size 12 pins cast on 8 sts. knitting garter st. * Inc. 1 st. at beg. of every other row (one edge only), 4 times. Then K 2 tog. beg. of every other row (one edge only), 4 times. Rep. from * 13 times.

POCKET EDGE

With size 12 pins cast on 2 sts. and K same as for collar for 3 points. K another piece the same and sew to pocket opening.

BELT

Cast on 17 sts. * K 2 ridges. **Next row:** K. **Next row:** K 3, P 11, K 3. **Next row:** K. **Next row:** K 4, P 9, K 4. Cont. in this way, always having 1 more K st. each side of P sts. until all sts. are K on row. Rep. from * for 30 inches or desired length. Then K 2 tog. beg. every row until all are off. Sew to waist at each side and sew on buckle. Sew up all seams. Sew straight edge of Vestee pieces to straight edge of front from shoulder, and lower slanted edge overlapping front, buttonhole points should meet at top edge of centre front. Sew collar around neck.

SKIRT

With Circular Pin cast on 426 sts. SS. Join. K 1 inch, make hem ridge (as on sleeves). Then K until work measures 9 inches from beg. **1st dec. round:** K 176 sts. then * K 2 tog. K 23, rep. from * to end of round (10 decs.). K even for 3 inches. Rep. dec. round (always having the 176 sts. even for front panel and pleats and 1 st. less between each dec.) every 3 inches, 4 times more. When work measures 21 inches, make inverted pleat by sl. 12 sts. on each of 3 double-end needles, fold towards the right and K through the 3 sts. as one st. 12 times. Make another pleat and fold towards the left, K 32 sts. (centre front), make another box pleat, K to end of round (280 sts.). K 3 inches. **Next dec. row:** * K 2 tog. K 18, rep. from * to end of round. K 3 inches. Make another dec. round, K 2 inches. Make another dec. round, K 1 inch. Make another dec. round, K 1 inch. Cast off. Press pleats and sew up hem. Sew to waist. Work casing for elastic on inside at waistline.

M4333 ONE-PIECE DRESS

(*Continued from page 50*)

Next row: K 2, * K 2, K 2 tog. rep. from * to end of row, end K 2 (91 sts.). Now cont. in SS till armholes measure 6 inches. To slope shoulders—cast off 6 sts. beg. of next 10 rows. Cast off rem. sts.

LEFT FRONT

Cast on 30 sts. K in SS. Cast on 2 sts. beg. of each row for centre edge 28 times and at same time inc. 1 st. beg. every 8th row at side edge. Place these sts. on spare pin and make right front to correspond. Now place the 2 pieces on same pin and K right across. Cont. inc. at side edge every 8th row, 10 times (192 sts.). To shape armhole cast off 5 sts. beg. of next 2 rows, then K 2 tog. beg. every row 10 times (172 sts.). Now with right side facing K 86 sts. Place rem. sts. on spare pin. K on these 86 sts. until armhole measures 4 inches, then K in rib of K 1, P 1 for ½ inch. With right side facing K 2 tog. 38 times, end row in SS. Then cast off 6 sts. at neck edge every 2nd row 3 times. Cont. even until armhole measures 6 inches. To slope shoulder, cast off 6 sts. beg. of every row at armhole edge 5 times. Pick up sts. from spare pin and make other side to correspond.

SLEEVES

Cast on 60 sts. K in SS for ½ inch. Make 1 P row on plain side. This forms hem ridge. Cont. in SS. Inc. 1 st. beg. and end of every 10th row 18 times. When work measures 18 inches from hem cast off 5 sts. beg. of next

2 rows and K 2 tog. beg. of every row until 36 sts. rem. Cast off. Make another sleeve in same manner.

BRAID STRIPS

With Cranberry and circular pin, cast on 500 sts. K back and forth in MS for 1 inch. Cast off. Make another strip in same manner with Jade, and another with Cream Pearl.

TO MAKE UP

Hem skirt. Sew up side seams of Blouse. Sew up and set in sleeves. Sew blouse to skirt, easing in fullness around point in front. Work 1 row SC around neck and down both fronts. Make 2 small button loops on right front opening. Braid strips loosely and fasten ends tog. Starting at centre of back of neck, divide braid in half and sew around neck down front to point and over point seams to side seam leaving ends free from side seams across back. Make a chain to form loop on one end of braid and sew button to other end. Press lightly.

M4436 TWO-PIECE DRESS

(Continued from page 52)

sts.). K even until armhole measures 6½ inches from beg., then cast off 8 sts. beg. of next 8 rows. Cast off rem. sts.

FRONT

K same as Back to armhole, then cast off 5 sts. beg. of next 2 rows, then K 2 tog. beg. of next 12 rows (100 sts.). When armhole measures 2 inches, K 36, MS 8. Place rem. sts. on spare needle. Cont. and MS 8 up front edge to neck. When armhole measures 5½ inches, cast off 6 sts. at neck edge, then at same edge cast off 2 sts. beg. of every row 3 times. K even until armhole measures 7 inches, then at shoulder edge cast off 8 sts. 4 times. Right Side: Cast on 8 sts. at front edge of spare needle (K these 8 sts. in MS up to neck), SS 56 across row. K 1 inch, then make buttonhole in MS band. To make buttonhole, MS 2, cast off 4, MS 2, finish row. **Next row:** Cast on 4 sts. over cast off sts. below. Make 2 more buttonholes, 1" between each. When armhole measures 5½ inches, cast off 20 sts. at neck edge. Then at same edge cast off 3 sts. beg. of every row, 4 times. When armhole measures 7 inches, cast off 8 sts. beg. of every row at shoulder edge 4 times.

SLEEVES

Cast on 52 sts. K in rib of K 1, P 1 for 2½ inches. K rest of sleeve SS. Inc. 1 st. beg. and end of every 6th row until there are 90 sts. on row. When sleeve measures 17½ inches, cast off 5 sts. beg. of next 2 rows. Then K 2 tog. beg. of every row until 20 sts. rem. Cast off.

COLLAR

Cast on 110 sts. K all SS. K even for ½ inch, then inc. 1 st. beg. and end of every 4th row 3 times. With SS side facing cast off 78 sts. Cont. on rem. sts. and inc. 1 st. at side edge every 4th row, at same time casting off 10 sts. at beg. of every other row until all sts. are cast off. Work 2 rows SC around collar.

TO MAKE UP

Sew shoulders together. Sew sleeve into armhole and sew up all seams. Work 1 row SC around neck and sew collar to neck edge, from inside edge of MS band to inside edge at other end. Sew on buttons, leaving end of buttonhole band loose.

M4437 DIAGONAL RIBBED DRESS

(Continued from page 52)

st. work rem. 63 sts. Keeping diagonal ribs even, work one side of front on 63 sts., shaping armhole, when reached, as for back. When front opening measures 8 inches, for neck shaping cast off 10 sts. at front edge, then dec. 1 st. every other row, at front edge, 8 times, meanwhile cont. armhole shaping as before until all sts. are off. Join wool at centre front and work second side of front on rem. 63 sts. to correspond.

SLEEVES

Cuff Band all Garter St. Cast on 12 sts. and K 134 rows (67 ridges), cast off. With right side facing, K up 1 st. in each ridge along cuff band (67 sts.). **Next row:** P, inc. 1 st. in every other st. across row (100 sts.). Then K 1 row, P 1 row. Cont. in patt. as follows: Patt. for Sleeve. **1st row:** All P. **2nd row:** All K. **3rd row:** All P. **4th row:** All K. **5th row:** All K. **6th row:** All P. **7th row:** All K. **8th row:** All P. (These 8 rows make 1 patt.). Rep. these 8 rows for entire sleeve. Work 6 patts. even, then dec. 1 st. each end of every 4th row 4 times. When there are 8 complete patts. to shape top of sleeve, K 2 tog. at beg. of every row until 6 sts. rem. Cast off.

BAND FOR FRONT

All Garter St. Cast on 10 sts. and K 13 inches. Cast off.

COLLAR

All Garter St. Cast on 85 sts. and K even for 8 rows. Then inc. 1 st. at beg. of every row until there are 121 sts. Cast off.

BELT

All Garter St. Cast on 16 sts. and K 27 inches. Then K 2 tog. at beg. of every other row until 1 st. rem. Fasten off.

TO MAKE UP

Press pieces lightly with damp cloth and warm iron. Sew in sleeves and then sew side and sleeve seams. Work a row of SC along edges of front opening and tightly around neck. Sew cast on edges of collar to neck edge, starting and ending about ½ inch from front edges. Sew Front Band to right hand side of front opening and on down to the waistline. Close opening with snap fasteners and sew on buttons as illustrated.

Attach crochet loops at side seams for belt to pass through. Work casing for elastic at waistline on inside.

M4444 ONE-PIECE DRESS

(Continued from page 54)

SLEEVES

Cast on 50 sts. K in rib of K 1, P 1 for 3 inches. K rest in SS. Inc. 1 st. beg. and end of every 4th row until there are 100 sts. K even until work measures 18 inches. Then cast off 5 sts. beg. next 2 rows and dec. 1 st. beg. every row until 30 sts. rem. Cast off.

COLLAR

With White cast on 130 sts. K plain for 8 rows. Keep 5 sts. at each end in Garter St. and rest in SS. K 2 tog. at each end of every other row 10 times, inside of Garter Sts. (110 sts.). K until work measures 3 inches. Cast off. Sew to neck edge from centre left front around to centre right front.

LEAVES

The leaves are made by crocheting around a ch. picking up only 1 loop of ch. With White ch. 15, turn, 1 TRC in fourth ch. from hook. 1 TRC in each next 2 ch. 1 DC in each of the next 3 ch. 1 SC in each of next 3 ch. 1 sl. st. in each of next 3 ch. This brings you to the end of ch. Then work back on other side of ch. with 3 sl. sts. 3 SC, 3 DC and 3 TRC, ch. 3 and join to beg. of row. Break off. Make 18 leaves in this way.

TO MAKE UP

Sew up side seams and hem skirt. Sew up side and shoulder seams of blouse. Sew up and set in sleeves. Sew blouse to skirt. Set in zipper from top of hem to neck. Sew leaves up front of dress 4 inches apart on each side of zipper. Make beading for elastic on inside at waistline, work two 2-inch chs. and sew one to each side at waistline to pass belt through.

M4422 DRESS AND BELT

(Continued from page 54)

TO MAKE UP

Press all pieces separately. Crochet 3 button loops on each back shoulder (for buttons). Sew shoulders tog. at wide edge 1 inch. Sew sleeve into armhole and sew up seams. Join skirt to waist and work casing for elastic inside at waistline. Crochet 2 chains 2 inches long and sew to each side of waistline to pass belt through.

EMBROIDERED BELT

(Illustrated with M4422 Dress)

MATERIAL

M4434 Pattern Stamped on Net

Y76 Corticelli Australene Wool No. 132 Smoke Grey - -	**1 Ball**
Y71 Corticelli Boucle de Laine No. 130 White - - - - -	**1 Skein**
Y72 Corticelli Boucle de Laine No. 131 Black - - - - -	**1 Skein**
Y72 Corticelli Boucle de Laine No. 178 Bandera Red - -	**1 Skein**

A GUIDE FOR THE KNITTER



TO CAST ON



TO KNIT

An Asterisk (*) indicates that the directions immediately following are to be repeated the given number of times, in addition to the original. Thus "repeat from * 3 times" means to make 4 times in all.

The ** is used in the same way.

Even means that a row is to be worked without either increase or decrease.

Over means to throw the wool over the right-hand needle, which is another way of increasing a st.

Work means to continue in the stitch which has been described.

TO CAST ON

Make loop, leaving a long end and slip loop to pin; with loose end, make loop on left thumb; insert pin in this loop and with end attached to ball, knit st on pin; tighten loose end with left hand.

TO KNIT (K)

Holding pin containing sts in left hand, with wool back of work, insert right-hand pin into first loop and make loop on right-hand pin, as for casting on, slip loop from left pin. Work each st in this way until no loop remains on left-hand pin. When row described above is repeated back and forth, any number of times, work becomes alike on both sides and is called GARTER STITCH.



TO PURL



TO INCREASE



TO DECREASE OR NARROW



TO BIND OFF



WEAVING STOCKING STITCH



WEAVING TOE

TO PURL (P)

Hold as for plain knitting, but bring wool to front of work. Insert right-hand pin from right to left through front of next st, pass wool around back of right-hand pin, draw it over pin and through loop, backwards, and let st slip off left pin, as in plain knitting. When purling comes after plain knitting in same row, the wool must be brought from back to front under point of right-hand pin, and it must be brought back again in same manner before returning to plain knitting.

STOCKING STITCH (SS)

Cast on desired number of sts on pin, K 1 row, P 1 row for required length.

TO SLIP A STITCH IN KNITTING (SL ST)

Take it from one pin to other without knitting. Insert needle as if to purl, unless otherwise stated.

TO INCREASE (INC)

1—K 1, but do not slip it from pin as usual; turn pin to which sts are being knitted behind first pin, and K a second st on back thread of same st after which slip latter from pin as usual. (Illustrated)

2—K 1, draw up an extra st in side of next st in row before last row, then K next st.

By these two methods of increasing, a st is added without making a hole in the work.

3—"Over" means to throw wool over right hand needle, which is another way of increasing a st. This method makes a hole in the work and is used to provide space for beading, tc work lace pattern, etc.

TO DECREASE OR NARROW (DEC)

1—K 2 sts tog. Work as with plain knitting, but insert pin into two sts at a time, instead of one.

2—Slip 1, K 1, pass the slipped st over the knitted (PSSO)

TO BIND OFF OR CAST OFF

K 2 sts * pass first st over the second, K another st, again having 2 sts on needle. Rep from * until only 1 st. rem. Break off wool and draw it through last st.

WEAVING STOCKING STITCH

Thread a darning needle and bring pieces to be joined close together. Draw up wool in first st on upper piece, inserting needle from wrong side; insert needle from right side in first st on lower piece and bring up through next stitch from wrong side—draw up wool; * insert needle from right side in same st as before on upper piece and bring up through next st from wrong side—draw up wool; insert needle from right side in same st as before on lower piece and bring up through next st—draw up wool; repeat from * until all sts are joined, and fasten wool well before breaking off.

WEAVING TOE

Break off wool, leaving 12-inch end; thread this into darning needle and weave sts tog as follows: * pass darning needle through first st of front needle, as if knitting, and slip st off—pass through 2nd st, as if purling, but leave st on needle—draw wool through first st of back needle, as if purling, slip st off—draw wool through 2nd st of back needle, as if knitting, leaving st on. Repeat from * until all the sts are joined, and fasten off.

CHAIN STITCH (CH)

Make loop on hook, * wool over and through preceding loop, rep from * desired length. Each loop is called one chain st. (Ch).



CHAIN STITCH

CROCHETED SLIP STITCH (SL ST)

Insert hook in next st, wool over and draw through both loops on hook.

SINGLE CROCHET (SC)

Make chain length required, turn, insert hook in 2nd ch from hook and draw wool through it, wool over and through both loops on hook. Cont to work in this way in each ch to end of row. 2nd row—Turn work, ch 1, * insert hook in top of next st, taking up both threads, wool over and draw through, having 2 loops on the hook, wool over and through both loops on hook. Rep from * across row.



SINGLE CROCHET

HALF DOUBLE CROCHET (HDC)

Make a chain length required, turn, skip 2 ch, * wool over and draw up a loop in next ch, wool over and through all 3 loops on hook; rep from * in each ch to other end. A new row is begun with 2 chs after turning.



HALF DOUBLE CROCHET

DOUBLE CROCHET (DC)

Make chain length required, turn, wool over, insert hook in 3rd ch from hook and draw wool through, having 3 loops on hook wool over and through 2 loops, wool over and through 2 loops again. For 2nd st, * over and through next ch, over and through 2 loops, then over and through 2 loops more, as before; rep from * to other end of chain. 2nd row—Turn, ch 2, over, insert hook in top of first DC of preceding row, taking up both threads, and work off as in first row.



DOUBLE CROCHET

TREBLE CROCHET (TRC)

Make in same way as double crochet, only twist wool around hook twice, instead of once. Work loops off hook as follows: wool around, draw through 2, wool around, draw through 2, wool around and draw through 2.

CHECK TENSION OF PATTERN

Always check the tension of the pattern you plan to make by knitting a small size swatch and comparing it with the tension called for in the instructions.

WHEN GARMENT IS NOT IN USE

Be sure to lay your garment flat when not in use—never under any circumstances hang your garment on a clothes hanger or hook.



TREBLE CROCHET

BUY SUFFICIENT MATERIAL.

At the time you make your initial purchase of the yarn for the garment you intend to make, it is important that you buy the complete amount of each color necessary to finish the article, making sure that it is all of one dye lot number. The next lot number of any color may differ slightly in shade from the original lot you purchased and make it impossible to complete your garment satisfactorily.

"Definitely in the class of finer things"

FINE SILK HOSIERY

OF THE FAMOUS Corticelli MANUFACTURE

Always a great favorite with fastidious women, Corticelli daily grows in vogue importance . . . beautiful silk hose that have a rightful part in your wardrobe. From a surprisingly fine collection of the most fragile Chiffons to the more practical service sheers, we enumerate a few—

FORMAL CHIFFONS, pair - - 1.00 to 1.95
DAYTIME CHIFFONS, pair - - .75 to 1.25
LUXURY CHIFFONS, pair - - - - 1.95

With all the world seeing your hosiery more and more, be sure to wear Corticelli—ask at your favorite hosiery counter for the exact shade.

Printed by The Ronalds Company Limited, Montreal